




GE Appliances


AJES12DC—"J Series" Heat/Cool Unit

Wall Case Dimensions (in inches)



Note: When installing units in through-the-wall applications
Do not restrict air flow areas.

Perpendicular



230/208V
20 Amp

For answers to your Monogram,[®]GE Profile
Performance Series,[™] GE Profile,[™] GE,
Hotpoint and RCA appliance questions, call
GE Answer Center[®] service, 800.626.2000.



Total capacity and E.E.R.
ratings are calculated
based on the Association
of Home Appliance
Manufacturers' standards.




Listed by
Underwriters
Laboratories




GE Appliances

AJES12DC—"J Series" Heat/Cool Unit


Dimensions (in inches)



Frame Construction



Flexible Mounting Position



Brick Block and Brick Frame Construction

Installation Information: A finished opening of 26-1/8" x 15-3/4" clear of intrusions is required. Keep clearance of 4" from side walls. Brick veneer or frame walls should have wood studding surrounding case to provide firm anchoring with screws. Case can be fastened directly to brick or block walls with screws sunk in lead expansion shields.

For answers to your Monogram®, GE Profile Performance Series™, GE Profile™, GE, Hotpoint and RCA appliance questions, call GE Answer Center® service, 800.626.2000.



Total capacity and E.E.R. ratings are calculated based on the Association of Home Appliance Manufacturers' standards.



Listed by Underwriters Laboratories



GE Appliances

AJES12DC—"J Series" Heat/Cool Unit

Features and Benefits

- Decorative Warm Gray-Beige Front
- 11,600/11,400 BTUH (Cooling), 11,600/9,500 BTUH (Electric Heat), 9.0/9.0 E.E.R., 230/208 Volts
- Fan Cycle Switch for Reduced Energy Consumption
- Variable Setting Thermostat
- 2 Cooling/2 Heat/2 Fan Speeds
- Includes Two-Stage Heating Thermostat
- Slide-Out Filter for Easy Cleaning
- Exhaust for Air Exchange
- Slide-Out Chassis
- Chassis Only—Without Wall Case and Mounting Kit
- Wall Case—Optional Accessory (RAB46/47/48)
- Window Mounting Kit—Optional Accessory
- Plug Type—Perpendicular