

French Door Bottom Mount Refrigerator, 36", White B22CT80SNP



This 72" Counter-depth French Door Refrigerator Installs Nearly Flush in All Major Cutouts and Features LED Lighting for Easier Viewing.

- **XXL capacity:** extra space for your food when you need it.
- **LED lighting:** keep your groceries in perfect view.
- **Super Cooling function:** cools new food placed inside faster, thus protecting already cooled food.
- **Door Open Alarm:** Reminds you if the door is not closed properly.
- **True Counter-Depth:** sits flush with the countertop with hidden hinges.

UPC code: 825225908944
 Color: White
 Panel Ready: Not Possible
 Watts: 817 W
 Fuse protection: 15 A
 Volts: 120 V
 Frequency: 60 Hz
 Total annual energy consumption: 633.3 kWh/annum
 ENERGY STAR® certified: No
 Power Cord Length: 62"
 Plug Type: 120V-3 prong
 Required Cutout Size (HxWxD) (in): 72" x 36" x 24 5/8"
 Product Packaging Dimensions (HxWxD): 78.73 x 39.36 x 31.49
 Total Unit Gross Capacity - AHAM: 21.8 Cu Ft
 Refrigerator Gross Capacity: 16.3 Cu Ft
 Freezer Gross Capacity: 5.5 Cu Ft
 Net Weight: 325.000 lbs
 Gross Weight: 360.000 lbs



BORPLFTR20 Water filter

French Door Bottom Mount Refrigerator, 36", White B22CT80SNP

This 72" Counter-depth French Door Refrigerator Installs Nearly Flush in All Major Cutouts and Features LED Lighting for Easier Viewing.

Design

- Hidden Hinges
- Full-Width Glass Shelves With Metal Trim
- Black External Side Panels

Performance

- Holiday Mode
- Deli Drawer
- Crisper Drawer
- Electronic Controls for Precise Temperature Management


Convenience

- Door Open Alarm
- Automatic Ice Maker

Capacity


- 21.8 cu ft Total Capacity
- 16.3 cu ft Refrigerator Capacity
- 5.5 cu ft Freezer Capacity
- Gallon Door Bins
- Full Length Cantilever Racks for Ultimate Flexibility

French Door Bottom Mount Refrigerator, 36", White B22CT80SNP




Drawers can be pulled out with door open 90° .
Drawers can be taken out with door completely open.

measurements in inches




- * $\text{min. } \frac{1}{2}"$, $2\frac{1}{2}"$ on either side if next to wall.
- * If the appliance is placed next to a range, the lateral distance must be at least $\text{min. } 1"$.
- ** The rear clearance must include space for the water connection.

measurements in inches



Measurements in inches



- * If fixed wall/alcove, add $4"$ to this width ($2.5"$ total space on each side for doors).

Measurements in inches