

DF36450C/S/P



FEATURES


- Make a statement with your choice of door colors and finishes for your Wolf Dual Fuel Range—classic stainless or new powder-coated black or white
- Patented dual-stacked, sealed burners offer precise temperature adjustment
- Burners produce up to 20,000 Btu for fast boils and intense sears and as low as 300 Btu for true simmers and melts
- For improved temperature control and safety, the spark ignition system reignites burners automatically
- The adjustable 16,000 Btu infrared charbroiler features high and low settings, aptly handling a range of foods from steaks and burgers to delicate fish fillets and vegetables
- Wolf's Dual VertiFlow™ convection system provides reliably even heat, reduces hot and cold spots, and enables consistent multi-rack cooking
- Take the guesswork out of cooking with 10 chef-created cooking modes, including Bake, Broil, Convection, Convection Roast, Dehydrate, Gourmet, Proof, Roast, Stone, and Warm
- Gourmet Mode features nearly 50 presets that automatically control the oven to ensure delicious results
- The temperature probe alerts you when your dish has reached the desired temperature
- The oven offers self-clean, delayed start, timed cook, and Sabbath features
- Control your oven from wherever you are using our convenient Owner's App—remotely preheat, adjust temperatures, select modes, and more
- The full-color touchscreen is intuitive and easy to read, discreetly hiding away when not in use
- LED backlit control bezels illuminate when in use, indicating which burners are active
- ACCESSORIES**
- 2-Burner Wok Grate
- 36" Dehydration Rack Set
- 36" Dual Fuel Brushed Brass Bezel Kit
- 36" Full-Extension Ball-Bearing Oven Rack
- 36" Standard Oven Rack
- Bake Stone Kit
- Filler Trim (2-pc)
- Temperature Probe
- Red, black, brushed stainless, brushed brass, and brushed gray knob kits
- Rear Caster Covers
- Front Leg Extension Covers
- Stainless Steel Kickplates
- 5" and 10" stainless steel risers, and 20" riser with shelf
- Accessories available through an authorized dealer.



KNOB OPTIONS



TOP CONFIGURATION



RANGETOP SPECIFICATIONS

- 1 - 9,200 Btu burner
- 1 - 15,000 Btu burner
- 1 - 18,000 Btu burner
- 1 - 20,000 Btu burner
- 1 - 16,000 Btu charbroiler
- Stainless-steel charbroiler cover




PRODUCT SPECIFICATIONS

Model	DF36450C/S/P
Dimensions	35 7/8"W x 36 1/2"H x 29 1/2"D
Oven 1 Interior Dimensions	31 1/4"W x 17 1/2"H x 20"D
Oven 1 Usable Capacity	4.1 cu. ft.
Oven 1 Overall Capacity	6.3 cu. ft.
Door Clearance	21"
Electrical Supply	240/208 VAC, 60 Hz
Electrical Service	30 amp dedicated circuit
Gas Supply	3/4" ID line
Gas Inlet	1/2" NPT female


ELECTRICAL

GAS




NOTE: Dimensions in parenthesis are in millimeters unless otherwise specified

DIMENSIONS



STANDARD INSTALLATION



*Without ventilation hood, 36" (914) minimum clearance countertop to combustible materials, 44" (1118) for charbroiler.
NOTE: Shaded area above countertop indicates minimum clearance to combustible surfaces, combustible materials cannot be located within this area.
For island installation, 12" (305) minimum clearance back of range to combustible rear wall above countertop.