

GE PROFILE™ AND GE®
WASHERS AND DRYERS

*Perfect care. Perfect timing.
Perfectly simple.*



SEARS



We bring good things to life.

GE Profile™ and GE® Washers

GE Profile washers respond to the laundry demands of today's family by combining time-saving conveniences with innovative sensor and cycle technologies. The full choice of GE washers delivers sensational cleaning features with reliable operating year after year.



Exclusive FabriClean™ wash system

The FabriClean wash system includes: Electronic controls for one-touch operation; Stain Wash cycle which reduces the need for pretreating; Auto Soak for an automatic 15 minute pre-soak before the cycle is selected and SpotSpray for a 7-second spray of water that allows you to dampen clothing when you pretreat stains.



ExtrAction tub™

Removes up to 24% more water from your clothing, reducing drying times and resulting in less clothing wear and tear.



Variable speed motor

The electronically controlled drive offers up to 12 wash/spin speed combinations for precise fabric care. There are settings for heavy cottons, synthetics and fine delicates, along with several variations in between.

Not all features available on all models.



Capacity

Super 3.2 cu. ft. capacity plus washer means consumers can clean more clothes per load. The wash tub is large enough to handle a cotton king-size comforter.



GentlePower™ Agitator

The GentlePower agitator adapts to the clothes load, providing gentle and effective washing action.

ONLY GE HAS IT!



Auto balance suspension system

The Exclusive Auto Balance Suspension System keeps the washer balanced if the load is unbalanced.

Not all features available on all models.

GE Profile™ and GE® Dryers

GE Profile dryers offer exceptional clothes care using high performance features like precise temperature management systems and specialized drying cycles. The variety of GE dryers deliver flexible and gentle clothes care with impressive results.



Delicate cycle with Extra-Low Heat setting

This cycle protects heat-sensitive fabrics by ensuring that the average fabric temperature is 125°F.



Sensor Damp Dry option

This option automatically stops the dryer when clothes reach a moisture content level of approximately 17%, thus allowing you to hang dry selected items.



Capacity

Super 7.0 cu. ft. capacity dryer allows consumers to dry family-size loads. Large capacity means fewer loads and less time spent doing laundry.

Not all features available on all models.



Reverse-A-Door

This feature is the ultimate in flexibility. Change door swing to accommodate your laundry area.



Extra-wide opening

An extra-wide opening provides easy access to our 7.0 cu. ft. of total dryer capacity.



Upfront lint filter

An upfront lint filter provides ease of cleaning and optimizes dryer performance.

Not all features available on all models.

GE Profile™ Washers



EXCLUSIVE MODEL



GE Profile

3.2 cu. ft. Super Capacity Plus Washer

35922-4/WNSB9100B

- **FabriClean™ wash system**
- Fully electronic—one-touch operation
- Adaptive Logic System™
- ExtrAction tub™
- GentlePower™ agitator
- SpotSpray
- Bleach dispenser
- Fabric softener dispenser
- PerfectTemp Plus wash system
- Auto Soak
- 2nd Rinse
- Extended Spin
- Cycle Countdown
- Exclusive Auto Balance Suspension System
- Multiple wash cycles
- 10 wash/spin speed combinations
- Lingerie/Handwash cycle
- Stain Wash
- 3 water levels
- Hush Quiet sound package
- Variable end-of-cycle signal
- 4 wash/rinse temperatures



EXCLUSIVE MODEL



GE Profile

3.2 cu. ft. Super Capacity Plus Washer

35842-4/WNSB9080B

- **FabriClean wash system**
- Fully electronic—one-touch operation
- Adaptive Logic System
- ExtrAction tub
- GentlePower agitator
- SpotSpray
- Bleach dispenser
- Fabric softener dispenser
- PerfectTemp Plus wash system
- Auto Soak
- 2nd Rinse
- Extended Spin
- Cycle Countdown
- Exclusive Auto Balance Suspension System
- Multiple wash cycles
- 8 wash/spin speed combinations
- Lingerie/Handwash cycle
- 3 water levels
- Deluxe Quiet Plus
- Variable end-of-cycle signal
- 4 wash/rinse temperatures

GE Profile™ Washers



EXCLUSIVE MODEL



GE Profile

3.2 cu. ft. Super Capacity Plus Washer

35822-4/WNSB8060B

- **FabriClean™ wash system**
- Fully electronic—one-touch operation
- Adaptive Logic System™
- GentlePower™ agitator
- SpotSpray
- Bleach dispenser
- Fabric softener dispenser
- PerfectTemp Plus wash system
- Auto Soak
- 2nd Rinse
- Extended Spin
- Cycle Countdown
- Quick Rinse
- Exclusive Auto Balance Suspension System
- Multiple wash cycles
- 6 wash/spin speed combinations
- ExtrAction tub™
- Handwash cycle
- 3 water levels
- End-of-cycle signal
- Deluxe Quiet Plus
- Stain Wash
- 4 wash/rinse temperatures

GE® Washers



EXCLUSIVE MODEL



GE

**3.2 cu. ft. Super Capacity Plus Washer
35722/WKSE6280B**

- **FabriClean wash system**
- Exclusive Auto Balance Suspension System
- PermaTuf II™ Basket
- Electronic rotary controls
- Deluxe Quiet Plus
- 6 wash/spin speed combinations
- 28 wash cycles
- Bleach dispenser
- Auto Soak
- 4 wash/rinse temperatures
- Variable water levels
- Handwash cycle
- PerfectTemp wash system
- Quick Rinse
- Extended Spin
- Power Rinse
- Cycle status lights
- SpotSpray
- 2nd Rinse
- Fabric softener dispenser
- GentlePower agitator
- Stain Wash

GE® Washers



GE 3.2 cu. ft. Super Capacity Plus Washer 35702/WNSE6280B

- **FabriClean™ wash system**
- Exclusive Auto Balance Suspension System
- PermaTuf II™ Basket
- Electronic rotary controls
- Deluxe Quiet Plus
- 6 wash/spin speed combinations
- 28 wash cycles
- 4 wash/rinse temperatures
- Bleach dispenser
- Auto Soak
- 4 water levels
- Handwash cycle
- PerfectTemp wash system
- Quick Rinse
- Extended Spin
- Power Rinse™
- Cycle status lights
- SpotSpray
- 2nd Rinse
- Fabric softener dispenser
- GentlePower™ agitator
- Stain Wash



GE 3.2 cu. ft. Super Capacity Plus Washer 35622/WBSE3120B

- Exclusive Auto Balance Suspension System
- PermaTuf II Basket
- Electronic rotary controls
- Quiet-By-Design™
- Bleach dispenser
- Quick Rinse
- 3 wash/spin speed combinations (locked)
- 12 wash cycles
- 3 wash/rinse temperatures
- 3 water levels
- Power Rinse
- Cycle status lights
- GentlePower Agitator

GE Profile™ Dryers



EXCLUSIVE MODEL



GE Profile

7.0 cu. ft. Super Capacity Dryer

45922-4/DNSB514EB

55922-4/DNSB514GB

- Fully electronic—one-touch operation
- Adaptive Logic System™
- Sensor Dry Plus
- Delicate cycle
- Deluxe dryer rack
- Sensor Damp Dry option
- Wrinkle Care/Extended Tumble
- DuraDrum™ interior
- Removable upfront lint filter
- Reverse-A-Door
- Dryer interior light
- Multiple drying cycles
- 5 heat selections with extra low heat
- Variable end-of-cycle signal
- Hush Quiet
- Dryel® cycle
- Cycle countdown

GE® Dryers



GE

7.0 cu. ft. Super Capacity Dryer

45822/DWSR405EB

55822/DWSR405GB

- Rotary controls
- Sensor Dry
- 4 heat selections
- Deluxe end-of-cycle signal
- 10 drying cycles
- Wrinkle Care
- Deluxe dryer rack
- Dryer interior light
- Deluxe Quiet
- Removable upfront lint filter
- Reverse-A-Door
- Delicate cycle

GE® Dryers




GE

7.0 cu. ft. Super Capacity Dryer

45702/DWSR483EB

55702/DWSR483GB

- Rotary controls
- Automatic Dry Control
- 4 heat selections
- Variable end-of-cycle signal
- 8 drying cycles
- Wrinkle Care
- Dryer Interior light
- Removable upfront lint filter
- Reverse-A-Door
- Quiet-By-Design™



GE

6.0 cu. ft. Extra-Large Capacity Dryer

45622/DBXR463EB

55622/DBXR463GB

- Rotary controls
- Automatic Dry Control
- 4 heat selections
- 6 drying cycles
- Dryer Interior light
- Quiet-By-Design
- Removable upfront lint filter
- Reverse-A-Door

GE Profile™ Washers

	GE Profile		
	35922-4/ WNSB9100B	35842-4/ WNSB9080B	35822-4/ WNSB8060B
Capacity			
Capacity cu. ft.	Super Plus 3.2	Super Plus 3.2	Super Plus 3.2
Features			
FabriClean™ wash system	●	●	●
Controls	One-Touch Electronic	One-Touch Electronic	One-Touch Electronic
Adaptive Logic	●	●	●
Power Rinse™	●	●	●
Cycle status lights	●	●	●
Wash/rinse temps	4	4	4
Wash/spin speed combinations	10	8	6
Water levels	3	3	3
Temperature management system	PerfecTemp Plus	PerfecTemp Plus	PerfecTemp Plus
SpotSpray	●	●	●
Fabric softener dispenser	●	●	●
Bleach dispenser	●	●	●
Agitator	GentlePower™	GentlePower	GentlePower
End-of-cycle signal	Variable	Variable	●
Number of wash cycles	Multiple	Multiple	Multiple
Cycle Countdown	LED	LED	LED
Cycles			
Whites	●	●	●
Colors	●	●	●
Dark Colors	●	●	
Easy Care	●	●	●
Handwash	w/lingerie cycle	w/lingerie cycle	Pulsed
Specialty Cycles	8	4	Casuals–Pulsed
Optional Soil Levels			
Stain Wash	●	●	●
Heavy Soil	●	●	●
Medium Soil	●	●	●
Light Soil	●	●	●
Auto Soak	●	●	●
Quick Rinse (Prewash)			●
Spin Only	●	●	●
2nd Rinse	●	●	●
Extended Spin	●	●	●
Color lid instructions	●	●	●
Color stain guide	●	●	●
Washer basket type	ExtraAction Tub™	ExtraAction Tub	ExtraAction Tub
Quiet			
Quiet Insulation Package	Hush Quiet	Deluxe Quiet Plus	Deluxe Quiet Plus
Appearance			
Colors available*	WW, CC	WW, CC	WW, CC
Weights			
Approx. shipping weight	160	160	160

*WW = White on white, CC = Bisque on bisque.

GE® Washers

	GE		
	35722/ WKSE6280B	35702/ WNSE6280B	35622/ WBSE3120B
Capacity			
Capacity cu. ft.	Super Plus 3.2	Super Plus 3.2	Super Plus 3.2
Features			
FabriClean™ wash system	●	●	
Controls	Rotary–Electronic	Rotary–Electronic	Rotary–Electronic
Cycle status lights	●	●	●
Wash/rinse temps	4	4	3
Wash/spin speed combinations	6	6	3 (Locked)
Water levels	Variable	4	3
Power Rinse™	●	●	●
Temperature management system	PerfecTemp	PerfecTemp	
SpotSpray	●	●	
Fabric softener dispenser	●	●	
Bleach dispenser	●	●	●
Agitator	GentlePower™	GentlePower	GentlePower
Number of wash cycles	28	28	12
Cottons Regular			
Extra Heavy Soil	●	●	●
Heavy Soil	●	●	●
Medium Soil	●	●	●
Light Soil	●	●	●
Auto Soak (30 Min.)	Stain Wash	Stain Wash	
Easy Care			
Extra Heavy Soil			●
Heavy Soil	●	●	●
Medium Soil	●	●	●
Light Soil			●
Casuals–Pulsed			
Medium Soil	●	●	
Delicate			
Medium Soil	●	●	●
Light Soil			●
Handwash–Pulsed			
Medium Soil	●	●	
Quick Rinse (Prewash)	●	●	●
Spin Only	●	●	●
2nd Rinse	●	●	
Extended Spin	●	●	
Auto Soak	●	●	
Color lid instructions	●	●	●
Washer basket type	PermaTuf II™	PermaTuf II	PermaTuf II
Quiet			
Quiet Insulation Package	Deluxe Quiet Plus	Deluxe Quiet Plus	Quiet-By-Design
Appearance			
Colors available*	WW	WW	WW
Weights			
Approx. shipping weight	160	160	160

*WW = White on white.

GE Profile™ Dryers

		GE Profile	
		45922-4/DNSB514EB	
		55922-4/DNSB514GB	
Capacity			
Capacity cu. ft.		Super 7.0	
Features			
Controls		One-Touch Electronic	
Adaptive Logic		●	
Cycle status lights		●	
Heat management system		Sensor Dry Plus	
Heat selections		5	
End-of-cycle signal		Variable	
Number of dry cycles		Multiple	
Cycle Countdown		LED	
Cycles			
Cottons		●	
Mixed Loads		●	
Easy Care		●	
Delicates (w/Extra-Low temp)		●	
Specialty cycles		8	
Optional Dryness Levels			
More Dry		●	
Dry		●	
Less Dry		●	
Sensor Damp Dry		●	
Options			
Wrinkle Care/Extended Tumble		●	
Dryel® Cycle		●	
Dewrinkle		●	
AirDry		●	
Timed Dry		●	
Deluxe dryer rack		●	
Dryer interior light		●	
Interior finish		DuraDrum™	
Clean lint filter reminder		●	
Quiet			
Quiet insulation package		Hush Quiet	
Appearance			
Colors available*		WW, CC	
Weights			
Approx. ship. wt. (Elec.)		130	
Approx. ship. wt. (Gas)		125	

*WW = White on white, CC = Bisque on bisque.

GE® Dryers

	GE			
	Electric	45822/ DWSR405EB	45702/ DWSR483EB	45622/ DBXR463EB
		55822/ DWSR405GB	55702/ DWSR483GB	55622/ DBXR463GB
Capacity	Gas			
Capacity cu. ft.		Super 7.0	Super 7.0	Extra-Large 6.0
Features				
Controls		Rotary–Mechanical	Rotary–Mechanical	Rotary–Mechanical
Heat management system		Sensor Dry	Auto Dry	Auto Dry
Heat selections		4	4	4
End-of-cycle signal		Deluxe	Variable	
Number of dry cycles		10	8	6
Options				
Wrinkle Care		On/Off	On/Off	
Cottons				
Auto Cottons Cycle		●	●	●
Optional Wrinkle Care		●	●	
Easy Care				
Auto Easy Care		●	●	●
Optional Wrinkle Care		●	●	
Delicates				
Auto Delicates		●		
Optional Wrinkle Care		●		
Timed Dry				
Actual Minutes on Timer		80 Min.	80 Min.	80 Min.
Damp Dry		●	●	●
Dewrinkle		●	●	●
Quick Fluff (no heat)		●	●	●
Deluxe dryer rack		●		
Dryer interior light		●	●	●
Interior finish		DuraDrum™	DuraDrum	DuraDrum
Quiet				
Quiet Insulation Package		Deluxe Quiet	Quiet-By-Design™	Quiet-By-Design
Appearance				
Colors available*		WW	WW	WW
Weights				
Approx. ship. wt. (Elec.)		119	119	112
Approx. ship. wt. (Gas)		125	125	115

*WW = White on white.

Washer Feature Guide

Feature	Description
Sears Exclusive FabriClean™ Wash System	This system consists of: • Electronic Controls offer one-touch operation and add variable speeds to agitation and spin for greater clothing care and flexibility. (Select models) • Stain Wash cycle reduces the need for pretreating heavily soiled items. When selected, Stain Wash combines scrubbing action and soaks to gently remove tough stains, then advances right into the main wash cycle selected. • Auto Soak provides an automatic 15-minute presoak before any cycle is selected. • SpotSpray offers a 7-second burst of water to dilute bleaches, fabric softeners and pre-treatments.
Auto Temp System	Monitors and regulates incoming cold water only to ensure the water temperature is adequate to dissolve the detergents.
2nd Rinse Option	Helps remove bleach and soapy residue from wash loads.
Extended Spin	Removes excess moisture by adding three to eight minutes to the spin cycle depending on the cycle selected.
ExtrAction Tub™	Improves moisture extraction by up to 24%, reducing drying times and resulting in less clothing wear and tear.
Variable Speed Motor and Drive System	Offers more wash/spin speed combinations to take better care of any type of fabric.
GentlePower Agitator™	Adapts to the clothes load, providing gentle and effective washing action.
Speed Wash	Ideal for lightly soiled garments that are needed in a hurry. This cycle is approximately 13 minutes in length depending on household water pressure and is great for emergency loads like a school or soccer uniform or golf outfit.
Adaptive Logic System™	Automatically adjusts remaining cycle time to household conditions such as the distance of the washer from the water heater, the amount of water pressure and load variables, to make displayed cycle time more accurate.
PerfecTemp Plus	GE's most accurate temperature control system ensures that the water is always the right temperature, which maximizes detergent effectiveness. Monitors and regulates cold, warm and hot water temperatures, as well as a warm water rinse.
Lingerie/Handwash Cycle	Designed for those clothes that require extra-special treatment. Simulates handwashing by alternating extra gentle agitation with periods of soaks to loosen soil and stains.

Dryer Feature Guide

Feature	Description
Damp Dry Option and Signal	Sensors automatically stop the dryer when clothes reach a moisture content of approximately 17%. The Damp Dry Signal, if selected, sounds an audible alarm when the moisture content reaches 17% alerting the user to remove select items for hang-drying.
Sensor Dry Plus/ Sensor Dry	Sensor continually monitors moisture content and prevents over drying and under drying, protecting from heat damage and extending the life of clothes.
Speed Dry	Ideal for small loads that are needed in a hurry like a school uniform, soccer uniform or golf outfit.
Auto Dry System	A thermostat automatically stops the dryer when the desired dryness temperature is reached.
Adaptive Logic System	Automatically adjusts remaining cycle times to household conditions such as duct length and restrictions, amount of lint buildup and load variables, to make displayed cycle time more accurate.
Dryel® Cycle	A 30-minute dry cycle designed for use with the new “dry” cleaning product. Simply follow the Dryel manufacturer’s product instructions for optimum use.
Deluxe Dryer Rack:	Designed to hold items such as washable sneakers and stuffed animals. It is easy to insert and remove.
DuraDrum™ Interior	Provides long-lasting dependability and durability.
Wrinkle Care Option:	Provides additional minutes of no heat tumbling after clothes are dry to prevent clothes from laying on each other and creating wrinkles.

GE Profile™ and GE® Washer & Dryer Warranty Information

GE Profile Washers

For The Period Of	GE Will Replace
One Year From the date of the original purchase	Any part in the washer which fails due to a defect in materials or workmanship. During this full one-year warranty , GE will provide, free of charge , all labor and related service costs to replace the defective part.
Second Year From the date of the original purchase	Any part in the washer which fails due to a defect in materials or workmanship. During this additional one-year limited warranty , you will be responsible for any labor and related service costs.
Second through Fifth Year From the date of original purchase	Suspension Rod and Spring Assembly, and Main Electronic Control Board , if any of these parts should fail due to a defect in materials or workmanship. GE will also replace the Washer Lid or Cover , if they should rust under operating conditions. During this additional four-year limited warranty , you will be responsible for any labor and related service costs.
Second through Tenth Year From the date of the original purchase	Transmission and Outer Wash Tub , if either the transmission or outer wash tub should fail due to a defect in materials or workmanship. During this additional nine-year limited warranty , you will be responsible for any labor and related service costs.
Lifetime of Product	PermaTuf II™ Basket , if the PermaTuf II™ Basket should fail due to a defect in materials or workmanship. During this product lifetime limited warranty , you will be responsible for any labor and related service costs.

GE Washers

For The Period Of	GE Will Replace
One Year From the date of the original purchase	Any part in the washer which fails due to a defect in materials or workmanship. During this full one-year warranty , GE will provide, free of charge , all labor and related service costs to replace the defective part.
Second through Fifth Year From the date of the original purchase	Transmission, Suspension Rod and Spring Assembly , if any of these parts should fail due to a defect in materials or workmanship. GE will also replace the Washer Lid or Cover , if they should rust under operating conditions. During this additional four-year limited warranty , you will be responsible for any labor and related service costs.
Second through Tenth Year From the date of the original purchase	Outer Tub , if the outer tub should fail due to a defect in materials or workmanship. During this additional nine-year limited warranty , you will be responsible for any labor and related service costs.
Second through Twentieth Year From the date of the original purchase	PermaTuf II™ Basket , if the PermaTuf II™ Basket should fail due to a defect in materials or workmanship. During this additional nineteen-year limited warranty , you will be responsible for any labor and related service costs.

GE Profile Super Capacity Dryers

For The Period Of	GE Will Replace
One Year From the date of the original purchase	Any part in the dryer which fails due to a defect in materials or workmanship. During this full one-year warranty , GE will provide, free of charge , all labor and related service costs to replace the defective part.
Second Year From the date of the original purchase	Any part of the dryer which fails due to a defect in materials or workmanship. During this additional one-year limited warranty , you will be responsible for any labor and related service costs.
Third through Fifth Year From the date of the original purchase	Dryer Drum and Main Electronic Control Panel , if either of these parts should fail due to a defect in materials or workmanship. During this additional three-year limited warranty , you will be responsible for any labor and related service costs.

GE Super and Extra-Large Capacity Dryers

For The Period Of	GE Will Replace
One Year From the date of the original purchase	Any part in the dryer which fails due to a defect in materials or workmanship. During this full one-year warranty , GE will provide, free of charge , all labor and related service costs to replace the defective part.

Why buy GE at Sears?

Easy Order

Sears has special order solutions. If you don't see the GE appliance you want, just ask.

Satisfaction Guaranteed

Our buying power enables us to offer you great low prices every day.

Nationwide Service

You'll find a dependable Sears service center nearby.

Convenient Credit Options

More credit to more people. Sears Credit Options boost your buying power.

Professional Sales Force

Friendly and informed professional salespeople.

Visit Sears' website at www.sears.com

SEARS



GE Appliances

*General Electric Company
Louisville, Kentucky 40225
GEAppliances.com*