

## ESW 7010 AM

Handleless Gourmet warming drawer, 24" width and 5 5/8" height for preheating dishware, keeping food warm, and Slow Roasting.



- The ultimate in enjoyment – Slow Roasting
- Always at the right temperature – 4 operating modes
- Convenient and easy – Touch control and Miele@home
- Push2open – opening the drawer couldn't be easier
- Better safe than sorry – timer with automatic switch-off

EAN: 4002516487210 / Material number: 11794720 /  
Old Material Number: 30701020USA

<b>General information</b>	
Model number	ESW 7010 AM
Manufacturer material number	11794720
EAN number	4002516487210
<b>Construction type and design</b>	
Gourmet drawer	•
PureLine	•
VitroLine	•
ArtLine	•
No Handles	•
<b>Construction type and design</b>	
Color	Obsidian black
<b>Operating modes</b>	
Warm cups	•
Warm plates	•
Keeping food warm	•
Slow roast	•
<b>Convenience features</b>	
Prewarming of dishware	•
Keeping food warm	•
Perfect cooking results at low temperatures	•
<b>User convenience</b>	
Miele@home	•
Push2open mechanism	•
Fully telescopic runners for easy loading and unloading	•
Control panel with sensor control	•
Timer function	•
Sabbath program	•
Control panel with text	•
Stop programming	•
<b>Cleaning convenience</b>	
Flush control panel	•
<b>Safety</b>	
Cool front	•
Anti-slip mat	•
Safety cut-out	•
<b>Accessory drawer</b>	
Capacity	6 place settings
<b>Technical data</b>	
Temperature in °F (°C)	105-185 (40-85)
Appliance width in in. (mm)	23 1/2 (595)
Appliance height in in. (mm)	5 5/8 (141)
Appliance depth in in. (mm)	22 1/2 (570)
Useable interior height in in. (mm)	3 1/4 (80)
Plug type	NEMA plug: 5-15
Total connected load in kW	0.70
Voltage in V	120
Frequency in Hz	60

ESW 7010 AM

Handleless Gourmet warming drawer, 24" width and 5 5/8" height  
for preheating dishware, keeping food warm, and Slow Roasting.




EAN: 4002516487210 / Material number: 11794720 /  
Old Material Number: 30701020USA

Fuse rating in A	16
Number of phases	1
Connection wire with plug	•
Wire length in ft. (m)	6 (2.0)
<b>Standard accessories</b>	
Non-slip liner	1


## ESW 7010 AM

Handleless Gourmet warming drawer, 24" width and 5 5/8" height for preheating dishware, keeping food warm, and Slow Roasting.




side view, Flush inset, DGC combi XL, ESW

7/8" – 22\* mm – Glass, 15/16" – 23.3\*\* mm – Stainless steel, DGC: Minimum installation height 36" – 914 mm from floor to the device installation surface




side view, Flush inset, combi, 450S, ESW

7/8" – 22\* mm – Glass, 15/16" – 23.3\*\* mm – Stainless steel




side view, Flush inset, combi, 650S, ESW

7/8" – 22\* mm – Glass, 15/16" – 23.3\*\* mm – Stainless steel




Einbau, Flush inset, combi, 450S, ESW

7/8" – 22\* mm – Glass, 15/16" – 23.3\*\* mm – Stainless steel, DGC: Minimum installation height 36" – 914 mm from floor to the device installation surface




Installation Flush inset, combi, 650S, ESW

7/8" – 22\* mm – Glass, 15/16" – 23.3\*\* mm – Stainless steel




side view, Proud, combi, DGC XL ESW

7/8" – 22\* mm – Glass, 15/16" – 23.3\*\* mm – Stainless steel, DGC: Minimum installation height 36" – 914 mm from floor to the device installation surface




side view, Proud, combi, 450S ESW

7/8" – 22\* mm – Glass, 15/16" – 23.3\*\* mm – Stainless steel



side view, Proud, combi, 650S, ESW

7/8" – 22\* mm – Glass, 15/16" – 23.3\*\* mm – Stainless steel




Installation Proud, combi, 450S ESW

DGC: Minimum installation height 36" – 914 mm from floor to the device installation surface

## ESW 7010 AM

Handleless Gourmet warming drawer, 24" width and 5 5/8" height for preheating dishware, keeping food warm, and Slow Roasting.



Installation Proud, combi, 650S ESW