

# FAB10URPG3



<b>Product family</b>	Refrigerator
<b>Installation</b>	Free-standing
<b>Category</b>	Single door
<b>Defrost</b>	Automatic for refrigerator, manual for freezer
<b>Kitchen panel</b>	Not supplied
<b>Hinge position</b>	Right
<b>EAN code</b>	8017709321444



## Aesthetic

<b>Aesthetics</b>	Retro-style	<b>Side material</b>	Steel
<b>Color</b>	Pastel green	<b>Side color</b>	Pastel green
<b>Finishing</b>	Glossy	<b>Logo</b>	Applied
<b>Handle</b>	External	<b>Door shelf profile color</b>	Silver
<b>Handle color</b>	Chromed	<b>Glass shelf profile color</b>	Silver
<b>Logo color</b>	Chromed		

## Refrigerator compartment features



<b>No. of adjustable shelves</b>	1	<b>Crisper cover</b>	Yes
<b>Number of fruit and vegetables drawers</b>	1	<b>Type of crisper cover</b>	Glass
<b>Type of adjustable shelves</b>	Glass	<b>Refrigerator lighting</b>	Yes
<b>Crisper drawer type</b>	Standard	<b>Refrigerator lighting</b>	LED

## Refrigerator Inner Door

<b>Number of adjustable door shelves</b>	2	<b>No. of bottle shelves</b>	1
--	---	------------------------------	---

## Freezer features

Internal freezer compartment Yes

## Other technical features


Temperature setting type	Electro-mechanical
No. of compressors	1
Refrigerant gas type	R600a
Compressor type	Standard
Foam agent	Cyclopentane

## Performance / Energy Label

Total volume	4.48 cu. ft.	Refrigerator volume	3.85 cu. ft.
Noise level	37 dB(A) re 1 pW	Climatic class	SN, N, ST, T
Freezer capacity	0.64 cu. ft.		

## Electrical Connection

Plug	(A) USA & Mexico	Voltage (V)	120 V
Electrical connection rating	110 W	Frequency (Hz)	60 Hz
Current	1,25 A	Power cord length	70 7/8 "



## Symbols glossary (TT)

---



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.