

# FAB28URDEG3



|                  |  |
|------------------|--|
| Product family   | Refrigerator                                   |
| Installation     | Free-standing                                  |
| Category         | Single door                                    |
| Reference width  | Until 60                                       |
| Reference height | 100 - 160                                      |
| Cooling type     | Fan-assisted refrigerator, static freezer      |
| Defrost          | Automatic for refrigerator, manual for freezer |
| Hinge            | Standard                                       |
| Kitchen panel    | Not supplied                                   |
| Hinge position   | Right  |
| EAN code         | 8017709345822                                  |



## Aesthetic

|              |               |                           |                     |
|--------------|---------------|---------------------------|---------------------|
| Aesthetics   | Retro-style   | Logo color                | Chromed             |
| Color        | Emerald green | Side material             | Steel               |
| Finishing    | Matte         | Side color                | Decorated / Special |
| Design       | Rounded       | Logo                      | Applied             |
| Material     | Thermo-formed | Door shelf profile color  | Chromed             |
| Handle       | External      | Drawers profile color     | Chromed             |
| Handle       | Fixed         | Glass shelf profile color | Chromed             |
| Handle color | Chromed       |                           |                     |

## Refrigerator compartment features



|  |                 |                       |       |
|--|-----------------|-----------------------|-------|
| No. of adjustable shelves              | 2               | Crisper cover         | Yes   |
| Number of fruit and vegetables drawers | 1               | Type of crisper cover | Glass |
| Type of adjustable shelves             | Glass           | Refrigerator lighting | Yes   |
| Crisper drawer type                    | Sliding crisper | Refrigerator lighting | LED   |

## Refrigerator Inner Door

|  |   |                            |     |
|--|---|----------------------------|-----|
| No. of door shelves with transparent cover | 1 | No. of bottle shelves      | 1   |
| Number of adjustable door shelves          | 1 | Door bin with wire support | Yes |

---

**Adjustable door bins** Yes  
with wire support

## Other Refrigerator features

---



**Humidity Control** Yes  
**MultiFlow** Yes

**Fan**

Yes

## Freezer features

---

**Internal freezer compartment** Yes

## Other technical features

---



**Door open alarm** Acoustic and visual  
**Temperature setting type** Electronic  
**No. of compressors** 1  
**Refrigerant gas type** R600a  
**Compressor type** Inverter  
**Refrigerant quantity** 1.2 oz  
**Foam agent** Cyclopentane

## Performance / Energy Label

---

|                                  |              |                                 |              |
|----------------------------------|--------------|---------------------------------|--------------|
| <b>Annual energy consumption</b> | 230 KWh/year | <b>Refrigerator compartment</b> | 8.62 cu. ft. |
| <b>Total volume</b>              | 9.53 cu. ft. | <b>Total volume</b>             | 0.00 cu. ft. |
| <b>Freezer volume</b>            | 0.92 cu. ft. | <b>Climatic class</b>           | SN, N, ST, T |

## Electrical Connection

---

|                                     |                  |                          |          |
|-------------------------------------|------------------|--------------------------|----------|
| <b>Plug</b>                         | (A) USA & Mexico | <b>Voltage (V)</b>       | 120 V    |
| <b>Electrical connection rating</b> | 90 W             | <b>Frequency (Hz)</b>    | 50/60 Hz |
| <b>Current</b>                      | 2,2 A            | <b>Power cord length</b> | 70 7/8 " |

---

## Symbols glossary

---



4 stars freezing compartment for better food preservation.



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.



Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge.



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.



Inverter technology: The evolution of Smeg's driers towards more intelligent and environmentally sustainable models has led to the choice of using Inverter technology with heat pumps, which reduces significantly energy consumption.



Air plus: keeps food fresher for longer.

---

## Benefit (TT)

---

### **Plastic multiflow system**

The Multiflow system ensures even distribution of cold air inside the refrigerator

### **Fan**

The fan contributes to an even distribution of air inside the refrigerator

### **Refrigerant gas R600a**

Environmentally friendly R600a refrigerant gas contributes to rapid cooling with lower energy consumption

### **Climate class**

Climatic class SN-T makes the appliance suitable for working at room temperature between 10 °C and 43 °C (50 °F ~ 109 °F)

### **External handle**

The external handle ensures practicality and ease of use of the refrigerator

### **Refrigerator Internal lighting**

Interior lighting for perfect visibility of shelves in the refrigerator compartment

### **Fruit and vegetable drawer**

The fruit and vegetable drawer ensures the best storage conditions for fresh food, avoiding any contamination

### **Inverter compressor**

Inverter compressor reduces noise and vibration levels for a quiet and comfortable kitchen environment

Inverter compressor technology offers significant advantages for refrigeration systems, improving both performance and efficiency. Better temperature control ensures a more stable and constant indoor environment, preserving the freshness of food. This technology also results in reduced energy consumption, as the compressor adjusts its speed according to cooling needs.