

**Version** FNINS28B5SS-R / Built-in 28" (70 cm) - 500 CFM  
**Collection** Silence - NRS

**FEATURES AND PROPERTIES**

**Materials/Finishes** Scotch brite stainless steel (AISI 304)  
**Technology** NRS technology for a quieter kitchen  
 SRS Speed reduction system  
**Control** Electronic control  
 Remote control included  
**Ducting type** Extracting/Filtering  
**Installation type** Insert  
**Lighting** Dynamic Light (2700K - 5600K)  
 Strip LED - 2700 K / 5600 K  
**Filters** Metallic grease filter, removable and washable  
 Combined Carbon.Zeo filter, regenable  
**Ducting type**  
**Dimensions** 28 in  
**Minimum Electric hob distance** 21 in  
**Minimum Gas hob distance** 25 in  
**Notes** Recommended mounting height from cooking  
 surface to hood bottom: 24" - 36"  
 Availability Carbon.Zeo filter KACL.1039 for hoods  
 produced from Sept. 2024



Photograph is for information purposes only. May not correspond to the selected version

**ELECTRICAL CONNECTION AND CONSUMPTION**


**Maximum consumption** 280 W  
**Voltage/Frequency** 110-120V 60Hz  
**Connection type** Hood comes standard with Nema 5-15P power cord

**BLOWER PERFORMANCE**

**Motor** 500 CFM  
**Minimum sound level** 37 dB (A)re1pW I.E.C. 60704-2-13  
**Maximum sound level** 46 dB (A)re1pW I.E.C. 60704-2-13

**WEIGHTS AND DIMENSIONS**

**Gross weight** 61 lbs  
**Net weight** 51 lbs  
**Volume** 10 ft  
**Packaging dimensions** L 38 x H 17 x D26 in



Cut-out size: 29 9/16" (751) x 10 5/16" (262)

## OPTIONAL ACCESSORIES

<b>Code</b>	<b>Description</b>
KACL.815	Protective cleaning cloths for stainless steel (box 10 pcs)
KACL.400	Silent / Conveyor NRS
105080053	Remote control
KACL.1039	Carbon.Zeo Microtech renewable filter

## ENGINE SPECIFICATIONS

Motor speed	1	2	3	4
Noise dB(A) re1pW I.E.C. 60704-2-13	37	41	46	54,5
Capacity	220	290	375	610
Maximum pressure (Pa)	390	440	490	510
Motor power (W)	130	150	178	224
Air outlet	150	150	150	150

## CAPACITY / PRESSURE

