HPIN42WS 42-INCH BOX ISLAND HOOD

PROFESSIONAL® SERIES











FEATURES & BENEFITS

- Meticulously sculpted, floating stainless steel Professional® Series island hoods make a dramatic statement in your kitchen
- Crafted to complete the ultimate cooking system with Thermador ranges
- ★ Equipped with the Thermador Connected Experience by Home Connect®
 - Powerfully Quiet® system accepts integral, inline, and remote blowers
 - Beautiful illumination with multi-level, vivid LED lights

ACCESSORIES (OPTIONAL)

25 ft. Blower Connector Cable - EXTNCB25W

For use with the following inline and remote blowers: VTR1FZ, VTR2FZ, VTI1FZ, VTI2FZ

Roofplates

RFPLT600P - For use with remote blower VTR1FZ

RFPLT1000P - For use with remote blower VTR2FZ



GENERAL PROPERTIES

Features

Multi-Level LED Lights with Fading Transitions, Automatic Mode, Check Filter Reminder Light, Delay Shut-Off

Filter Reminder Light, Delay Shut-Off			
Operating Mode	Ducted		
Maximum CFM	Blower Sold Separately		
Number of Speed Settings	4-Stage		
Number of Lights	4		
Bulb Type	LED		
Light Lumens	100 – 150		
Light Color	3500 – 4000 K		
Total Power of the Lamps	4.8 W		
Damper Included	Yes		
Grease Filter Material	Stainless Steel		
Grease Filter Type	Commercial Style Baffle Filter		
Home Connect® (Wi-Fi Enabled)	Yes		
TECHNICAL DETAILS			
Watts	See Chart on Page 3		
Current	See Chart on Page 3		
Volts	120 V		
Frequency	60 Hz		
Plug Type	Fixed Connection		
DIMENSIONS & WEIGHT			
Overall Appliance Dimensions (Width of Canopy Included) (HxWxD)	5 1/4" × 41 15/16" × 26 11/16"		
Height of the Chimney	24 3/4 " – 36 3/4 "		
Minimum Ceiling Height Required	8'		
Minimum Distance Above Gas / Electric Cooking Surface	30" / 30" min. 40" / 40" max.		
Diameter of Air Duct Top	10"		
Net Weight	126 lbs		

ACCESSORIES (REQUIRED)

Blower (Sold Separately)

blower (sold separately)					
BLOWER OPTIONS					
Remote Blowers (Mounted to Roof or External Wall)	VTR1FZ				
	VTR2FZ				
Inline Blowers	VTI1FZ				
(Mounted Between Kitchen and External Wall)	VTI2FZ				
WARRANTY					
Limited Warranty Parts and Labor	2 Year				




Page 1 of 4 1 / 24

HPIN42WS 42-INCH BOX ISLAND HOOD

PROFESSIONAL® SERIES



HOOD DIMENSIONS



Page 2 of 4 1 / 24

PROFESSIONAL® SERIES




ELECTRIC LOAD (120V, 60HZ)

		Remote Blower		Inline	Blower
	-	VTR1FZ	VTR2FZ	VTI1FZ	VTI2FZ
HPIN42WS	Amps	6.5	11.1	6.5	11.1
	Watts	780	1,332	780	1,332

REMOTE BLOWERS (MOUNTED TO ROOF OR EXTERNAL WALL)

VTR1FZ VTR2FZ




135/8" 21/8" (346 mm) (54 mm) (121/8" (308 mm) 21/8" $(5\overline{4} \text{ mm})$ 17/8" dia. 9^{7/}8" (251 mm) (48 mm) 203/4" 10" (527 mm) 61/2" (165 mm) (254 mm) 127/8" (327 mm) 19⁷/8" (505 mm)


measurements in inches and mm

INLINE BLOWERS (MOUNTED BETWEEN KITCHEN AND EXTERNAL WALL)

VTI1FZ VTI2FZ



measurements in inches and mm



measurements in inches and mm

Page 3 of 4 1 / 24


HPIN42WS 42-INCH BOX ISLAND HOOD

PROFESSIONAL® SERIES




REMOTE BLOWER ACCESSORIES

ROOFPLATE-RFPLT600P



ROOFPLATE-RFPLT1000P



EXTNCB25W

For use with the following inline and remote blowers: VTR1FZ, VTR2FZ, VTI1FZ, VTI2FZ

Specifications are for planning purposes only. Refer to installation instructions and consult your countertop supplier prior to making counter opening. Consult with a heating and ventilation engineer for your specific ventilation requirements. For the most detailed information, refer to installation instructions accompanying product or write to Thermador indicating the model number. Specifications are correct at time of printing. Thermador reserves the right to change product specifications or design without notice. Some models are certified for use in Canada. Thermador is not responsible for products that are transported from the U.S. for use in Canada.

1800 735 4328 | USA THERMADOR.COM | CANADA THERMADOR.CA | ©2024 BSH HOME APPLIANCES CORPORATION. ALL RIGHTS RESERVED.

Page 4 of 4 1 / 24

These warranties give you specific legal rights and you may have other rights that vary from state to state. Limited warranty from date of delivery. For complete warranty details, refer to your Use & Care manual, or ask your dealer.