

GE Profile™ and GE® Microwave Ovens

convection cooking • built-in sensors • 2002 specifications • scrolling display • brilliant halogen lighting



express cook option • user-friendly, one-touch controls • combination cooking • recessed turntable

A Microwave for Every Kitchen.



We bring good things to life.

New-wave performance and style.

GE Profile™ and GE® microwave ovens are making

their way into kitchens across America. When you

consider their **impressive** speed, it's easy to

understand why. But there's much more to GE

microwaves than **fast performance**. GE Profile

convection/microwave ovens not only reheat and

defrost foods, but they also bake, brown and crisp.

New stainless models offer

both a **beautiful look** and

flavorful results. And if

your counter space is

limited, an **optional trim** or

hanging kit is available.

There's an oven for every

need, every setting.

Convection cooking

The GE Profile countertop convection/microwave oven converts from microwave to convection cooking at the touch of a button. A combination cooking option gives you microwave speed with convection performance.



Easy-to-use controls

The user-friendly controls give you access to a variety of programmable options, and the two-line scrolling display guides you through the cooking process.



Custom built-in microwaves

Offering an integrated look, these ovens bring added space and visual appeal to the kitchen. An optional 27" or 30" trim kit allows built-in installation into a wall, in a cabinet or over a single electric wall oven.



**Microwave Oven
with Deluxe Trim Kit**



Microwave Wall Oven





GE Profile Spacemaker® Oven with Convection/Microwave Cooking

Note: bold = feature upgrade from previous model



Convection cooking produces flavorful and beautifully browned food.



The user-friendly controls give you access to a variety of programmable options.




Model shown with trim kit**

GE Profile™ Convection/Microwave Oven

JE1590SC Stainless steel

- 1.5 cu. ft. oven cavity • 1000 watts* • **Convection and Combination Bake** • **Easy-to-use dial control** • **Two-line scrolling display** • Sensor cooking controls • Auto/Time Defrost • Quick Defrost • Timer On/Off • Recessed turntable • Optional trim kit available**



JE1590WC

White on white (on cover)

JE1590CC

Bisque on bisque (not shown)

JE1590BC

Black on black (not shown)

GE Profile Microwave Ovens with Sensor Cooking

These models include • Scrolling display • Sensor cooking controls • Auto/Time Defrost • Express Cook • Add 30 seconds


• Instant On controls • Timer On/Off • **Optional trim kit available**** Note: bold = feature upgrade from previous model



Built-in sensors measure food's moisture levels during cooking and automatically adjust time and power.



Model shown with trim kit**



GE Profile Sensor Oven

JE1860SB Stainless steel

- Extra-large 1.8 cu. ft. cavity • 1100 watts* • **Turntable On/Off**

JE1860WB

White on white (not shown)

JE1860CB

Bisque on bisque (not shown)

JE1860GB

Black with greystone case (not shown)



Available October 2002



GE Profile Sensor Oven

JEM31SF Stainless steel

- Mid-size 1.0 cu. ft. cavity • 800 watts* • **Turntable on/off** • **Optional under-cabinet mounting kit available†**

JEM31WF

White on white (not shown)

JEM31CF

Bisque on bisque (not shown)

JEM31BF

Black on black (not shown)

*IEC-705 Test Procedure

**Optional Trim Kit—Custom Trim kits available in both 27" and 30" configurations at an additional cost.

†Optional undercabinet mounting kit—Refer to page 8 for installation options.

Not all features available on all models.

GE® Microwave Ovens with Sensor Cooking

These models include • Scrolling display • **Sensor cooking controls** • Auto/Time Defrost • Express Cook • Add 30 seconds • Instant On controls • Timer On/Off • Turntable **Note: bold = feature upgrade from previous model**



Built-in sensors measure food moisture levels during cooking and automatically adjust time and power.



JE1660GB
Black with greystone case (not shown)

GE
Sensor Oven
JE1660WB White on white
• Full-size 1.6 cu. ft. cavity • 1100 watts*



Scrolling display is easy to read and a helpful cooking guide.



JE1460WF
White on white (not shown)

GE
Sensor Oven
JE1460BF Black on black
• Family-size 1.4 cu. ft. cavity • 1150 watts* • Recessed turntable



The versatility of a GE microwave meets any cooking need. Optional trim kit frees up valuable counter space.



JE1160BD
Black on black (not shown)

GE
Sensor Oven
JE1160WD White on white
• Mid-size 1.1 cu. ft. cavity • 1100 watts*

*IEC-705 Test Procedure
Not all features available on all models.

GE® Microwave Ovens with Convenience Cooking

These models include • Convenience cooking controls • Turntable • Auto/Time Defrost • Electronic touch controls • Electronic digital display with clock • Express Cook • Child lockout **Note: bold = feature upgrade from previous model**



Convenience cooking controls to defrost, cook or reheat at the touch of a pad.



Add 30 seconds extends cooking time without the hassle of reprogramming.



GE
Convenience Oven
JE1440BF Black on black
• Family-size 1.4 cu. ft. cavity • 1150 watts* • Recessed turntable



JE1440WF
White on white
(not shown)



GE
Convenience Oven
JE1140WD White on white
• Mid-size 1.1 cu. ft. cavity • 1100 watts*



JE1140BD
Black on black
(not shown)



GE
Convenience Oven
JE740WY White on white
• Compact .7 cu. ft. cavity • 700 watts*
• Optional undercabinet mounting kit available**



JE740GY
Black with greystone case
(not shown)

*IEC-705 Test Procedure

**Optional undercabinet mounting kit—
Refer to page 8 for installation options.

Not all features available on all models.

GE Spacemaker II™ Microwave Oven



Auto defrost option automatically sets time and power level for fast defrosting.



Model shown with trim kit**

Available October 2002



GE

Spacemaker II Oven

JEM25WF White on white

• Mid-size 1.0 cu. ft. cavity • 800 watts*

• Convenience cooking controls

• Auto/Time Defrost

• Turntable On/Off

• Optional trim kit available**

• Optional undercabinet mounting kit available†

JEM25BF

Black on black (not shown)

GE Microwave Ovens

Note: bold = feature upgrade from previous model



Available October 2002


GE

Compact Oven

JE620WF White on white

• .6 cu. ft. cavity • 650 watts* • **Electronic touch controls** • **Electronic digital display with clock** • Turntable • **Time Defrost** • Optional undercabinet mounting kit available†

JE620BF Black on black (not shown)



Available October 2002


GE

Compact Oven

JE610BF Black on black

• .6 cu. ft. cavity • 650 watts* • 15-minute timer • Turntable • Optional undercabinet mounting kit available†

JE610WF White on white (not shown)



*IEC-705 Test Procedure

**Optional Trim Kit—Custom Trim kits available in both 27" and 30" configurations at an additional cost.

†Optional undercabinet mounting kit—Refer to page 8 for installation options.

Not all features available on all models.

Microwave Oven Trim Kits



Deluxe Built-In Trim Kit For 1.8 cu. ft. Microwave Ovens

Trim kits allow installation of the 1.8 countertop microwave oven in a wall or cabinet alone, or over a GE® 27" or 30" single electric wall oven as shown.

30" Deluxe Trim Kits for Models JE1860 and JE1840

JX1830SB—Stainless Steel, JX1830WB—White
JX1830CB—Bisque, JX1830BB—Black

27" Deluxe Trim Kits for Models JE1860 and JE1840

JX1827SB—Stainless Steel, JX1827WB—White
JX1827CB—Bisque, JX1827BB—Black



Deluxe Built-In Trim Kit For 1.6 cu. ft. Microwave Ovens

This trim kit allows for built-in installation of the 1.6 countertop microwave oven in a wall or cabinet alone, or over a GE 30" or 27" single electric wall oven as shown.

30" Deluxe Trim Kits for Model JE1660

JX1530MWW—White, JX1530MAW—Almond, JX1530MBW—Black

27" Deluxe Trim Kits for Model JE1660

JX1527MWW—White, JX1527MAW—Almond, JX1527MBW—Black



Deluxe Trim Kits For 1.5 cu. ft. GE Profile™ Microwave Ovens

Built-in trim kits allow installation in a wall or cabinet alone, or over a GE 30" or 27" single electric wall oven. Use a convection wall oven under these convection microwave ovens for a complete convection cooking center.

30" Deluxe Trim Kits for Model JE1590

JX1530CSC—Stainless, JX1530CWC—White
JX1530CCC—Bisque, JX1530CBC—Black

27" Deluxe Trim Kits for Model JE1590

JX1527CSC—Stainless, JX1527CWC—White
JX1527CCC—Bisque, JX1527CBC—Black



Built-In Trim Kit For 1.0 cu. ft. Microwave Ovens

For a custom built-in appearance, this kit allows built-in installation of the Spacemaker II microwave oven into a wall or cabinet alone.

Trim Kits for Models JEM31 and JEM25

JX827SS—Stainless Steel, JX827WN—White
JX827CD—Bisque, JX827BN—Black



Hanging Kit For .6, .7 and 1.0 cu. ft. Microwave Ovens

This hanging kit allows installation under a cabinet, freeing up valuable counter space. A mounting template provides all the necessary measurements for installation on practically any wood or metal cabinets.

Hanging Kit for Models JE610, JE620, JE740, JEM25, JEM31

Pub. No. 4-A019

Microwave Ovens

		GE Profile™		GE®			
		Convection	Extra-Large	Full-Size	Family-Size		Mid-Size
		JE1590SC JE1590WC JE1590CC JE1590BC	JE1860SB JE1860WB JE1860CB JE1860GB	JE1660WB JE1660GB	JE1460WF JE1460BF	JE1440WF JE1440BF	JE1160WD JE1160BD JE1140WD JE1140BD
Capacity							
Oven cavity (cu. ft.)		1.5	1.8	1.6	1.4	1.4	1.1 1.1
Features							
Watts (IEC-705 Test Procedure)		1000	1100	1100	1150	1150	1100 1100
Electronic touch controls		Tactile Switches/Dial	●	●	●	●	● ●
Scrolling display with Help Pad		2 Line	●	●	●	●	Help Only
Demo mode			●	●	●	●	
Electronic digital display w/clock		●	●	●	●	●	● ●
Display On/Off			●	●	●	●	
Convection Cook		●					
Pads Combination Cook		●					
Sensor controls Popcorn		●	●	●	●		● ●
Beverage		●	●	●	●		
Reheat		●	●	●	●		● ●
Vegetable			●	●	●		Fresh/Frozen
Potato			●	●	●		● ●
Chicken/Fish			●	●	●		-/● ●
Rice							● ●
Soup							● ●
Frozen Dinner							● ●
Convenience controls Popcorn						●	
Beverage						●	● ●
Reheat						●	● ●
Snacks						●	● ●
Cook						●	● ●
Vegetable						●	
Frozen Pizza							● ●
Express Cook			●	●	●	●	● ●
Instant On controls		●	●	●	●	●	● ●
Time cook		I & II	I & II	I & II	I & II	I & II	I & II I & II
Add 30 seconds			●	●	●	●	● ●
Auto/Time Defrost		●	●	●	●	●	● ●
Quick Defrost		●					
Power levels		10	10	10	10	10	10 10
Turntable		Recessed	On/Off	●	Recessed	Recessed	● ●
Kitchen timer		Timer On/Off	Timer On/Off	Timer On/Off	Timer On/Off	Timer On/Off	● ●
Delay Start/Reminder			●	●	●	●	
Variable beeper control		●	●	●	●	●	● ●
Cooking complete reminder		●	●	●	●	●	● ●
Child lockout		●	●	●	●	●	● ●
Appearance							
Color appearance		Stainless steel White on white Bisque on bisque Black on black	Stainless steel White on white Bisque on bisque Black on greystone	White on white Black on greystone	White on white Black on black	White on white Black on black	White on white Black on black White on white Black on black
Case color		Black White Bisque Black	Greystone White Bisque Greystone	White Greystone	White Black	White Black	White Black White Black
Door color		Stainless steel White Bisque Black	Stainless steel White Bisque Black	White Black	White Black	White Black	White Black White Black
Weights & Dimensions							
Approx. shipping weight (lbs.)		59	48	50	45	45	37 37
Cavity		15-1/4 x 10-7/8 x 15-1/4	17-1/16 x 9-3/4 x 18-3/8	16-1/2 x 9-23/32 x 16-27/32	14-13/16 x 9-7/8 x 16		13-15/16 x 9 x 16-11/16
WxHxD (in inches)		22-5/8 x 14-7/8 x 19-7/8	23-7/8 x 13-1/2 x 19-1/4	23-5/8 x 13-5/16 x 17-51/64	21-7/8 x 12 x 16		21-7/8 x 12 x 16
Power/Ratings							
2450 Frequency (MHz)		●	●	●	●	●	● ●
Electric Watts		1500	1550	1500	1600	1600	1500 1500
input @ 120V Amperage		13	13.6	13.0	13.5	13.5	13.0 13.0
Accessories							
Cooking guide label		●	●	●	●	●	● ●
Cook Book		●					
Rack		●					
Optional built-in kit		JX1530CSC/ JX1527CSC JX1530CWC/ JX1527CWC JX1530CCC/ JX1527CCC JX1530CBC/ JX1527CBC	JX1830SB/ JX1827SB JX1830WB/ JX1827WB JX1830CB/ JX1827CB JX1830BB/ JX1827BB	JX1530MWW/ JX1527MWW JX1530MBW/ JX1527MBW			
Warranty							
Full one-year warranty**		In-Home	In-Home	Carry-In	Carry-In	Carry-In	Carry-In Carry-In
Limited nine-year magnetron warranty** (10 years total)		●	●	●	●	●	● ●

*Exterior dimensions: height includes feet, depth does not include handle.

**See written warranty for details.

Note: Refer to page 11 for dimensional data on Trim Kits (available at additional cost).

Spacemaker II™ Microwave Ovens


	GE Profile™		GE®	
	JEM31SF	JEM31WF JEM31CF JEM31BF	JEM25WF	JEM25BF
Capacity				
Oven cavity (cu. ft.)	1.0	1.0	1.0	1.0
Features				
Watts (IEC-705 Test Procedure)	800	800	800	800
Electronic touch controls	●	●	●	●
Scrolling display with help	●	●		
Electronic digital display w/clock	●	●	●	●
Sensor controls	●	●		
Popcorn	●	●		
Beverage	●	●		
Reheat	●	●		
Vegetable	●	●		
Potato	●	●		
Chicken/Fish	●	●		
Convenience controls			●	●
Popcorn			●	●
Beverage			●	●
Reheat			●	●
Snacks			●	●
Cook			●	●
Express Cook	●	●	●	●
Instant On controls	●	●	●	●
Time cook I & II	●	●	●	●
Add 30 seconds	●	●	●	●
Auto/Time Defrost	●	●	●	●
Power levels	10	10	10	10
Turntable on/off	●	●	●	●
Kitchen timer	Timer On/Off	Timer On/Off	●	●
Cooking complete reminder	●	●	●	●
Delay Start/Reminder	●	●	●	●
Child lockout	●	●	●	●
Appearance				
Color appearance	Stainless Steel	White on white Bisque on bisque Black on black	White on white	Black on black
Door color	Stainless Steel	White Bisque Black	White	Black
Case color	Black	White Bisque Black	White	Black
Weights & Dimensions				
Cavity	16-1/2 x 7-7/16 x 11-1/4			
WxHxD (in inches)	23-25/32 x 11-3/16 x 12-9/32			
Approx. shipping weight (lbs.)	40	40	40	40
Power/Ratings				
2450 Frequency (MHz)	●	●	●	●
Electrical input Watts @ 120V	1300	1300	1300	1300
Amperage	11.5	11.5	11.5	11.5
Accessories				
Cooking guide label	●	●	●	●
Hanging kit (Pub. No. 4-A019)*	Optional	Optional	Optional	Optional
Optional built-in kit	JX827SS	JX827WN/CD/BN	JX827WN	JX827BN/SS
Warranty				
Full one-year warranty**	In-Home	In-Home	Carry-In	Carry-In
Limited nine-year magnetron warranty** (10 years total)	●	●	●	●

*Pub. No. 4-A019 is available at additional cost.

**See written warranty for details.

†Exterior dimensions: height includes feet, depth does not include handle.

Cutout Dimensions (in inches)



Built-In Trim Kit For 1.0 Cu. Ft. Microwave Ovens

For a custom built-in appearance, this kit allows built-in installation of the Spacemaker II microwave oven into a wall or cabinet alone, and is U.L.-approved for installation over a GE single electric wall oven. This kit should not be installed over a gas wall oven.

Trim Kits for Models JEM31 and JEM25

JX827SS—Stainless Steel, JX827WN—White, JX827CD—Bisque, JX827BN—Black

This information is not intended to be used for installing unit described. Before installing, consult installation instructions packed with product/kit for current dimensional data.

Microwave Ovens

	GE		
	JE740WY JE740GY	JE620WF JE620BF	JE610WF JE610BF
Capacity			
Oven cavity (cu. ft.)	.7	.6	.6
Features			
Watts (IEC-705 Test Procedure)	700	650	650
Electronic touch controls	●	●	
Electronic digital display w/clock	●	●	
Mechanical dial			●
Convenience controls	●	●	
Popcorn	●		
Beverage	●		
Reheat	●		
Snacks	●		
Cook	●		
Express Cook	●		
Instant On controls	●		
Time Cook	I & II	●	15 Min.
Add 30 seconds	●		
Auto/Time Defrost	●	- / ●	
Power levels	10	10	1
Turntable	●	●	●
Kitchen timer	●		
Delay Start/Reminder	●		
Cooking complete reminder	●	●	
Child lockout	●		
Appearance			
Color appearance*	WW BB	WW BB	WW BB
Door color	WW BB	WW BB	WW BB
Case color	White/ Greystone	White/Black	White/Black
Weights & Dimensions			
Cavity	12-1/16 x 7-11/16 x 12-1/16	11-13/32 x 7-3/64 x 12-7/16	11-13/32 x 7-3/64 x 12-7/16
WxHxD (in inches)	19-1/4 x 10-13/16 x 13-9/16	18-9/64 x 9-23/32 x 12-27/32	18-9/64 x 9-23/32 x 12-27/32
Approx. shipping weight (lbs.)	33	24.4	24.4
Power/Ratings			
2450 Frequency (MHz)	●	●	●
Electrical input Watts @ 120V	1150	1000	1000
Amperage	10.5	9.5	9.5
Accessory			
Cooking guide label	●		
Hanging kit (Pub. No. 4-A019)†	Optional	Optional	Optional
Warranty			
Full one-year warranty††	Carry-In	Carry-In	Carry-In
Four-year magnetron warranty†† (Five years total)	Nine-Year (10 years total)	●	●


*WW = White on white, BB = Black on black.

**Exterior dimensions: height includes feet.

†Pub. No. 4-A019 is available at additional cost.

††See written warranty for details.

Undercabinet Mounting Kit Pub. No. 4-A019 For Spacemaker II and Microwave Oven Models (Available at additional cost)



Undercabinet Installation

Install Spacemaker II and microwave ovens in just a few easy steps with the mounting template, which provides all the necessary measurements.* These microwave ovens can be installed on practically any wood or metal cabinets.

*Installation may vary depending on cabinets.

Note: 120V, 60-cycle, grounded power receptacle location optional on back within cabinet opening.

Microwave Oven Trim Kits

30" Deluxe Trim Kit For 1.8 Cu. Ft. Microwave Ovens

This trim kit allows for built-in installation of the 1.8 microwave oven in a wall or cabinet alone, or over a GE 30" single electric wall oven.

30" Deluxe Trim Kits for Models JE1860 and JE1840

JX1830SB—Stainless Steel
JX1830WB—White
JX1830CB—Bisque
JX1830BB—Black

Model	"A"	30" Deluxe Trim Kit
JE1860SB	29-3/4"	JX1830SB
JE1860WB	29-3/4"	JX1830WB
JE1860CB	29-3/4"	JX1830CB
JE1860GB	29-3/4"	JX1830BB
JE1840WB	29-3/4"	JX1830WB
JE1840GB	29-3/4"	JX1830BB

27" Deluxe Trim Kit For 1.8 Cu. Ft. Microwave Ovens

The 27" deluxe trim kit allows a 1.8 microwave oven to be built into a wall or cabinet alone, or over a GE 27" single electric wall oven for a complete one-piece, built-in, integrated appearance.

27" Deluxe Trim Kits for Models JE1860 and JE1840

JX1827SB—Stainless Steel
JX1827WB—White
JX1827CB—Bisque
JX1827BB—Black

Model	"A"	27" Deluxe Trim Kit
JE1860SB	26-7/8"	JX1827SB
JE1860WB	26-7/8"	JX1827WB
JE1860CB	26-7/8"	JX1827CB
JE1860GB	26-7/8"	JX1827BB
JE1840WB	26-7/8"	JX1827WB
JE1840GB	26-7/8"	JX1827BB

30" Deluxe Trim Kit For 1.6 cu. ft. Microwave Ovens

This trim kit allows for built-in installation of the 1.6 microwave oven in a wall or cabinet alone, or over a GE 30" single electric wall oven.

30" Deluxe Trim Kits for Model JE1660

JX1530MWW—White
JX1530MAW—Almond
JX1530MBW—Black

Model	"A"	30" Deluxe Trim Kit
JE1660WB	29-3/4"	JX1530MWW
JE1660GB	29-3/4"	JX1530MBW

27" Deluxe Trim Kit For 1.6 cu. ft. Microwave Ovens

The 27" deluxe trim kit allows a 1.6 countertop microwave oven to be built into a wall or cabinet alone, or over a GE 27" single electric wall oven for a complete one-piece, built-in, integrated appearance.

27" Deluxe Trim Kits for Model JE1660

JX1527MWW—White
JX1527MAW—Almond
JX1527MBW—Black

Model	"A"	27" Deluxe Trim Kit
JE1660WB	26-3/4"	JX1527MWW
JE1660GB	26-3/4"	JX1527MBW

Deluxe Trim Kits For 1.5 Cu. Ft. GE Profile Microwave Ovens

Built-in trim kits allow installation in a wall, cabinet alone, or over a GE 30" or 27" single electric wall oven. Use a convection wall oven under these convection microwave ovens for a complete convection cooking center.

30" Deluxe Trim Kits for Model JE1590

JX1530CSC—Stainless
JX1530CWC—White
JX1530CCC—Bisque
JX1530CBC—Black




Model	"A"	30" Deluxe Trim Kit
JE1590SC	29-3/4"	JX1530CSC
JE1590WC	29-3/4"	JX1530CWC
JE1590CC	29-3/4"	JX1530CCC
JE1590BC	29-3/4"	JX1530CBC

27" Deluxe Trim Kits for Model JE1590

JX1527CSC—Stainless
JX1527CWC—White
JX1527CCC—Bisque
JX1527CBC—Black

Model	"A"	27" Deluxe Trim Kit
JE1590SC	26-3/4"	JX1527CSC
JE1590WC	26-3/4"	JX1527CWC
JE1590CC	26-3/4"	JX1527CCC
JE1590BC	26-3/4"	JX1527CBC

Cutout Dimensions (in inches)



Answers that click!
GE puts everything you need at your fingertips.



GE Appliances web site — 16 million visitors a year!
Visit us at GEAppliances.com

Everything you need to know about GE products is here. Access up-to-date information, find out "what's new," obtain dimensions, get installation tips and more. Extremely user-friendly, this one-stop site lets you research by brand, category or model number and even buy online through a local GE dealer.

GE Answer Center® saves you time.
800.626.2000

This 24-hour-a-day, 7-day-a-week service provides answers on product features, installation, service and more.



GE Appliances

General Electric Company
Louisville, Kentucky 40225
GEAppliances.com

GE has a policy of continuous improvement of its products and reserves the right to change materials and specifications without notice.

© 2002 General Electric Company
Pub. No. 4-S112 PC33554