



combination convection/microwave cooking • [2003 product specifications](#) • sensor controls • spacious interiors • scroll

GE Profile[™] and GE[®] Microwave Ovens

A microwave for every kitchen.

imagination at work



A microwave for every kitchen.

New GE Profile™ and GE® microwave ovens offer a

powerful combination of style and convenience.

Outside, bold curves and touch controls make a

dramatic statement. Open the door and you'll see that

the spacious interior makes room for multiple dishes,

including large casseroles. Whatever you cook, you

can count on exceptional results. Sensor controls

automatically select optimal

cooking times and power

levels. And convection

technology browns

and crisps foods to

golden perfection.



Convection cooking

The GE Profile convection/microwave oven converts from microwave to convection cooking at the touch of a button. A combination cooking option gives you microwave speed with convection performance.



Easy-to-use controls

The user-friendly controls give you access to a variety of programmable options, and the two-line scrolling display guides you through the cooking process.



Custom built-in microwaves

Offering an integrated look, these ovens bring added space and visual appeal to the kitchen. An optional 27" or 30" trim kit allows built-in installation into a wall, in a cabinet or over a single electric wall oven.



Microwave Oven with Deluxe Trim Kit



Microwave Oven with Hanging Kit



GE Profile™ Microwave Oven with Convection/Microwave Cooking

Note: bold = feature upgrade from previous model



Convection cooking produces flavorful and beautifully browned food.



The user-friendly controls give you access to a variety of programmable options.



Model shown with trim kit**

GE Profile Convection/Microwave Oven

Available January 2004

JE1590SH Stainless steel

- 1.5 cu. ft. oven cavity • 1000 watts* • **Convection and Combination Bake cooking controls**
- **Easy-to-use dial control** • **Two-line scrolling display** • Sensor cooking controls • Auto/Time Defrost • Quick Defrost • Timer On/Off • Recessed turntable • Optional trim kit available**



JE1590WH

White on white (on cover)

JE1590CH

Bisque on bisque (not shown)

JE1590BH

Black on black (not shown)

GE Profile Microwave Ovens with Sensor Cooking

These models include • Scrolling display • Sensor cooking controls • Auto/Time Defrost • Express Cook • Add 30 seconds

• Instant On controls • Timer On/Off • Optional trim kit available**

Note: bold = feature upgrade from previous model



Built-in sensors measure food's moisture levels during cooking and automatically adjust time and power.



Model shown with trim kit**



GE Profile Sensor Oven

JE2160SF Stainless steel

- Extra-large 2.1 cu. ft. cavity
- 1200 watts*

JE2160WF

White on white (not shown)

JE2160CF

Bisque on bisque (not shown)

JE2160BF

Black on black (not shown)



Model shown with undercabinet mounting kit**



GE Profile Spacemaker II™ Sensor Oven

JEM31SF Stainless steel

- Mid-size 1.0 cu. ft. cavity
- 800 watts* • **Turntable on/off** • **Optional undercabinet mounting kit available*****

JEM31WF

White on white (not shown)

JEM31CF

Bisque on bisque (not shown)

JEM31BF

Black on black (not shown)

*IEC-705 Test Procedure

**Optional trim kit—Custom trim kits available in both 27" and 30" configurations at an additional cost.

Refer to page 7 for installation options.

***Optional undercabinet mounting kit—Refer to page 7 for installation options.

Not all features available on all models.

GE® Microwave Ovens with Sensor Cooking

These models include • Scrolling display • **Sensor cooking controls** • Auto/Time Defrost • Express Cook • Add 30 seconds • Instant On controls • Timer On/Off • Turntable **Note: bold = feature upgrade from previous model**



Built-in sensors measure food moisture levels during cooking and automatically adjust time and power.



GE
Sensor Oven
JE1860SH Stainless steel
• **Extra-large 1.8 cu. ft. cavity**
• 1100 watts* • **Turntable On/Off** • Optional trim kit available**
JE1860WH
White on white (not shown)
JE1860CH
Bisque on bisque (not shown)
JE1860BH
Black on black case (not shown)



Scrolling display is easy to read and a helpful cooking guide.



GE
Sensor Oven
JE1460BF Black on black
• **Family-size 1.4 cu. ft. cavity**
• 1150 watts* • **Recessed turntable**
JE1460WF White on white (not shown)



The versatility of a GE microwave meets any cooking need. Optional trim kit frees up valuable counter space.



GE
Sensor Oven
JE1160WD White on white
• **Mid-size 1.1 cu. ft. cavity**
• 1100 watts*
JE1160BD Black on black (not shown)

*IEC-705 Test Procedure

**Optional trim kit—Custom trim kits available in both 27" and 30" configurations at an additional cost.

Refer to page 7 for installation options.

Not all features available on all models.


GE® Microwave Ovens with Convenience Cooking

These models include • Convenience cooking controls • Turntable • Auto/Time Defrost • Electronic touch controls • Electronic digital display with clock • Express Cook • Child lockout • Optional undercabinet mounting kit available**

Note: bold = feature upgrade from previous model



Convenience cooking controls to defrost, cook or reheat at the touch of a pad.



Add 30 seconds extends cooking time without the hassle of reprogramming.




GE
Convenience Oven
JE740WY White on white
• Compact .7 cu. ft. cavity
• 700 watts*
JE740GY
Black with greystone case
(not shown)



GE
Spacemaker II™
Convenience Oven
JEM25WF White on white
• Mid-size 1.0 cu. ft. cavity
• 800 watts* • Turntable
On/Off • Optional trim
kit available***
JEM25BF
Black on black (not shown)

GE® Compact Microwave Oven



JE620BF Black on black
(not shown)

GE
Compact Oven

JE620WF White on white
• .6 cu. ft. cavity • 650 watts* • Electronic touch controls
• Electronic digital display with clock • Turntable On only
• Time Defrost • Optional undercabinet mounting kit available**

*IEC-705 Test Procedure

**Optional undercabinet mounting kit—
Refer to page 7 for installation options.

***Optional trim kit—Custom trim kits
available in both 27" and 30"
configurations at an additional cost.

Not all features available on all models.

Microwave Oven Trim and Hanging Kits



Deluxe Built-In Trim Kit for 2.1 cu. ft. Microwave Ovens

Trim kits allow installation of the 2.1 countertop microwave oven in a wall or cabinet alone, or over a GE Profile™ 27" or 30" single electric wall oven.

30" Deluxe Trim Kits for Models JE2160

JX2130SH—Stainless Steel, JX2130WH—White
JX2130CH—Bisque, JX2130BH—Black

27" Deluxe Trim Kits for Models JE2160

JX2127SH—Stainless Steel, JX2127WH—White
JX2127CH—Bisque, JX2127BH—Black



Deluxe Built-In Trim Kit for 1.8 cu. ft. Microwave Ovens

Trim kits allow installation of the 1.8 countertop microwave oven in a wall or cabinet alone, or over a GE® 27" or 30" single electric wall oven as shown.

30" Deluxe Trim Kits for Models JE1860

JX1830SB—Stainless Steel, JX1830WB—White
JX1830CB—Bisque, JX1830BB—Black

27" Deluxe Trim Kits for Models JE1860

JX1827SB—Stainless Steel, JX1827WB—White
JX1827CB—Bisque, JX1827BB—Black



Deluxe Trim Kits for 1.5 cu. ft. GE Profile™ Microwave Ovens

Built-in trim kits allow installation in a wall or cabinet alone, or over a GE 30" or 27" single electric wall oven. Use a convection wall oven under these convection microwave ovens for a complete convection cooking center.

30" Deluxe Trim Kits for Model JE1590

JX1530CSH—Stainless, JX1530CWH—White
JX1530CCH—Bisque, JX1530CBH—Black

27" Deluxe Trim Kits for Model JE1590

JX1527CSH—Stainless, JX1527CWH—White
JX1527CCH—Bisque, JX1527CBH—Black



Built-In Trim Kit for 1.0 cu. ft. Microwave Ovens

For a custom built-in appearance, this kit allows built-in installation of the Spacemaker® II microwave oven into a wall or cabinet alone.

Trim Kits for Models JEM31 and JEM25

JX827SS—Stainless Steel, JX827VWN—White
JX827CD—Bisque, JX827BN—Black



Hanging Kit for .6, .7 and 1.0 cu. ft. Microwave Ovens

This hanging kit allows installation under a cabinet, freeing up valuable counter space. A mounting template provides all the necessary measurements for installation on practically any wood or metal cabinet.

Hanging Kit for Models JE620, JE740, JEM25, JEM31

Pub. No. 4-A019

Microwave Ovens

	GE Profile™		GE®		
	Convection	Extra-Large	Extra-Large	Family-Size	Mid-Size
	JE1590SH JE1590WH JE1590CH JE1590BH	JE2160SF JE2160WF JE2160CF JE2160BF	JE1860SH JE1860WH JE1860CH JE1860BH	JE1460WF JE1460BF	JE1160WD JE1160BD
Capacity					
Oven cavity (cu. ft.)	1.5	2.1	1.8	1.4	1.1
Features					
Watts (IEC-705 Test Procedure)	1000	1200	1100	1150	1100
Electronic touch controls	Tactile Switches/Dial	●	●	●	●
Scrolling display with Help Pad	2-Line	●	●	●	Help Only
Demo mode		●	●	●	
Electronic digital display w/clock	●	●	●	●	●
Display On/Off		●	●	●	●
Convection Cook	●				
Pads Combination Cook	●				
Sensor controls	●	●	●	●	●
Popcorn	●	●	●	●	●
Beverage	●	●	●	●	●
Reheat	●	●	●	●	●
Vegetable		●	●	●	Fresh/Frozen
Potato		●	●	●	●
Chicken/Fish		●	●	●	-/●
Rice					●
Soup					●
Frozen Dinner					●
Express Cook		●	●	●	●
Instant On controls	●	●	●	●	●
Time cook	I & II	I & II	I & II	I & II	I & II
Add 30 seconds		●	●	●	●
Auto/Time Defrost	●	●	●	●	●
Quick Defrost	●				
Power levels	10	10	10	10	10
Turntable	Recessed	●	On/Off	Recessed	●
Kitchen timer	Timer On/Off	Timer On/Off	Timer On/Off	Timer On/Off	●
Delay Start/Reminder		●	●	●	
Variable beeper control	●	●	●	●	●
Cooking complete reminder	●	●	●	●	●
Child lockout	●	●	●	●	●
Appearance					
Color appearance	Stainless steel White on white Bisque on bisque Black on black	Stainless steel White on white Bisque on bisque Black on black	Stainless steel White on white Bisque on bisque Black on black	White on white Black on black	White on white Black on black
Case color	Black White Bisque Black	Black White Bisque Black	Black White Bisque Black	White Black	White Black
Door color	Stainless steel White Bisque Black	Stainless steel White Bisque Black	Stainless steel White Bisque Black	White Black	White Black
Weights & Dimensions					
Approx. shipping weight (lbs.)	59	51	48	45	37
WxHxD	15-1/4 x 10-7/8 x 15-1/4	17 x 11 x 19	17-1/16 x 9-3/4 x 18-3/8	14-13/16 x 9-7/8 x 16	13-11/16 x 8-1/2 x 14-15/16
Exterior*	22-5/8 x 14-7/8 x 19-7/8	24 x 14 x 19-1/2	23-7/8 x 13-1/2 x 19-1/4	21-7/8 x 12-5/8 x 17-1/4	20-1/2 x 12 x 15-7/8
Power/Ratings					
2450 Frequency (MHz)	●	●	●	●	●
Electric Watts	1500	1550	1550	1600	1500
input @ 120V Amperage	13	13.9	13.6	13.5	13.0
Accessories					
Cooking guide label	●	●	●	●	●
Cook Book	●				
Rack	●				
Optional built-in kit	JX1530CSH/ JX1527CSH JX1530CWH/ JX1527CWH JX1530CCH/ JX1527CCH JX1530CBH/ JX1527CBH	JX2130CSH/ JX2127CSH JX2130CWH/ JX2127CWH JX2130CCH/ JX2127CCH JX2130CBH/ JX2127CBH	JX1830SB/ JX1827SB JX1830WB/ JX1827WB JX1830CB/ JX1827CB JX1830BB/ JX1827BB		
Warranty					
Full one-year warranty**	In-Home	In-Home	In-Home	Carry-In	Carry-In
Limited nine-year magnetron warranty** (10 years total)	●	●	●	●	●

*Exterior dimensions: height includes feet, depth does not include handle.

**See written warranty for details.

Note: Refer to page 10 for dimensional data on trim kits (available at additional cost).

Spacemaker II™ Microwave Ovens


	GE Profile™		GE®	
	JEM31SF	JEM31WF JEM31CF JEM31BF	JEM25WF	JEM25BF
Capacity				
Oven cavity (cu. ft.)	1.0	1.0	1.0	1.0
Features				
Watts (IEC-705 Test Procedure)	800	800	800	800
Electronic touch controls	●	●	●	●
Scrolling display with help	●	●		
Electronic digital display w/clock	●	●	●	●
Sensor controls				
Popcorn	●	●		
Beverage	●	●		
Reheat	●	●		
Vegetable	●	●		
Potato	●	●		
Chicken/Fish	●	●		
Convenience controls				
Popcorn			●	●
Beverage			●	●
Reheat			●	●
Snacks			●	●
Cook			●	●
Express Cook	●	●	●	●
Instant On controls	●	●	●	●
Time cook I & II	●	●	●	●
Add 30 seconds	●	●	●	●
Auto/Time Defrost	●	●	●	●
Power levels	10	10	10	10
Turntable on/off	●	●	●	●
Kitchen timer	Timer On/Off	Timer On/Off	●	●
Cooking complete reminder	●	●	●	●
Delay Start/Reminder	●	●	●	●
Child lockout	●	●	●	●
Appearance				
Color appearance	Stainless Steel	White on white Bisque on bisque Black on black	White on white	Black on black
Door color	Stainless Steel	White Bisque Black	White	Black
Case color	Black	White Bisque Black	White	Black
Weights & Dimensions				
Cavity	16-1/2 x 7-7/16 x 11-1/4			
WxHxD (in inches) Exterior†	23-25/32 x 11-3/16 x 12-9/32			
Approx. shipping weight (lbs.)	40	40	40	40
Power/Ratings				
2450 Frequency (MHz)	●	●	●	●
Electrical input Watts @ 120V	1300	1300	1300	1300
Amperage	11.5	11.5	11.5	11.5
Accessories				
Cooking guide label	●	●	●	●
Hanging kit (Pub. No. 4-A019)*	Optional	Optional	Optional	Optional
Optional built-in kit	JX827SS	JX827WN/CD/BN	JX827WN	JX827BN/SS
Right angle plug	●	●	●	●
Warranty				
Full one-year warranty**	In-Home	In-Home	In-Home	In-Home
Limited nine-year magnetron warranty** (10 years total)	●	●	●	●

*Pub. No. 4-A019 is available at additional cost.

**See written warranty for details.

†Exterior dimensions: height includes feet, depth does not include handle.

Cutout Dimensions (in inches)



Built-In Trim Kit for 1.0 cu. ft. Microwave Ovens

For a custom built-in appearance, this kit allows built-in installation of the Spacemaker II microwave oven into a wall or cabinet alone, and is U.L.-approved for installation over a GE single electric wall oven. This kit should not be installed over a gas wall oven.

Trim kits for Models JEM31 and JEM25

JX827SS—Stainless Steel, JX827WN—White, JX827CD—Bisque, JX827BN—Black

This information is not intended to be used for installing unit described. Before installing, consult installation instructions packed with product/kit for current dimensional data.

Microwave Ovens

	GE	
	JE740WY JE740GY	JE620WF JE620BF
Capacity		
Oven cavity (cu. ft.)	.7	.6
Features		
Watts (IEC-705 Test Procedure)	700	650
Electronic touch controls	●	●
Electronic digital display w/clock	●	●
Convenience controls		
Popcorn	●	
Beverage	●	
Reheat	●	
Snacks	●	
Cook	●	
Express Cook	●	
Instant On controls	●	
Time Cook	I & II	●
Add 30 seconds	●	
Auto/Time Defrost	●	— / ●
Power levels	10	10
Turntable	●	●
Kitchen timer	●	
Delay Start/Reminder	●	
Cooking complete reminder	●	●
Child lockout	●	
Appearance		
Color appearance*	WW BB	WW BB
Door color	WW BB	WW BB
Case color	White Greystone	White Black
Weights & Dimensions		
Cavity	12-1/16 x 7-11/16 x 12-1/16	11-13/32 x 7-3/64 x 12-7/16
WxHxD (in inches) Exterior **	19-1/4 x 10-13/16 x 13-9/16	18-9/64 x 9-23/32 x 12-27/32
Approx. shipping weight (lbs.)	33	24.4
Power/Ratings		
2450 Frequency (MHz)	●	●
Electrical input Watts @ 120V	1150	1000
Amperage	10.5	9.5
Accessory		
Cooking guide label	●	
Hanging kit (Pub. No. 4-A019)†	Optional	Optional
Right angle plug		●
Warranty		
Full one-year warranty††	Carry-In	Carry-In
Four-year magnetron warranty†† (Five years total)	Nine-Year (10 years total)	●


*WW = White on white, BB = Black on black.

**Exterior dimensions: height includes feet.

†Pub. No. 4-A019 is available at additional cost.

††See written warranty for details.

Undercabinet Mounting Kit Pub. No. 4-A019 for Spacemaker II and Microwave Oven Models (Available at additional cost)



Undercabinet Installation

Install Spacemaker II microwave ovens in just a few easy steps with the mounting template, which provides all the necessary measurements.* These microwave ovens can be installed on practically any wood or metal cabinets.

*Installation may vary depending on cabinets.

Note: 120V, 60-cycle, grounded power receptacle location optional on back within cabinet opening.

Microwave Oven Trim Kits

30" Deluxe Trim Kit for 2.1 cu. ft. Microwave Ovens

This trim kit allows for built-in installation of the 2.1 microwave oven in a wall or cabinet alone, or over a GE Profile™ 30" single electric wall oven.

30" Deluxe Trim Kits for Model JE2160

JX2130SH—Stainless Steel
JX2130WH—White
JX2130CH—Bisque
JX2130BH—Black

Model	"A"	30" Deluxe Trim Kit
JE2160SF	29-3/4"	JX2130SH
JE2160WF	29-3/4"	JX2130WH
JE2160CF	29-3/4"	JX2130CH
JE2160BF	29-3/4"	JX2130BH

27" Deluxe Trim Kit for 2.1 cu. ft. Microwave Ovens


The 27" deluxe trim kit allows a 2.1 microwave oven to be built into a wall or cabinet alone, or over a GE 27" single electric wall oven for a complete one-piece, built-in, integrated appearance.

27" Deluxe Trim Kits for Model JE2160

JX2127SH—Stainless Steel
JX2127WH—White
JX2127CH—Bisque
JX2127BH—Black

Model	"A"	27" Deluxe Trim Kit
JE2160SF	26-5/8"	JX2127SH
JE2160WF	26-5/8"	JX2127WH
JE2160CF	26-5/8"	JX2127CH
JE2160GF	26-5/8"	JX2127BH

Cutout Dimensions
(in inches)



30" Deluxe Trim Kit for 1.8 cu. ft. Microwave Ovens

This trim kit allows for built-in installation of the 1.8 microwave oven in a wall or cabinet alone, or over a GE 30" single electric wall oven.

30" Deluxe Trim Kits for Models JE1860

JX1830SB—Stainless Steel
JX1830WB—White
JX1830CB—Bisque
JX1830BB—Black

Model	"A"	30" Deluxe Trim Kit
JE1860SH	29-3/4"	JX1830SB
JE1860WH	29-3/4"	JX1830WB
JE1860CH	29-3/4"	JX1830CB
JE1860BH	29-3/4"	JX1830BB

27" Deluxe Trim Kit for 1.8 cu. ft. Microwave Ovens


The 27" deluxe trim kit allows a 1.8 microwave oven to be built into a wall or cabinet alone, or over a GE 27" single electric wall oven for a complete one-piece, built-in, integrated appearance.

27" Deluxe Trim Kits for Models JE1860

JX1827SB—Stainless Steel
JX1827WB—White
JX1827CB—Bisque
JX1827BB—Black

Model	"A"	27" Deluxe Trim Kit
JE1860SH	26-7/8"	JX1827SB
JE1860WH	26-7/8"	JX1827WB
JE1860CH	26-7/8"	JX1827CB
JE1860BH	26-7/8"	JX1827BB

Cutout Dimensions
(in inches)



Deluxe Trim Kits for 1.5 cu. ft. GE Profile Microwave Ovens

Built-in trim kits allow installation in a wall, cabinet alone, or over a GE 30" or 27" single electric wall oven. Use a convection wall oven under these convection microwave ovens for a complete convection cooking center.

30" Deluxe Trim Kits for Model JE1590

JX1530CSH—Stainless
JX1530CWH—White
JX1530CCH—Bisque
JX1530CBH—Black


Model	"A"	30" Deluxe Trim Kit
JE1590SH	29-3/4"	JX1530CSH
JE1590WH	29-3/4"	JX1530CWH
JE1590CH	29-3/4"	JX1530CCH
JE1590BH	29-3/4"	JX1530CBH

27" Deluxe Trim Kits for Model JE1590

JX1527CSH—Stainless
JX1527CWH—White
JX1527CCH—Bisque
JX1527CBH—Black

Model	"A"	27" Deluxe Trim Kit
JE1590SH	26-3/4"	JX1527CSH
JE1590WH	26-3/4"	JX1527CWH
JE1590CH	26-3/4"	JX1527CCH
JE1590BH	26-3/4"	JX1527CBH

Cutout Dimensions
(in inches)



This information is not intended to be used for installing unit described. Before installing, consult installation instructions packed with product/kit for current dimensional data.

Answers that click!
GE puts everything you need at your fingertips.



GE Appliances web site — 16 million visitors a year!
Visit us at GEAppliances.com

Everything you need to know about GE products is here. Access up-to-date information, find out "what's new," obtain dimensions, get installation tips and more. Extremely user-friendly, this one-stop site lets you research by brand, category or model number and even buy online through a local GE dealer.

GE Answer Center® saves you time.
800.626.2000

This 24-hour-a-day, 7-day-a-week service provides answers on product features, installation, service and more.



A Century of Quality and Innovation

For more than a century, GE has been committed to producing innovative products that change the way people live. The result of thorough research and rigorous testing, GE appliances are designed for years of dependable performance. Today, the GE tradition of quality and innovation continues.



GE Appliances

GE Consumer & Industrial
GE Company
Louisville, Kentucky 40225
GEAppliances.com

GE has a policy of continuous improvement of its products and reserves the right to change materials and specifications without notice.

© 2003 General Electric Company
Pub. No. 4-S303 PC36170