

KFMC 3846 L

MasterCool™ fridge-freezer

MasterFresh Pro | Cameras | AirClean system | Freeze&Cool | IceMaker



- Food stays fresh for up to 5 times longer – MasterFresh Pro
- Everything in full view at all times – Cameras in the refrigerator
- Fresh supplies without unpleasant odors – Longlife AirClean System
- Flexible use of storage space – Freeze&Cool
- Ice cubes for cold drinks – IceMaker

EAN: 4002516768654 / Material number: 12489410 /  
Old Material Number: 38384610USA

General information	
Model number	KFMC 3846 L
Manufacturer material number	12489410
EAN number	4002516768654
Class	Diamond
Appliance category	
Fridge-freezer	•
Design	
Built-in	•
Built-in integrated	•
Door hinge side	Left
Convertible hinging	•
Can be installed side-by-side	•
Design	
Design option	Compatible with furniture fronts
Lighting	BrilliantLight Pro
SmartLight	•
User convenience	
Networking with Miele@home	•
Electronic temperature display and control	M Touch Pro
Cameras in the refrigerator	3
Sabbath mode	•
Freshness system	MasterFresh Pro
Longlife AirClean System	•
Freeze&Cool	•
DynaCool	•
Holiday mode	•
NoFrost	•
DuplexCool Pro	•
SoftClose door closing damper	•
SelfClose	•
Number of IceMakers with plumbed water connection	1
IceMaker with mains water connection	•
Water dispenser	•
FullAccess	•
EasyClean	•
MaxLoad hinge	•
Control	
Precise adjustment	Fridge and freezer temperature
Fridge compartment can be switched off	No
Independent temperature control of fridge and freezer compartments	Yes
SuperCool&AirClean	•
SuperFrost	•
No. of temperature zones	3
Eco mode	•

KFMC 3846 L

MasterCool™ fridge-freezer

MasterFresh Pro | Cameras | AirClean system | Freeze&Cool | IceMaker



EAN: 4002516768654 / Material number: 12489410 /

Old Material Number: 38384610USA

QuickIce

•

#### Fridge/fridge zone

Height-adjustable, half-width tempered glass shelves

4

No. of PerfectFresh drawers

2

SlidingShelf

•

Door rack for tins

2

Inner door racks for bottles

1

of which gallon bins

1

#### Freezer/freezer zone

Number of freezer baskets

2

#### Efficiency and sustainability

Energy Star Qualified

•

#### Safety

Spill-proof glass shelves

•

Acoustic door alarm

•

Acoustic temperature alarm, freezer section

•

#### Technical data

Niche width in inches (mm), min.

36 (914)

Niche width in inches (mm), max.

36 (914)

Niche height in inches (mm), min.

84 1/8 (2134)

Niche height in inches (mm), max.

84 1/8 (2134)

Niche depth in in.(mm)

25 (635)

Appliance width in in.(mm)

35 1/4 (894)

Appliance height in in.(mm)

83 5/8 (2123)

Appliance depth in in.(mm)

24 (608)

Weight in lbs.(kg)

488 (221.0)

Type of mounting

Fixed door

Maximum fridge compartment door front weight in lbs. (kg)

104 (47)

Fridge compartment volume in cu. ft. (l)

12.71 (360)

4-star freezer compartment volume in cu. ft. (l)

6.11 (173)

Total usable capacity in cu. ft. (l)

18.82 (533)

Current consumption in milliampere (mA)

4000

Voltage in V

110-120

Fuse rating in A

10

Number of phases

1

Frequency in Hz

60

Wire length in ft (m)

9 (3.0)

Replacing bulbs

Customer Service

#### Standard accessories


Ice scoop

•

## KFMC 3846 L


MasterCool™ fridge-freezer

MasterFresh Pro | Cameras | AirClean system | Freeze&Cool | IceMaker




KFMC3846R, KFMC3846L, MasterCool III, PACS, with stainless steel front, installation (US)

View from the front, 1. Mains connection cable, L = 3000 mm (118 inch), 2. Water connection L = 1800 mm (70 inch)




KFMC3846R, KFMC3846L, MasterCool III, installation, panel ready (US)


View from the front, 1. Mains connection cable, L = 3000 mm (118 inch), 2. Water connection L = 1800 mm (70 inch)



KFMC3846R, KFMC3846L, MasterCool III, PACS, with stainless steel front, integration (US)




KFMC3846R, KFMC3846L, MasterCool III, integration, panel ready (US)




KFMC3846R, KFMC3846L, MasterCool III, front view, installation (US)


1. 47 kg / 103,6 lbs, 2. 55 kg / 121,2 lbs, 3. 30 kg / 66,1 lbs




KFMC3632R+L, KFMC3642R+L, KFMC3836R+L, KFMC3858FD, MasterCool III, frame neutral, installation



KFMC3632R+L, KFMC3642R+L, KFMC3836R+L, KFMC3834R+L, KFMC3858FD, MasterCool III, hinge clearance, installation



KFMC3632R+L, KFMC3642R+L, KFMC3836R+L, KFMC3834R+L, KFMC3858FD, MasterCool III, Side-view bottom, installation




KFMC3846R, KFMC3846L, MasterCool III, PACS, with stainless steel front, top view (US)

KFMC 3846 L

MasterCool™ fridge-freezer

MasterFresh Pro | Cameras | AirClean system | Freeze&Cool | IceMaker



KFMC3846R, KFMC3846L, MasterCool III, panel ready,  
top view (US)