

# KPF48UWH

|                      |                      |
|----------------------|----------------------|
| Product family       | Hood                 |
| Hood Type            | Decorative wall hood |
| Design               | Chimney              |
| Extraction           | Vented               |
| Material             | Stainless steel      |
| Stainless steel type | Brushed              |
| EAN code             | 8017709261740        |
| Hood width           | 48 "                 |




## Aesthetic

|            |           |                  |         |
|------------|-----------|------------------|---------|
| Aesthetics | Portofino | Silkscreen color | Black   |
| Color      | White     | Logo             | Applied |

## Controls

|                 |               |                |                        |
|-----------------|---------------|----------------|------------------------|
| Control setting | Control knobs | Control knobs  | Portofino              |
| No. of controls | 2             | Controls color | Stainless steel effect |

## Technical Features



|                                          |           |                                        |                 |
|------------------------------------------|-----------|----------------------------------------|-----------------|
| No. of lights                            | 4         | No. of filters                         | 4               |
| Lighting                                 | LED       | Anti-grease filters                    | Stainless steel |
| Light power                              | 20 W      | Vent outlet                            | 5 7/8 "         |
| Light color temperature scale (°K)       | 4000 °K   | Minimum distance from gas cooktop      | 750 "           |
| Maximum extraction capacity at free mode | 577.5 CFM | Minimum distance from electric cooktop | 650 "           |
| Motor power                              | 455 W     | Non-return valve                       | Yes             |

|               | Extraction rate [CFM] | Noise level [dBA] |
|---------------|-----------------------|-------------------|
| Speed level 1 | 210.5                 | 53                |
| Speed 2       | 317                   | 62                |
| Speed 3       | 437.5                 | 69                |


|               |       |    |
|---------------|-------|----|
| Speed level 4 | 573.5 | 75 |
|---------------|-------|----|

Electrical Connection

|                              |       |                           |        |
|------------------------------|-------|---------------------------|--------|
| Electrical connection rating | 535 W | Frequency (Hz)            | 60 Hz  |
| Voltage                      | 120 V | Power supply cable length | 1000 " |

Also available

|                  |                                                               |                  |                           |
|------------------|---------------------------------------------------------------|------------------|---------------------------|
| Available colors | White, Black, Stainless steel, Anthracite, Green, Red, Orange | Available colors | KPF48UWH/BL/X/AN/OG/RD/OR |
|------------------|---------------------------------------------------------------|------------------|---------------------------|



---

## Not included accessories

---



### FLTK-1

Round Charcoal filters (kit 2 pieces)



### KITALLFC

Universal Charcoal filter Stainless Steel AISI 304 The filter can be washed in dishwasher 50 °C (water and suitable detergent) and to dry it put in the oven 180°C 25 minutes

---

## Symbols glossary (TT)

---



**Filters:** Model has filters to help remove grease from the steam emanating from the pans during cooking.



**Lights:** All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.