

M 7240 TC AM

Built-in microwave oven, 24" width
in a design that is the perfect complement with controls on the top.



- Clear text display with sensor controls – DirectSensor S
- Perfect defrosting and cooking – Automatic Programs
- Plenty of space – 1.62 cu. ft. oven capacity & 15 3/4" turntable
- Very powerful microwave – 900 W
- What you want at the touch of a button – Popcorn button

EAN: 4002516540618 / Material number: 11845600 /
Old Material Number: 24724040USA

General information	
Model number	M 7240 TC AM
Manufacturer material number	11845600
EAN number	4002516540618
Class	Gold
Construction type and design	
Color	Clean Touch Steel
PureLine	•
TopControl	•
Construction type and design	
Built-in microwave oven	•
Convenience features	
Keep-warm function	•
Operating modes	
Microwave	•
Automatic programs	•
User convenience	
Display	DirectSensor S
SoftOpen	•
SoftClose	•
MultiLingua	•
Popcorn function	•
Time of day display	•
Minute minder	•
Programmable cooking time	•
Minute Plus button	•
Individual settings	•
Efficiency and sustainability	
Night dimming	•
Cleaning convenience	
Clean Touch Steel surface	•
Stainless-steel oven cavity	•
CleanGlass door	•
Safety	
Appliance cooling system and cool touch front	•
System lock	•
Safety switch	•
Child lock "Door" in display	•
Technical data	
Cavity volume in cu.ft (l)	1.62 (46)
Door hinge side	Bottom
Oven interior lighting	1 LED spot
Turntable diameter in in. (cm)	16 (40.6)
Cavity height in in. (cm)	9 1/4 (23.2)
Electronically controlled microwave power	•
Microwave power levels	1-7
Maximum microwave output in W	900
Niche width min. in inches (mm)	22 1/4 (562)

M 7240 TC AM

Built-in microwave oven, 24" width

in a design that is the perfect complement with controls on the top.




EAN: 4002516540618 / Material number: 11845600 /

Old Material Number: 24724040USA


Niche width max. in inches (mm)	22 3/8 (568)
Niche-independent venting	•
Niche height min. in inches (mm)	17 3/4 (450)
Niche height max. in inches (mm)	17 7/8 (452)
Niche depth in in. (mm)	550
Appliance dimensions (W x H x D) in inches (mm)	23 1/2 (595) x 18 (456) x 22 1/8 (560)
Appliance width in in. (mm)	23 1/2 (595)
Appliance height in in. (mm)	18 (456)
Appliance depth in in. (mm)	22 1/8 (560)
Weight in lbs. (kg)	63 (28.3)
Total connected load in kW	1.6
Length of power cord in in. (m)	2.10
Power Rating in V	120
Frequency in Hz	60
Fuse rating in A	15
Number of phases	1
Neutral conductor	Yes
Standard accessories	
Turntable	1
Available display languages	
Available display languages via MultiLingua	[?][?][?][?][?][?][?][?][?][?], [?][?], [?][?][?], deutsch, dansk, english, suomi, français, ελληνικά, italiano, [?][?][?], [?][?][?], hrvatski, bahasa malaysia, nederlands, norsk, polski, portuguais, română, русский, svenska, srpski, slovenčina, slovenščina, español, čeština, türkçe, українська, magyar

M 7240 TC AM


Built-in microwave oven, 24" width
in a design that is the perfect complement with controls on the top.




M7240TC(+EBA7848), side view, 30 Zoll, Flush Inset
7/8" – 22* mm – Glass, 15/16" – 23.3** mm – Stainless steel




M7240TC(+EBA7848), side view, 30 Zoll, Flush Inset, built-under
7/8" – 22* mm – Glass, 15/16" – 23.3** mm – Stainless steel




M7240TC Einbau, 30 Zoll, Flush inset
7/8" – 22* mm – Glass, 15/16" – 23.3** mm – Stainless steel




M7240TC+EBA7848, Einbau, 30 Zoll, Flush inset
7/8" – 22* mm – Glass, 15/16" – 23.3** mm – Stainless steel




M7x4xTC, Einbau, 30 Zoll, Flush inset, wide front
7/8" – 22* mm – Glass, 15/16" – 23.3** mm – Stainless steel




M7240TC+EBA7848, Einbau, 30 Zoll, Flush inset, wide front
7/8" – 22* mm – Glass, 15/16" – 23.3** mm – Stainless steel



M7240TC, Einbau, 30 Zoll, Flush inset, built-under
7/8" – 22* mm – Glass, 15/16" – 23.3** mm – Stainless steel




M7240TC+EBA7848, Einbau, 30 Zoll, Flush inset, built-under
7/8" – 22* mm – Glass, 15/16" – 23.3** mm – Stainless steel




M7240TC, Einbau, 30 Zoll, Flush Inset, built-under, wide front
7/8" – 22* mm – Glass, 15/16" – 23.3** mm – Stainless steel

M 7240 TC AM


Built-in microwave oven, 24" width
in a design that is the perfect complement with controls on the top.




M7240TC+EBA7848, Einbau, 30 Zoll, Flush inset, built-under, wide front
7/8" – 22* mm – Glass, 15/16" – 23.3** mm – Stainless steel




M7240(+EBA7848), Installation, 30 Zoll, Flush inset
A – Cut-out (4" x 28" / 100 mm x 720 mm) in the bottom of the cabinet for power cord and ventilation, – Electrical and water supplies are recommended to be placed in adjacent cabinetry, Additional cabinet depth is required when placing the electrical and water supplies behind the appliance., E = Electric connection




M7240(+EBA7848), Installation, 30 Zoll, Flush inset, built-under
A – Cut-out (4" x 28" / 100 mm x 720 mm) in the bottom of the cabinet for power cord and ventilation, – Electrical and water supplies are recommended to be placed in adjacent cabinetry, Additional cabinet depth is required when placing the electrical and water supplies behind the appliance., E = Electric connection



M7240(+EBA7848), Installation, 30 Zoll, Flush inset, wide front
A – Cut-out (4" x 28" / 100 mm x 720 mm) in the bottom of the cabinet for power cord and ventilation, – Electrical and water supplies are recommended to be placed in adjacent cabinetry, Additional cabinet depth is required when placing the electrical and water supplies behind the appliance., E = Electric connection




M7240(+EBA7848), Installation, 30 Zoll, Flush inset, wide front
A – Cut-out (4" x 28" / 100 mm x 720 mm) in the bottom of the cabinet for power cord and ventilation, – Electrical and water supplies are recommended to be placed in adjacent cabinetry, Additional cabinet depth is required when placing the electrical and water supplies behind the appliance., E = Electric connection



M7240TC, M7240TC+EBA7848, 30 Zoll, Proud
7/8" – 22* mm – Glass, 15/16" – 23.3** mm – Stainless steel


M 7240 TC AM

Built-in microwave oven, 24" width
in a design that is the perfect complement with controls on the top.




M7240TC, M7240TC+EBA7848, 30 Zoll, Proud, built-under


7/8" – 22* mm – Glass, 15/16" – 23.3** mm – Stainless steel




M7240TC, Einbau, 30 Zoll, Proud




M7240TC+EBA7848, Einbau, 30 Zoll, Proud




M7240TC, Einbau, 30 Zoll, Proud, wide front




M7240TC+EBA7848, Einbau, 30 Zoll, Proud, wide front




M7240TC, Einbau, 30 Zoll, Proud, built-under



M7240TC+EBA7848, Einbau, 30 Zoll, Proud, built-under




M7240TC, Einbau, 30 Zoll, Proud, built-under, wide front



M7240TC+EBA7848, Einbau, 30 Zoll, Proud, built-under, wide front


M 7240 TC AM

Built-in microwave oven, 24" width
in a design that is the perfect complement with controls on the top.




M7240TC(+EBA7848), Installation, 30 Zoll, Proud

A – Cut-out (4" x 28" / 100 mm x 720 mm) in the bottom of the cabinet for power cord and ventilation, – Electrical and water supplies are recommended to be placed in adjacent cabinetry, Additional cabinet depth is required when placing the electrical and water supplies behind the appliance., E = Electric connection




M7x4xTC(+EBA7848), Installation, 30 Zoll, Proud, built-under

A – Cut-out (4" x 28" / 100 mm x 720 mm) in the bottom of the cabinet for power cord and ventilation, – Electrical and water supplies are recommended to be placed in adjacent cabinetry, Additional cabinet depth is required when placing the electrical and water supplies behind the appliance., E = Electric connection




M7240TC(+EBA7848), Installation, 30 Zoll, Proud, wide front

A – Cut-out (4" x 28" / 100 mm x 720 mm) in the bottom of the cabinet for power cord and ventilation, – Electrical and water supplies are recommended to be placed in adjacent cabinetry, Additional cabinet depth is required when placing the electrical and water supplies behind the appliance., E = Electric connection




M7240TC(+EBA7848), Installation, 30 Zoll, Proud, built-under, wide front

A – Cut-out (4" x 28" / 100 mm x 720 mm) in the bottom of the cabinet for power cord and ventilation, – Electrical and water supplies are recommended to be placed in adjacent cabinetry, Additional cabinet depth is required when placing the electrical and water supplies behind the appliance., E = Electric connection



M7240TC(+EBA7848), Seitenansicht, 30 Zoll, Proud, Oberschrank – Skizze – NA


7/8" – 22* mm – Glass, 15/16" – 23.3** mm – Stainless steel




M7240TC, Einbau, 30 Zoll, Proud, Oberschrank – Skizze – NA

M 7240 TC AM


Built-in microwave oven, 24" width
in a design that is the perfect complement with controls on the top.




M7240TC(+EBA7848), Einbau, 30 Zoll, Proud, Oberschrank – Skizze – NA



M7240TC, Einbau, 30 Zoll, Proud, breite Front, Oberschrank – Skizze – NA




M7240TC(+EBA7848), Einbau, 30 Zoll, Proud, breite Front, Oberschrank – Skizze – NA




M7240TC(+EBA7848), Einbau, 30 Zoll, Proud, Oberschrank – Skizze – NA

A – Cut-out (4" x 28" / 100 mm x 720 mm) in the bottom of the cabinet for power cord and ventilation, ! – Electrical and water supplies are recommended to be placed in adjacent cabinetry, Additional cabinet depth is required when placing the electrical and water supplies behind the appliance., , E = Electric connection




M7240TC(+EBA7848), Einbau, 30 Zoll, Proud, breite Front, Oberschrank – Skizze – NA

A – Cut-out (4" x 28" / 100 mm x 720 mm) in the bottom of the cabinet for power cord and ventilation, ! – Electrical and water supplies are recommended to be placed in adjacent cabinetry, Additional cabinet depth is required when placing the electrical and water supplies behind the appliance., , E = Electric connection




M7240SC(+EBA7848), Seitenansicht, 30 Zoll, Flush, inset, Oberschrank – Skizze – NA


7/8" – 22* mm – Glass, 15/16" – 23.3** mm – Stainless steel



M7240TC, Einbau, 30 Zoll, Flush, inset, Oberschrank – Skizze – NA




M7240SC(+EBA7848), Einbau, 30 Zoll, Flush, inset, Oberschrank – Skizze – NA




M7240TC, Einbau, 30 Zoll, Flush, inset, breite Front, Oberschrank – Skizze – NA

M 7240 TC AM

Built-in microwave oven, 24" width
in a design that is the perfect complement with controls on the top.




M7240SC(+EBA7848), Einbau, 30 Zoll, Flush, inset, breite Front, Oberschrank – Skizze – NA



M7240SC(+EBA7848), Installation, 30 Zoll, Flush, inset, Oberschrank – Skizze – NA

A – Cut-out (4" x 28" / 100 mm x 720 mm) in the bottom of the cabinet for power cord and ventilation, ! – Electrical and water supplies are recommended to be placed in adjacent cabinetry, Additional cabinet depth is required when placing the electrical and water supplies behind the appliance., , E = Electric connection



M7240SC(+EBA7848), Installation, 30 Zoll, Flush, inset, breite Front, Oberschrank – Skizze – NA

A – Cut-out (4" x 28" / 100 mm x 720 mm) in the bottom of the cabinet for power cord and ventilation, ! – Electrical and water supplies are recommended to be placed in adjacent cabinetry, Additional cabinet depth is required when placing the electrical and water supplies behind the appliance., , E = Electric connection