


PGFU24X



Product family
Installation
Dimensions
Power supply
Type
EAN code

Cooktop
Ultra-low profile
24"
Gas
Gas
8017709299712



Aesthetic



Aesthetics
Color
Finishing
Material
Stainless steel type
Grates
Burners material
Control setting type
Controls position
No. of controls
Controls color
Silkscreen color

Classic
Stainless steel
Satin
Stainless steel
Brushed
Cast iron
Aluminum
Control knobs
Front
4
Stainless steel effect
Black

Technical Features

Left - 3.50 kW
Rear-center - 1.10 kW
Front-center - 1.10 kW
Right - 2.70 kW

Gas safety valves Yes Automatic Ignition Yes

Accessories Included


Cast iron wok support 1

Electrical Connection

Plug	(B) USA 120V	Frequency	60 Hz
Voltage	120 V	Power cord length	47 1/4 "
Electric cable type	Single phase	Plug	B

Gas Connection

Gas Type	G20 Natural gas	Other gas nozzles included	G30 LPG liquid gas
Gas connection	Cylindric	Gas nominal rating	9500 W






Not included accessories

6MP1PGF

6 Linea knobs for PGF hobs



Symbols glossary (TT)

- | | | | |
|--|---|---|--|
|  | Ultra-low profile: Installation of product with flat edge - height of 1 mm. |  | Heavy duty cast iron pan stands: for maximum stability and strength. |
|  | Knobs control | | |