

# Gas Range 48", 6 Burners with Griddle

Series 7 | Professional

Stainless Steel | LPG




With Professional styling, this large range has six burners delivering powerful high heat, a griddle and two gas ovens.

- Top burner heat of 23,500 BTU, for seriously fast boiling
- Expansive 7.7 cu ft total oven capacity across two oven cavities
- Non-tip full-extension shelves in main cavity for safe removal of hot dishes

## DIMENSIONS

Height	35 3/4 - 36 3/4"
Width	47 7/8"
Depth	29 1/8"



## FEATURES & BENEFITS

### Cooktop power

Sealed Dual Flow Burners™ deliver cooktop power up to 23,500 BTU (NG models) for seriously fast boiling right down to a precise 140°F full surface simmer with the gentlest of flames.

### Total control

Precise control across high and low settings is delivered through the halo-illuminated cooktop dials. The ovens have true convection and electronic oven control for precise and consistent temperatures.

### Easy to clean

A sealed cooktop surface coupled with a commercial-style stainless steel finish means your cooktop simply needs a quick wipe to keep it looking good as new.

### Instant visibility

Control dials have halo-illumination glowing white – heating up; orange – temperature reached; red – self-cleaning mode. The oven is illuminated by two powerful incandescent lights.

### Cooking flexibility

The cooktop is designed for easy access to any burner with grates you can smoothly slide pots across. The oven is large enough to hold full size baking sheets.

### <<Missing Feature Title>>

This range has been carefully crafted in every detail from performance to durability using quality materials.

## SPECIFICATIONS

### Accessories

Square handle option	AH-R48
----------------------	--------

### Capacity

Shelf positions	5
-----------------	---

### Cleaning

Dishwasher proof trivets	•
--------------------------	---

### Controls

Electric circuit	3 wire
Metal illuminated dials	•

### Gas Requirements

Fitting and pipe ½ NPT, min. ⅝" flex line  
 Supply Pressure (natural gas) 6" to 9" W.C

**Oven features**

Full extension telescopic •

**Oven performance**

Main oven - Bake power 28,000 BTU  
 Secondary oven - Bake power 18,000 BTU

**Power requirements**

Amperage 15A  
 Rated current 15A  
 Supply frequency 60Hz

**Product dimensions**

Depth 29 1/8"  
 Height 35 3/4 - 36 3/4"  
 Width 47 7/8"

**Rangetop features**

Sealed Dual Flow Burners™ 6  
 Sealed range top •  
 Vent trim included •

**Rangetop Performance**

Power back centre 18,500 BTU  
 Power back left 18,500 BTU  
 Power back right 18,500 BTU  
 Power front centre 18,500 BTU

Power front left 23,500 BTU  
 Power front right 18,500 BTU  
 Power griddle 16,500 BTU

currently available. ? Fisher & Paykel Appliances Ltd 2020

**Recommended Back Guards Ventilation**

Combustible situation BGRV2-3048H  
 Minimum CFM 1200  
 Non combustibile situation BGRV2-3048 / BGRV2-1248  
 Recommended hood HCB48-12\_N (48"")

**Safety**

Full extension telescopic •

**Secondary oven features**

3/4 Extension racks 2  
 Electronic oven control •  
 Internal light •

**Secondary oven functions**

Bake •  
 Number of secondary oven 2  
 Proof •

SKU 71346

TEST The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model



**A PEACE OF MIND SALE**

24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 W [www.fisherpaykel.com](http://www.fisherpaykel.com)