

# Integrated Column Freezer, 18", Ice

Series 11 | Integrated

Panel Ready | Right Hinge




Install it separately or pair with another Column for seamless integration – this model is right hinge with stainless steel interior.

- ActiveSmart™ technology helps keep food fresher for longer by constantly maintaining the ideal temperature
- Two separate Variable Temperature Zones: each with Freeze, Soft Freeze or Deep Freeze
- Internal ice maker with boost for busy times
- Customize with your own kitchen cabinetry or purchase our stainless steel door panel accessory

## DIMENSIONS

|        |         |
|--------|---------|
| Height | 84"     |
| Width  | 17 3/4" |
| Depth  | 24"     |



## FEATURES & BENEFITS

### VARIABLE TEMPERATURE ZONES

Food is stored in two separate zones. You have the choice of three food modes: Freeze -7°F to 7°F, Soft Freeze 14°F to 18°F and Deep Freeze is fixed at -13°F.

### MIX & MATCH

Integrated Column Refrigeration gives you the freedom to mix and match. Different sized Column Fridges and Freezers can be installed separately or paired. Finish them with our stainless steel door panels or customize to match your own kitchen cabinetry.

### CLEVER ENERGY

Our Energy Star certified ActiveSmart™ Foodcare Fridges & Freezers adapt to daily use by cooling and defrosting only when needed. This means your refrigerator uses the energy it needs without compromising on food care.

### APPEALING ILLUMINATION

Bright LEDs light up the ceiling, shelves, bins and tray in both refrigerator and freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.

### DESIGN QUALITY

The premium design and quality finish includes a steel interior lining as well as full extension metal shelf runners for easy access and robust glass shelving.

### EASY INSTALL

Integrated Column Refrigerators and Freezers have been developed to make their installation easy. The joiner kit is included when pairing refrigerator and freezers. All models come with front adjustable levelling feet and they've been designed to easily slide into place as separate units.

### PERFECT FIT

These models fit flush and have only 1/8" gaps around them with no visible hinges or grilles. Our Integrated Column models can be seamlessly hidden behind your cabinetry or you can purchase our stainless steel door panel.

## SPECIFICATIONS

### Accessories (sold separately)

|                            |           |
|----------------------------|-----------|
| Door panel stainless steel | RD1884R4D |
| Handle kit Contemporary    | AHS-RD84  |
| Handle kit Contemporary    | AHD5RDSF  |
| Handle kit Contemporary    | AHD5RDSFB |
| Handle kit Contemporary    | AHD3-RD84 |

|                                |             |                                |         |                          |         |
|--------------------------------|-------------|--------------------------------|---------|--------------------------|---------|
| Handle kit Professional round  | AHC-RD84    | Bottle chill                   | •       | Safety and compliance    |         |
| Handle kit Professional round  | AHC-RD84    | Door alarm                     | •       | ADA compliant            | •       |
| Handle kit Professional square | AHV2-RD84   | Fast freeze                    | •       |                          |         |
| Joiner kit                     | AJ-RS84LR   | Freezer bins                   | 4       | Warranty                 |         |
| Toe kick stainless steel 18"   | AKRS1804    | Glass shelves                  | 3       | Parts and labor          | 2 years |
| Toe kick stainless steel 42"   | AKRS4204    | Ice Boost                      | •       | Sealed system parts only | 5 years |
| Toe kick stainless steel 48"   | AKRS4804    | LED bin lighting               | •       |                          |         |
| Toe kick stainless steel 54"   | AKRS5404    | LED ceiling lighting           | •       |                          |         |
| Toe kick stainless steel 60"   | AKRS6004    | LED side lighting              | •       | SKU                      | 26118   |
| Toe kick stainless steel 66"   | AKRS6604    | SmartTouch interface at        | •       |                          |         |
| Toe kick stainless steel 72"   | AKRS7204    |                                |         |                          |         |
| Toe kick stainless steel 78"   | AKRS7804    |                                |         |                          |         |
| Toe kick stainless steel 84"   | AKRS8404    |                                |         |                          |         |
|                                |             |                                |         |                          |         |
| Capacity                       |             | Performance                    |         |                          |         |
| Total gross capacity           | 7.8cu ft    | ActiveSmart™ Foodcare          | •       |                          |         |
| Volume                         | 7.8cu ft    | Adaptive defrost               | •       |                          |         |
| Volume freezer                 | 7.8cu ft    | Dual evaporator                | •       |                          |         |
|                                |             | Frost free                     | •       |                          |         |
|                                |             | Inverter controlled compressor | •       |                          |         |
|                                |             | Sabbath mode                   | •       |                          |         |
|                                |             | Variable temperature zones     | 2       |                          |         |
|                                |             |                                |         |                          |         |
| Consumption                    |             | Power requirements             |         |                          |         |
| Energy rating                  | Energy star | Rated current                  | 10A     |                          |         |
| Energy usage                   | 415kWh/year | Supply frequency               | 60Hz    |                          |         |
|                                |             | Supply voltage                 | 115V    |                          |         |
|                                |             |                                |         |                          |         |
| Features                       |             | Product dimensions             |         |                          |         |
| Adjustable door shelves        | 4           | Depth                          | 24"     |                          |         |
| Adjustable glass cantilevered  | •           | Height                         | 84"     |                          |         |
| Door alarm                     | •           | Width                          | 17 3/4" |                          |         |
|                                |             |                                |         |                          |         |
| Freezer Features               |             |                                |         |                          |         |
| Automatic ice maker            | •           |                                |         |                          |         |

---

Other product downloads available at [fisherpaykel.com](https://fisherpaykel.com)



Energy Label



User Guide Integrated Refrigerator Freezer



Service & Warranty



User Guide Integrated Refrigerator & Freezer



Installation Guide - Toe Kick



Installation Guide - Water Filter Replacement



Installation Guide



Specification Guide Integrated Column Freezer



Data Sheet Integrated Column Freezer



Data Sheet Integrated Column Freezer Dual Install (18" + 24")



Data Sheet Integrated Column Freezer Dual Install (18" + 30")



Planning Guide Integrated Columns



Key Purchase Decisions Integrated Columns



**A PEACE OF MIND SALE**

**24 Hours 7 Days a Week Customer Support**

**T 1.888.936.7872 W [www.fisherpaykel.com](https://www.fisherpaykel.com)**