

# Integrated Column Refrigerator, 24"

Series 9 | Integrated

Panel Ready | Right Hinge




Install it separately or pair with another Column for seamless kitchen integration - this model is right hinge with white interior.

- ActiveSmart™ technology helps keep food fresher for longer by constantly maintaining the ideal temperature
- Two separate Variable Temperature Zones: each with Fridge, Pantry or Chill
- Customize with your own kitchen cabinetry or purchase our stainless steel door panel accessory

## DIMENSIONS

Height	84"
Width	23 3/4"
Depth	24"



## FEATURES & BENEFITS

### VARIABLE TEMPERATURE ZONES

Food is stored in two separate zones. You have the choice of three food modes: Fridge 32°F to 44°F, Pantry 52°F to 56°F and Chill 29°F to 32°F.

### MIX & MATCH

Integrated Column Refrigeration gives you the freedom to mix and match. Different sized Column Fridges and Freezers can be installed separately or paired. Finish them with our stainless steel door panels or customize to match your own kitchen cabinetry.

### CLEVER ENERGY

Our Energy Star-certified ActiveSmart™ Refrigerators & Freezers adapt to daily use by cooling and defrosting only when needed. This means your refrigerator uses the energy it needs without compromising on food care.

### APPEALING ILLUMINATION

Bright LEDs light up the ceiling, shelves, bins and tray in both refrigerator and freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.

### DESIGN QUALITY

The premium design and quality finish includes a white or stainless steel interior lining, as well as full-extension metal shelf runners for easy access and robust glass shelving.

### EASY INSTALL

Integrated Column Refrigerators and Freezers have been developed to make their installation easy. The joiner kit is included when pairing refrigerator and freezers. All models come with front adjustable levelling feet and they've been designed to easily slide into place as separate units.

### PERFECT FIT

These models fit flush and have only 1/8" gaps around them with no visible hinges or grilles. Our Integrated Column models can be seamlessly hidden behind your cabinetry or you can purchase our stainless steel door panel.

## SPECIFICATIONS

### Accessories (sold separately)

Door panel stainless steel	<b>24" Right hinge RD2484R4D</b>
Handle kit Contemporary	<b>AHS-RD84</b>
Handle kit Contemporary	<b>AHD5RDSF</b>
Handle kit Contemporary	<b>AHD5RDSFB</b>
Handle kit Contemporary	<b>AHD3-RD84</b>

Handle kit Professional round	<b>AHC-RD84</b>	Gallon door shelves	1	Packaged weight	<b>275lbs</b>
Handle kit Professional round	<b>AHP3RDSF</b>	LED bin lighting	•	Unpackaged weight	<b>258lbs</b>
Handle kit Professional square	<b>AHV2-RD84</b>	LED ceiling lighting	•	<hr/>	
Joiner kit	<b>AJ-RS84LR</b>	LED lighting	•	<b>Safety and compliance</b>	
Toe kick stainless steel 24"	<b>AKRS2404</b>	LED side lighting	•	ADA compliant	•
Toe kick stainless steel 42"	<b>AKRS4204</b>	SmartTouch interface at	•	<hr/>	
Toe kick stainless steel 48"	<b>AKRS4804</b>	Soft-close fruit and vegetable	•	<b>Warranty</b>	
Toe kick stainless steel 54"	<b>AKRS5404</b>	Stackable bottle holders	<b>4</b>	Parts and labor	<b>2 years</b>
Toe kick stainless steel 60"	<b>AKRS6004</b>	<hr/>		Sealed system parts and labor	<b>additional 3 years</b>
Toe kick stainless steel 66"	<b>AKRS6604</b>	<b>Performance</b>		<hr/>	
Toe kick stainless steel 72"	<b>AKRS7204</b>	ActiveSmart™ Foodcare	•	SKU	26122
Toe kick stainless steel 78"	<b>AKRS7804</b>	Dual evaporator	•	<hr/>	
Toe kick stainless steel 84"	<b>AKRS8404</b>	Frost free	•	The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. ? Fisher & Paykel Appliances Ltd 2020	
<hr/>		Humidity control system	•		
<b>Capacity</b>		Inverter controlled compressor	•		
Total gross capacity	<b>12.4cu ft</b>	Sabbath mode	•		
Volume	<b>12.4cu ft</b>	Variable food modes	<b>Pantry; Fridge; Chill</b>		
Volume refrigerator	<b>12.4cu ft</b>	Variable temperature zones	<b>2</b>		
<hr/>		<b>Power requirements</b>			
<b>Consumption</b>		Rated current	<b>10A</b>		
Energy rating	<b>Energy star</b>	Supply frequency	<b>60Hz</b>		
Energy usage	<b>232kWh/year</b>	Supply voltage	<b>115V</b>		
<hr/>		<b>Product dimensions</b>			
<b>Features</b>		Depth	<b>24"</b>		
Adjustable door shelves	<b>4</b>	Height	<b>84"</b>		
Adjustable glass cantilevered	•	Width	<b>23 3/4"</b>		
Adjustable glass shelves	<b>4</b>	<hr/>			
Covered door shelves	<b>1</b>	<b>Product information</b>			
Door alarm	•				
Fruit and vegetable bins	<b>4</b>				

---

Other product downloads available at [fisherpaykel.com](http://fisherpaykel.com)

- [↓](#) User Guide
- [↓](#) Energy Label
- [↓](#) User Guide Integrated Refrigerator & Freezer
- [↓](#) Service & Warranty
- [↓](#) Installation Guide
- [↓](#) Installation Guide - Toe Kick
- [↓](#) Installation Guide
- [↓](#) Specification Guide Integrated Column Refrigerator
- [↓](#) Data Sheet Integrated Column Refrigerator
- [↓](#) Data Sheet Integrated Column Refrigerator Dual Install (18" + 24")
- [↓](#) Data Sheet Integrated Column Refrigerator Dual Install (24" + 24")
- [↓](#) Data Sheet Integrated Column Refrigerator Dual Install (24" + 30")
- [↓](#) Planning Guide Integrated Columns
- [↓](#) Key Purchase Decisions Integrated Columns



**A PEACE OF MIND SALE**

24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 **W** [www.fisherpaykel.com](http://www.fisherpaykel.com)