

Integrated Column Refrigerator, 30", Water


Series 11 | Integrated
Panel Ready | Right Hinge



- Install it separately or pair with another Column for seamless integration – this model is right hinge with stainless steel interior.
- ActiveSmart™ technology helps keep food fresher for longer by constantly maintaining the ideal temperature
 - Two separate Variable Temperature Zones. Choose from Fridge, Pantry or Chill
 - Internal water dispenser for convenient access to fresh, chilled water
 - Customize with your own kitchen cabinetry or purchase our stainless steel door panel accessory

DIMENSIONS

Height	84"
Width	29 3/4"
Depth	24"



FEATURES & BENEFITS

- VARIABLE TEMPERATURE ZONES**
Create the perfect climate by storing food at their optimal temperature. Change a compartment to Fridge, Pantry or Chill.
- INTERNAL WATER DISPENSER**
This integrated model features a slimline water dispenser, located on the inside for an uninterrupted exterior. The flush-fit design of the water dispenser maximizes internal storage space, allowing the shelves to be adjusted to suit your needs. Enjoy a

- continuous flow of temperature-controlled chilled water to fill almost any size or shape of vessel.
- APPEALING ILLUMINATION**
Bright LEDs light up the ceiling, shelves, bins and trays in both refrigerator and freezer, creating a welcoming glow in your kitchen at night and using less power than comparable halogen lights.
- MIX & MATCH**
Integrated Column Refrigeration gives you the freedom to mix and match refrigerators and freezers based on your needs – or install separately. They can be customized with your kitchen cabinetry for a seamless look, or finished with one of our stainless steel door panels.
- CLEVER ENERGY**
ActiveSmart™ makes your refrigerator more energy efficient – adapting to daily use and cooling and defrosting only when needed. This means it uses the energy it needs without compromising on food care.
- DESIGN QUALITY**
The premium design and quality finish includes a white or stainless steel interior lining, as well as full-extension metal shelf runners for easy access and robust glass shelving.
- PERFECT FIT**
Create an understated and clean look in any kitchen. You can hide our Integrated Column models seamlessly behind your cabinetry, fitting flush with only a 1/8" gap and no visible hinges or grilles.

SPECIFICATIONS

Accessories (sold separately)		
Door panel stainless steel	30" Right hinge	RD3084R4D
Handle kit Contemporary		AHS-RD84
Handle kit Contemporary		AHD5RDSF

Handle kit Contemporary	AHD5RDSFB	Gallon door shelves	1	Product information	
Handle kit Contemporary	AHD3-RD84	Internal water dispenser	•	Packaged weight	309lbs
Handle kit Professional round	AHC-RD84	LED bin lighting	•	Unpackaged weight	294lbs
Handle kit Professional round	AHP3RDSF	LED ceiling lighting	•		
Handle kit Professional square	AHV2-RD84	LED lighting	•	Warranty	
Joiner kit	AJ-RS84LR	LED side lighting	•	Parts and labor	2 years
Matching Replacement Water	FWC3	SmartTouch interface at	•	Sealed system parts and labor	additional 3 years
Toe kick stainless steel 30"	AKRS3004	Soft-close fruit and vegetable	•		
Toe kick stainless steel 48"	AKRS4804	Stackable bottle holders	4	SKU	26166
Toe kick stainless steel 54"	AKRS5404				
Toe kick stainless steel 60"	AKRS6004	Performance			
Toe kick stainless steel 66"	AKRS6604	ActiveSmart™ Foodcare	•	The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. ? Fisher & Paykel Appliances Ltd 2020	
Toe kick stainless steel 72"	AKRS7204	Dual evaporator	•		
Toe kick stainless steel 78"	AKRS7804	Humidity control system	•		
Toe kick stainless steel 84"	AKRS8404	Inverter controlled compressor	•		
		Sabbath mode	•		
Capacity		Variable food modes lower	Pantry; Fridge; Chill		
Total gross capacity	16.3cu ft	Variable food modes upper	Pantry, Fridge		
Volume	16.3cu ft	Variable temperature zones	2		
Volume refrigerator	16.3cu ft				
Consumption		Power requirements			
Energy rating	Energy star	Rated current	10A		
		Supply frequency	60Hz		
		Supply voltage	115V		
Features		Product dimensions			
Adjustable door shelves	4	Depth	24"		
Adjustable glass cantilevered	•	Height	84"		
Adjustable glass shelves	2	Width	29 3/4"		
Covered door shelves	1				
Door alarm	•				

Other product downloads available at fisherpaykel.com



Energy Label



User Guide Integrated Refrigerator & Freezer



Service & Warranty



Installation Guide - Toe Kick



Installation Guide - Water Filter Replacement



Installation Guide



Specification Guide Integrated Column Refrigerator



Data Sheet Integrated Column Fridge



Data Sheet Integrated Column Fridge Dual Install (18" + 30")



Data Sheet Integrated Column Fridge Dual Install (24" 30")



Data Sheet Integrated Column Fridge Dual Install (30" + 30")



Planning Guide Integrated Columns



Key Purchase Decisions Integrated Columns



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 **W** www.fisherpaykel.com