




Case Dimensions (in inches/cm.)



Recommended single loop of 1/4" copper water line

Water hook-up on the refrigerator

Allow 48" minimum water line to enable refrigerator to be pulled forward.

24"

18"

Rear Wall View

CERTIFIED RATINGS
VOLUME AND SHELF AREA

Manufacturer Certified to
ASSOCIATION OF HOME
APPLIANCE MANUFACTURERS
ANSI/ASHRAE 92.1-1979






\$\$\$EnergySmart



Profile Performance Series™

TPX24SPBBS - GE Profile Performance™ 23.5 Cu. Ft. CustomStyle™ Side-By-Side Refrigerator



Collar Trim Installation



Collar Trim Installation

An enclosure is required to match up to the trim, see Typical Installation. To obtain the most integrated look, the cabinet or soffit above the refrigerator should extend out to the same depth as the side panels. The refrigerator opening must have minimum dimensions of 70-1/4" high x 36-1/8" wide x 24-1/4"* deep as shown at right. If there is an overhead cabinet, allow 1" for cabinet door clearance with the top trim piece so the cabinet doors can be opened without hitting the top trim. If 1/2" side panels are used, then side trim and panel will be even. If 3/4" side panels are used, then some of the side panel will extend beyond the trim and must be finished.

*24-1/4" depth applies only to the refrigerator opening, not the actual cabinet depth.




Typical Installation

Shaded areas represent front surfaces of side panels and overhead cabinet or soffit that contacts trim.



Profile Performance Series™

TPX24SPBBS - GE Profile Performance™ 23.5 Cu. Ft. CustomStyle™ Side-By-Side Refrigerator



Features and Benefits

- 23.5 cu ft (Fresh Food 14.48 cu ft / Freezer 9.05 cu ft)
- Exclusive Water by Culligan™ Provides Cleaner, Better Tasting Water and Ice through the LightTouch! Dispenser (Chilled Water, Cubed and Crushed Ice)
- Electronic Monitor and Diagnostic System
- 3 Adjustable Glass Fresh Food Cabinet Shelves (2 Slide Out, Spill Proof)
- Quick Space™ Shelf
- Beverage Rack
- Dairy Compartment
- Adjustable Modular Gallon Door Bins
- Stainless Steel Appearance Full-Length Door Handles
- Model TPX24SPBBS - Stainless Steel