

THE MONOGRAM COLLECTION™



Table of Contents

2	Introduction	
8	Refrigeration	
	Built-In Stainless Steel-Wrapped Refrigerators	10–13
	Built-In Side-by-Side Refrigerators	14–17
	Built-In Bottom-Freezer Refrigerators	18–19
	Built-In All-Refrigerators and All-Freezers	20–21
	Customization Options	22–23
	Stainless Steel-Wrapped Free-Standing Refrigerators	24–25
26	Wine Reserve and Beverage Center	
28	Icemakers and Compactors	
30	Dishwashers and Chef's Washers	
38	Cooktops	
	Stainless Steel Gas Cooktops	40
	Gas on Glass Cooktops	41
	Digital Electronic Cooktops	42
	Electric Cooktops	43
44	Cooking Products	
	Wall Oven with Advantium® Speedcook Technology	46–47
	Electronic Convection Wall Oven	48–49
	European Convection Wall Oven	50–51
	Microwave Ovens	52–53
	Warming Drawers	54–55
56	Professional Cooking Products	
	48" Dual-Fuel Professional Ranges	58–59
	36" and 30" Dual-Fuel Professional Ranges	60–61
	48" and 36" Cooktops	62–63
64	Ventilation Systems	
	Chimney Hoods	66–67
	Professional Hoods	68–69
	Telescopic Downdraft Vents	70–71
72	Outdoor Cooking Products	
	48" Outdoor Cooking Centers	74–75
	36" Outdoor Cooking Centers	76–77
	27" and 24" Cooking Centers	78
	Dual-Burner Cooktops	79
	Outdoor Cooking Accessories	80–81

From our home to yours.

The GE Monogram Home is a place where people can relax in the company of family and friends. It's a feeling that comes from the pleasure of savoring a delicious meal or sipping a fine wine. It's a dream inspired by your own personal vision.

Only Monogram® offers the depth and breadth of design choices that allow you to customize your home and make it your own. Whether you want a kitchen that caters to your taste for modern European design or a patio that sets the stage for carefree entertaining, you'll find a selection of Monogram appliances that fit your plans beautifully.

Monogram appliances not only reflect your individual preferences, but they're also relevant to your life. From speedcooking wall ovens to refrigerated beverage centers.

Details of our complete line of appliances are presented in this catalog. For added inspiration, we invite you to tour our online version of the Monogram Home, *monogram.com*.





Inspired entertaining.

The GE Monogram Collection™ includes everything you need to indulge your culinary passions. From European convection ovens to stylish, handcrafted hoods, Monogram® offers as many tools as there are techniques for creating inspired meals.

Monogram kitchen innovation extends to food preservation and cleaning, as well. Thanks to customized cooling and versatile cleaning technologies, everything you do in the kitchen becomes more enjoyable—whether it's chilling a bottle of wine or putting the finishing touches on the dinner table.



Top right. The clean lines and elegant simplicity of Monogram built-in appliances add to the relaxed, inviting feel of the kitchen.

Bottom right. Together, Monogram's Advantium® oven and warming drawer create a highly versatile and sophisticated speedcooking center.

Center right. With hidden controls and custom door panels, Monogram's fully integrated dishwasher and Chef's Washer disappear into the custom cabinetry. **Far right.** Seamlessly finished at every edge and corner, Monogram stainless steel bottom-freezers create a sculptural impression.



The GE Monogram Collection can be the inspiration for outstanding kitchen design. For inspiration beyond these pages, log on to monogram.com.

Relaxed living.

Ultimately, what makes a home truly beautiful is what makes it livable. When you include Monogram® in your design plans, you open the door to a world of possibilities. For instance, a well-stocked wine reserve or beverage center brings refreshing convenience and style to just about any setting, whether it's a bar area or study. Likewise, a Monogram outdoor cooking center lends flavor to weekend cookouts and patio parties. Thoughtful appliance touches like these make your home all the more comfortable and inviting.



Top. Installed alongside one another, a Monogram wine reserve, beverage center and icemaker provide a ready supply of refreshments. **Right.** The Monogram beverage center is beautifully finished on all sides for a wide range of installation possibilities throughout the home. **Far right.** Monogram's 48" cooking center offers a quality design and construction similar to Monogram professional ranges and cooktops.





When you add Monogram to your home, you become more at home. For more information on Monogram products, visit monogram.com.

Built-In and Free-Standing Refrigerators

Dramatic, subtle, striking.

Monogram® refrigerators offer so many ways to personalize your home.

Choose a style to complement your décor. Or take a discreet approach using custom panels to integrate the refrigerator into your overall kitchen design.

Monogram refrigerators not only suit your style, but they also fit the way you live. Exclusive cooling capabilities allow you to set temperatures according to your specific needs. Adjustable shelves and door bins provide multiple options for custom storage.

Right. Monogram's stainless steel-wrapped refrigerator is seamlessly finished at every edge for a truly stunning look. **Top right.** Two bottom-freezer refrigerators installed side by side with a unified grille create a versatile refrigeration center. **Bottom right.** Monogram's 36" stainless steel-wrapped refrigerators and freezers offer a sophisticated look, while also providing ample storage.



48" Stainless Steel Wrapped Refrigerator ZISS480DMSS



Two 36" Bottom-Freezer Refrigerators **ZIC360NMLH** and **ZIC360NMRH**



Free-Standing Refrigerator **ZFSB23DNSS**



36" Built-In All-Freezer **ZIFS36NMRH**

Built-In Stainless Steel-Wrapped Refrigerators

Solid, substantial, sophisticated—all with overtones of European styling. That's the effect of a Monogram® stainless steel-wrapped refrigerator. All Monogram sizes and configurations are available in this sleek, signature finish, which reigns as the new standard for upscale kitchens.

The heavy-gauge stainless steel extends completely across the doors, wrapping beautifully around the door edges. Long, slim tubular handles enhance the overall look and feel.



48", 42" and 36" Side-by-Side Refrigerators



ZISS480DMSS 48" Built-In 30.7 cu. ft.
Stainless Steel Refrigerator with dispenser

ZISS480NMSS 48" Built-In 30.6 cu. ft.
Stainless Steel Refrigerator, nondispenser
(not shown)



ZISS420DMSS 42" Built-In 26.1 cu. ft.
Stainless Steel Refrigerator with dispenser

ZISS420NMSS 42" Built-In 26.0 cu. ft.
Stainless Steel Refrigerator, nondispenser
(not shown)



ZISS360DMSS 36" Built-In 21.7 cu. ft.
Stainless Steel Refrigerator with dispenser

ZISS360NMSS 36" Built-In 21.6 cu. ft.
Stainless Steel Refrigerator, nondispenser
(not shown)

Bottom-Freezer Refrigerators



ZICS360NMRH 36" Built-In 20.6 cu. ft.
Bottom-Freezer Stainless Steel Refrigerator
(Right-hinged door model shown)

ZICS360NMLH 36" Built-In 20.6 cu. ft.
Bottom-Freezer Stainless Steel Refrigerator
(Left-hinged door model not shown)



ZIRS36NMLH 36" Built-In 21.9 cu. ft.
Stainless Steel All-Refrigerator
(Left-hinged door model shown)

ZIRS36NMRH 36" Built-In 21.9 cu. ft.
Stainless Steel All-Refrigerator
(Right-hinged door model not shown)



ZIFS36NMRH 36" Built-In 21.9 cu. ft.
Stainless Steel All-Freezer
(Right-hinged door model shown)

ZIFS36NMLH 36" Built-In 21.9 cu. ft.
Stainless Steel All-Freezer
(Left-hinged door model not shown)

See the following pages for specific feature information on these models.

The refrigerators shown fully demonstrate the beauty of stainless steel.
To view other Monogram stainless steel appliances, visit monogram.com.

48", 42" and 36" Built-In Stainless Steel-Wrapped Side-by-Side Refrigerators

	ZISS480DMSS	ZISS480NMSS	ZISS420DMSS	ZISS420NMSS	ZISS360DMSS	ZISS360NMSS
Description						
	48" Built-In Refrigerator with Dispenser	48" Built-In Refrigerator	42" Built-In Refrigerator with Dispenser	42" Built-In Refrigerator	36" Built-In Refrigerator with Dispenser	36" Built-In Refrigerator
Capacity						
Total (cu. ft.)	30.7	30.6	26.1	26.0	21.7	21.6
Fresh Food Section						
Upfront Electronic Controls with Digital Readouts	•	•	•	•	•	•
Multi-Shelf Halogen Light Tower	•	•	•	•	•	•
Multi-Shelf Air Management Tower	•	•	•	•	•	•
Clear Lexan® Bins and Pans	•	•	•	•	•	•
Climate-Control Drawer w/Express Chill, Express Thaw, Select Temp	•	•	•	•	•	•
Sealed Adjustable-Humidity Produce Pan w/Easy-Access Lid and Full-Extension Slides	•	•	•	•	•	•
High-Humidity Sealed Produce Pan with Full-Extension Slides	•	•	•	•	•	•
Adjustable Sealed Deli Pan with Full-Extension Slides	•	•	•	•	•	•
Spillproof Glass Shelves	3 Adj./1 Fixed	3 Adj./1 Fixed	3 Adj./1 Fixed	3 Adj./1 Fixed	3 Adj./1 Fixed	3 Adj./1 Fixed
Adjustable Door Bins	4	4	4	4	4	4
Gallon Door Storage	•	•	•	•	•	•
Sealed Dairy Compartment	2	2	2	2	1	1
Glass-Covered Butter Dish, Wine Caddy, Egg Bin	•	•	•	•	•	•
Freezer Section						
Multi-Shelf Halogen Light Tower	•	•	•	•	•	•
Utility Baskets with Full-Extension Slides	2	2	2	2	2	2
Adjustable Wire Shelves	4	4	4	4	4	4
Slide-Out Can Rack	•	•	•	•	•	•
Adjustable Door Bins	3	5	3	5	3	5
Automatic Icemaker	•	•	•	•	•	•
Removable Ice Storage Bin	•	•	•	•	•	•
General Features						
ENERGY STAR®-Qualified	•		•		•	
Disappearing Electronic Glass Touch Dispenser Controls w/Proximity Sensors	•		•		•	
Extra-Tall Dispenser w/Cubes, Crushed Ice and Chilled Water	•		•		•	
GE SmartWater™ Filtration System for Water and Ice	•	•	•	•	•	•
Industry Standard Flush Installation	•	•	•	•	•	•
Concealed Door Hinge	•	•	•	•	•	•
Easy Access Hinged Grille	•	•	•	•	•	•
Master Light Control Switch	•	•	•	•	•	•
Four-Point Leveling System	•	•	•	•	•	•
Adjustable Door Stop (90°/130°)	•	•	•	•	•	•
Dispenser Color	Black	N/A	Black	N/A	Black	N/A
Steel Toekick Color	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
115 Volts/20 Amps	•	•	•	•	•	•
Overall Dimensions (WxHxD in inches)	48 x 84 x 23-7/8	48 x 84 x 23-7/8	42 x 84 x 23-7/8	42 x 84 x 23-7/8	36 x 84 x 23-7/8	36 x 84 x 23-7/8
Approx. Shipping Weight (lbs.)	625	625	580	580	520	520
Full Warranty*	2-Year	2-Year	2-Year	2-Year	2-Year	2-Year
Full Warranty on Sealed Refrigeration System*	5-Year	5-Year	5-Year	5-Year	5-Year	5-Year
Limited Warranty on Sealed System Parts*	12-Year	12-Year	12-Year	12-Year	12-Year	12-Year
Limited Warranty on Full-Extension Slides*	Lifetime	Lifetime	Lifetime	Lifetime	Lifetime	Lifetime

*See written warranty for details.

Built-In Stainless Steel-Wrapped Bottom-Freezer Refrigerators

	ZICS360NMRH* ZICS360NMLH*
Description	36" Built-In Stainless Steel-Wrapped Refrigerator
Capacity	
Total (cu. ft.)	20.6
Fresh Food Section	
Upfront Electronic Controls with Digital Readouts	•
Multi-Shelf Air Management Tower	•
Sealed Adjustable-Humidity Produce Pans w/ Easy Access Lids and Full-Extension Slides	2
Sealed Deli Pan with Full-Extension Slides	2
Spillproof Glass Shelves	4 Adj./1 Fixed
Adjustable Door Bins	6
Gallon Door Storage	•
Sealed Dairy Compartment	2
Glass-Covered Butter Dish	•
Wine Caddy	•
Egg Bin	•
Freezer Section	
Freezer Drawer with Full-Extension Slides	•
Independent Utility Basket with Full-Extension Slides	•
Automatic Ice Maker	•
Removable Ice Storage Bin	•
General Features	
GE SmartWater Filtration System	•
Industry Standard Flush Installation	•
Concealed Door Hinge	•
Easy Access Hinged Grille	•
Master Light Control Switch	•
Four-Point Leveling System	•
Adjustable Door Stop (90°/130°)	•
Steel Toekick Color	Stainless Steel
115 Volts/20 Amps	•
Overall Dimensions (WxHxD in inches)	36 x 84 x 23-7/8
Approx. Shipping Weight (lbs.)	520
Full Warranty†	2-Year
Full Warranty on Sealed Refrigeration System†	5-Year
Limited Warranty on Sealed System Parts†	12-Year
Limited Warranty on Full-Extension Slides†	Lifetime
	*Full stainless wrap. †See written warranty for details.

Built-In Stainless Steel-Wrapped All-Refrigerators and All-Freezers

	ZIRS36NMRH* ZIRS36NMLH*	ZIFS36NMRH* ZIFS36NMLH*
Description	36" Built-In All-Refrigerator	36" Built-In All-Freezer
Capacity		
Total (cu. ft.)	21.9	21.9
Interior		
Spillproof Glass Shelves	6 Adj./1 Full-Width Fixed	
Sealed Snack Pans w/Full-Extension Slides	2 Regular	
Adj.-Humidity Produce Pans w/Easy-Access Lids and Full-Extension Slides	2 Extra-Large	
Wine Caddy	•	
Wire Shelves		5 Adj./1 Fixed/1 Full-Width Fixed
Wire Baskets w/Full-Extension Slides	2 Regular, 4 Large	2 Regular, 4 Large
Wire Baskets w/Easy-Access Lids and Full-Extension Slides	2 Extra-Large	2 Extra-Large
Door Interior		
Door Bins	4	8
Gallon Door Bins	2	2
Sealed Dairy Compartment	2	
Egg Bin	•	
Glass-Covered Butter Dish	•	
General Features		
Sealed System Design	Automatic Cycle Defrost	Automatic Defrost
Four Adjustable Rollers	•	•
Four-Point Leveling System	•	•
130° Door Stop	•	•
Coil-Free Back	•	•
Automatic Ice Maker		•
115 Volts/20 Amps	•	•
Overall Dimensions† (WxHxD in inches)	36 x 84 x 24-3/4	36 x 84 x 24-3/4
Approx. Shipping Weight (lbs.)	475	475
Full Warranty††	2-Year	2-Year
Full Warranty on Sealed Refrigeration System††	5-Year	5-Year
Limited Warranty on Sealed System Parts††	12-Year	12-Year
Limited Warranty on Full-Extension Slides††	Lifetime	Lifetime
	*Full stainless wrap, no trim kit required. †Depth can include 3/4" custom panel. ††See written warranty for details.	

48", 42" and 36" Built-In Custom Side-by-Side Refrigerators

Monogram® refrigerators beautifully reflect today's kitchen aesthetic—clean lines, relevant innovation and sophisticated design. Look closely and you'll find Monogram is elegance—pure and simple.



ZIS480NM 48" Built-In 30.6 cu. ft.
Refrigerator with stainless steel door panels, nondispenser

ZISB480DM 48" Built-In 30.7 cu. ft.
Refrigerator with black dispenser and black door panels

ZISW480DM 48" Built-In 30.7 cu. ft.
Refrigerator with white dispenser and white door panels

ZIS420NM 42" Built-In 26.0 cu. ft.
Refrigerator with stainless steel door panels, nondispenser

ZISB420DM 42" Built-In 26.1 cu. ft.
Refrigerator with black dispenser and black door panels

ZISW420DM 42" Built-In 26.1 cu. ft.
Refrigerator with white dispenser and white door panels

ZIS360NM 36" Built-In 21.6 cu. ft.
Refrigerator with stainless steel door panels, nondispenser

ZISB360DM 36" Built-In 21.7 cu. ft.
Refrigerator with black dispenser and black door panels

ZISW360DM 36" Built-In 21.7 cu. ft.
Refrigerator with white dispenser and white door panels

General Features

Customization. Monogram built-in trimmed refrigerators require door and grille panels. Models shown above are fitted with 1/4" door panels available from your Monogram dealer. They also accept custom overlay panels and custom handles.

Direct airflow. Cool air is delivered straight from the overhead evaporator to freezer and fresh food compartments, allowing independent airflow for each zone without any direct air exchange.

Largest capacity. The outside location of the overhead evaporator makes Monogram side-by-side refrigerators more spacious inside. They are the largest capacity built-in refrigerators available, with up to 2.7 cu. ft. more storage room, versus comparable, leading brand refrigerators.

ENERGY STAR®-qualified. As an ENERGY STAR partner, GE has determined that the ZISB480DM, ZISW480DM, ZISB420DM, ZISW420DM, ZISB360DM and ZISW360DM meet the ENERGY STAR guidelines for energy efficiency.



With its sophisticated cooling technology and brilliant lighting, the Monogram side-by-side refrigerator creates the perfect storage environment for fresh and frozen foods.

Monogram refrigerators come in multiple styles, sizes and configurations. To learn more, visit monogram.com.



Monogram® side-by-side refrigerators are equipped with a unique drawer that offers unprecedented control over temperature management:

Above left. An express-chill setting lets you chill wine and other beverages in minutes.

Above right. A digital control panel allows you to select temperature-specific settings for different foods and beverages. For example, the custom thaw feature allows you to safely thaw frozen meats.

Left and above. The extra-tall dispenser with proximity sensor lights up as you approach and automatically switches off when you walk away. It accommodates glassware of all sizes, from blenders to pitchers.

48", 42" and 36" Built-In Custom Side-by-Side Refrigerators

	ZISW480DM* ZISB480DM*	ZIS480NM*	ZISW420DM* ZISB420DM*	ZIS420NM*	ZISW360DM* ZISB360DM*	ZIS360NM*
Description						
	48" Built-In Refrigerator with Dispenser	48" Built-In Refrigerator	42" Built-In Refrigerator with Dispenser	42" Built-In Refrigerator	36" Built-In Refrigerator with Dispenser	36" Built-In Refrigerator
Capacity						
Total (cu. ft.)	30.7	30.6	26.1	26.0	21.7	21.6
Fresh Food Section						
Upfront Electronic Controls with Digital Readouts	•	•	•	•	•	•
Multi-Shelf Halogen Light Tower	•	•	•	•	•	•
Multi-Shelf Air Management Tower	•	•	•	•	•	•
Clear Lexan® Bins and Pans	•	•	•	•	•	•
Climate-Control Drawer w/Express Chill, Express Thaw, Select Temp	•	•	•	•	•	•
Sealed Adjustable-Humidity Produce Pan w/Easy-Access Lid and Full-Extension Slides	•	•	•	•	•	•
High-Humidity Sealed Produce Pan with Full-Extension Slides	•	•	•	•	•	•
Adjustable Sealed Deli Pan with Full-Extension Slides	•	•	•	•	•	•
Spillproof Glass Shelves	3 Adj./1 Fixed	3 Adj./1 Fixed	3 Adj./1 Fixed	3 Adj./1 Fixed	3 Adj./1 Fixed	3 Adj./1 Fixed
Adjustable Door Bins	4	4	4	4	4	4
Gallon Door Storage	•	•	•	•	•	•
Sealed Dairy Compartment	2	2	2	2	1	1
Glass-Covered Butter Dish, Wine Caddy, Egg Bin	•	•	•	•	•	•
Freezer Section						
Multi-Shelf Halogen Light Tower	•	•	•	•	•	•
Utility Baskets with Full-Extension Slides	2	2	2	2	2	2
Adjustable Wire Shelves	4	4	4	4	4	4
Slide-Out Can Rack	•	•	•	•	•	•
Adjustable Door Bins	3	5	3	5	3	5
Automatic Ice Maker	•	•	•	•	•	•
Removable Ice Storage Bin	•	•	•	•	•	•
General Features						
ENERGY STAR®-Qualified	•		•		•	
Disappearing Electronic Glass Touch Dispenser Controls w/Proximity Sensors	•		•		•	
Extra-Tall Dispenser w/Cubes, Crushed Ice and Chilled Water	•		•		•	
GE SmartWater™ Filtration System for Water and Ice	•	•	•	•	•	•
Industry-Standard Flush Installation	•	•	•	•	•	•
Concealed Door Hinge	•	•	•	•	•	•
Easy-Access Hinged Grille	•	•	•	•	•	•
Master Light Control Switch	•	•	•	•	•	•
Four-Point Leveling System	•	•	•	•	•	•
Adjustable Door Stop (90°/130°)	•	•	•	•	•	•
Dispenser Color(s)	White Black	N/A	White Black	N/A	White Black	N/A
Steel Toe Kick Color(s)	White Black	Black	White Black	Black	White Black	Black
115 Volts/20 Amps	•	•	•	•	•	•
Overall Dimensions (WxHxD in inches)	48 x 84 x 23-7/8	48 x 84 x 23-7/8	42 x 84 x 23-7/8	42 x 84 x 23-7/8	36 x 84 x 23-7/8	36 x 84 x 23-7/8
Approx. Shipping Weight (lbs.)	625	625	580	580	520	520
Full Warranty†	2-Year	2-Year	2-Year	2-Year	2-Year	2-Year
Full Warranty on Sealed Refrigeration System†	5-Year	5-Year	5-Year	5-Year	5-Year	5-Year
Limited Warranty on Sealed System Parts†	12-Year	12-Year	12-Year	12-Year	12-Year	12-Year
Limited Warranty on Full-Extension Slides†	Lifetime	Lifetime	Lifetime	Lifetime	Lifetime	Lifetime

*Door panels required. Accepts 1/4" framed panels or 3/4" overlay panels.
Refer to pages 22-23 for customization options. Panel dimensions available on monogram.com.
†See written warranty for details.

36" Built-In Custom Bottom-Freezer Refrigerators

The convenient configuration of the Monogram® bottom-freezer refrigerator is the perfect choice for homes with a fresh-food focus. The eye-level accessibility of the fresh food compartment eliminates stooping and bending for everyday items.



ZIC360NMLH 36" Built-In 20.6 cu. ft. Bottom-Freezer Refrigerator (left-hinged door swing), available with white/black/stainless steel door panels

ZIC360NMRH 36" Built-In 20.6 cu. ft. Bottom-Freezer Refrigerator (right-hinged door swing), available with white/black/stainless steel door panels

General Features

Customization. Monogram built-in trimmed refrigerators require door and grille panels. Models shown above are fitted with 1/4" door panels available from your Monogram dealer. They also accept custom overlay panels and custom handles.

Temperature management system. The temperature management system with upfront electronic controls delivers cool, fresh air to every shelf.

Adjustable shelves and bins. Four split shelves and six door bins provide important storage flexibility.

Description	ZIC360NMRH* ZIC360NMLH*
Capacity	36" Built-In Refrigerator
Total (cu. ft.)	20.6
Fresh Food Section	
Upfront Electronic Controls w/Digital Readouts	•
Multi-Shelf Air Management Tower	•
Sealed Adjustable-Humidity Produce Pans w/ Easy Access Lids and Full-Extension Slides	2
Sealed Deli Pan with Full-Extension Slides	2
Spillproof Glass Shelves	4 Adj./1 Fixed
Adjustable Door Bins	6
Gallon Door Storage	•
Sealed Dairy Compartment	2
Glass-Covered Butter Dish	•
Wine Caddy	•
Egg Bin	•
Freezer Section	
Freezer Drawer with Full-Extension Slides	•
Independent Utility Basket with Full-Extension Slides	•
Automatic Ice maker	•
Removable Ice Storage Bin	•
General Features	
GE SmartWater™ Filtration System	•
Industry-Standard Flush Installation	•
Concealed Door Hinge	•
Easy Access Hinged Grille	•
Master Light Control Switch	•
Four-Point Leveling System	•
Adjustable Door Stop (90°/130°)	•
Steel Toekick Color	Black
115 Volts/20 Amps	•
Overall Dimensions (WxHxD in inches)	36 x 84 x 23-7/8
Approx. Shipping Weight (lbs.)	520
Full Warranty†	2-Year
Full Warranty on Sealed Refrigeration System†	5-Year
Limited Warranty on Sealed System Parts†	12-Year
Limited Warranty on Full-Extension Slides†	Lifetime

*Door panels required. Accepts 1/4" framed panels or 3/4" overlay panels. Refer to pages 22-23 for customization options.
†See written warranty for details.




Top. Two bottom-freezers installed side by side with a unified grille provide a generous surface for panel customization, with ample storage inside.

Left. The large freezer drawer puts contents within convenient reach.
Above. Sealed snack pans and vegetable bins with adjustable humidity control help foods stay fresher, longer.

36" Built-In Custom All-Refrigerators and All-Freezers

Monogram® 36" built-in All-Refrigerators and All-Freezers open new doors on refrigeration and frozen food storage. These models dramatically increase food and beverage storage options wherever you need them—whether it's in the kitchen or pantry, or in auxiliary living areas for recreation and entertainment.

Installed in the kitchen alongside one another and flush with cabinets, Monogram custom-paneled all-refrigerators and all-freezers make a stunning statement. Together they become the ultimate refrigeration system.



ZIF36NMLH 36" Built-In 21.9 cu. ft. All-Freezer, panels required (Left-hinged door swing shown in stainless steel is also available in black and white)

ZIF36NMRH 36" Built-In 21.9 cu. ft. All-Freezer, panels required (Right-hinged door swing model available in black, white and stainless steel)



ZIR36NMRH 36" Built-In 21.9 cu. ft. All-Refrigerator, panels required (Right-hinged door swing shown in black is also available in white and stainless steel)

ZIR36NMLH 36" Built-In 21.9 cu. ft. All-Refrigerator, panels required (Left-hinged door swing model available in black, white and stainless steel)

The Monogram All-Refrigerator and All-Freezer come with left- and right-hinged door swing, and a two-level light system makes everything easy to find.



The combined facades of the Monogram All-Refrigerator and All-Freezer provide a generous 72" surface for panel customization.

General All-Refrigerator Features

Adjustable shelves and bins. Split shelves move up and down for custom storage arrangement, and raised edges help contain spills. Six adjustable door bins (two for gallon-size containers) add important storage flexibility. There are also two door dairy compartments that seal for longer freshness.

Produce and snack pans. Vegetable compartments with individual humidity controls, as well as sealed snack pans, glide open smoothly.

General All-Freezer Features

Adjustable shelves and bins. Five wire shelves move up and down for custom storage arrangement. Ten adjustable door bins (two for gallon-size containers) enhance storage flexibility.

Specialized storage baskets. Eight pullout wire baskets with clear view fronts (two with a lid) allow compartmentalized storage for different food types.

General All-Refrigerator and All-Freezer Features

Customization. All Monogram built-in refrigerators require door and grille panels. Models can be equipped with 1/4" door panels available from your Monogram dealer (white or black Lexan® and stainless steel). Also available is a unified grille panel kit accessory for either 3/4"-thick custom panels or stainless steel wrap.

Left- or right-hinged door swing. Door-swing preference must be specified when ordering. (Handles and hinges are not reversible.)

	ZIR36NMRH* ZIR36NMLH*	ZIF36NMRH* ZIF36NMLH*
Description	36" Built-In All-Refrigerator	36" Built-In All-Freezer
Capacity		
Total (cu. ft.)	21.9	21.9
Interior		
Spillproof Glass Shelves	6 Adj./ 1 Full-Width Fixed	
Sealed Snack Pans w/Full-Extension Slides	2 Regular	
Adj.-Humidity, Produce Pans w/Easy-Access Lids and Full-Extension Slides	2 Extra-Large	
Wine Caddy	•	
Wire Shelves		5 Adj./1 Fixed/ 1 Full-Width Fixed
Wire Baskets w/Full-Extension Slides	2 Regular, 4 Large	2 Regular, 4 Large
Wire Baskets w/Easy-Access Lids and Full-Extension Slides	2 Extra-Large	2 Extra-Large
Door Interior		
Door Bins	4	8
Gallon Door Bins	2	2
Sealed Dairy Compartment	2	
Egg Bin	•	
Glass-Covered Butter Dish	•	
General Features		
Sealed System Design	Automatic Cycle Defrost	Automatic Defrost
Four Adjustable Rollers	•	•
Four-Point Leveling System	•	•
130° Door Stop	•	•
Coil-Free Back	•	•
Automatic Ice Maker		•
115 Volts/20 Amps	•	•
Overall Dimensions† (WxHxD in inches)	36 x 84 x 24-3/4	36 x 84 x 24-3/4
Approx. Shipping Weight (lbs.)	475	475
Full Warranty††	2-Year	2-Year
Full Warranty on Sealed Refrigeration System††	5-Year	5-Year
Limited Warranty on Sealed System Parts††	12-Year	12-Year
Limited Warranty on Full Extension Slides††	Lifetime	Lifetime

*Door panels required. Refer to pages 22-23 for customization options.
†Depth can include 3/4" custom panel.
††See written warranty for details.

Refrigerator Customization

With Monogram®, you can call attention to your refrigerator, using custom panels to highlight it, or make it blend into the cabinetry and practically disappear.

Shown at right are some choices for customizing your refrigerator. A simple statement is achieved with standard trim and custom 1/4" framed panels.

For a more detailed custom appearance, create a frameless effect by adding 3/4" overlay panels.

You can further customize models with door handles from a local design center or hardware store. Or, order Monogram tubular handles, available for all configurations.



Left. A simple statement achieved with a standard handle and unique framed custom panels.
Middle. Understated elegance created by 3/4" overlay custom panels and custom handle.
Right. Traditional styling using overlay custom panels and custom handles.

3/4" Overlay Panels. For a frameless appearance, use custom overlay panels.



Dispenser refrigerator with **standard handles and overlay panels.**



Dispenser refrigerator with **custom handles and overlay panels.**

1/4" Framed Panels. Exterior trim, which comes installed on the refrigerator, accepts custom panels. Simply insert the panels of your choice.



Dispenser refrigerator **with standard handles and framed panels.**

48" Side-by-Side Refrigerators

Models	ZISW480DM	ZISB480DM	ZIS480NM
Custom Options			
Stainless Steel Tubular Handles for Overlay Panels	ZKHSS2	ZKHSS2	ZKHSS2
1/4" Black Acrylic Panels		ZPB480D	ZPB480N
1/4" White Acrylic Panels	ZPW480D		ZPW480N
1/4" Stainless Steel Panels	ZPS480D	ZPS480D	ZPS480N

42" Side-by-Side Refrigerators

Models	ZISW420DM	ZISB420DM	ZIS420NM
Custom Options			
Stainless Steel Tubular Handles for Overlay Panels	ZKHSS2	ZKHSS2	ZKHSS2
1/4" Black Acrylic Panels		ZPB420D	ZPB420N
1/4" White Acrylic Panels	ZPW420D		ZPW420N
1/4" Stainless Steel Panels	ZPS420D	ZPS420D	ZPS420N

36" Side-by-Side Refrigerators

Models	ZISW360DM	ZISB360DM	ZIS360NM
Custom Options			
Stainless Steel Tubular Handles for Overlay Panels	ZKHSS2	ZKHSS2	ZKHSS2
1/4" Black Acrylic Panels		ZPB360D	ZPB360N
1/4" White Acrylic Panels	ZPW360D		ZPW360N
1/4" Stainless Steel Panels	ZPS360D	ZPS360D	ZPS360N

36" Bottom-Freezer Refrigerators

Models	ZIC360NMRH	ZIC360NMLH	ZICS360NMRH	ZICS360NMLH
Custom Options				
Stainless Steel Tubular Handles for Overlay Panels	ZKHCSS2	ZKHCSS2		
Unified Grille Kit	ZUG2	ZUG2	ZUGSS2	ZUGSS2
1/4" Black Acrylic Panels	ZPBC360	ZPBC360		
1/4" White Acrylic Panels	ZPWC360	ZPWC360		
1/4" Stainless Steel Panels	ZPSC360	ZPSC360		

36" All-Refrigerators and All-Freezers

Models	ZIR36NMRH	ZIR36NMLH	ZIRS36NMRH	ZIRS36NMLH
Custom Options	ZIF36NMRH	ZIF36NMLH	ZIFS36NMRH	ZIFS36NMLH
All-Refrigerators				
All-Freezers				
Stainless Steel Panels	ZWSR36	ZWSR36		
White Lexan® Panels	ZWWR36	ZWWR36		
Black Lexan Panels	ZWBR36	ZWBR36		
Custom Handle Kit for Framed 1/4"-Thick Panels	ZKHR1	ZKHR1		
Tubular Stainless Steel Handles for 1/4"-Thick Panels	ZKHRSS1	ZKHRSS1		
3/4"-Thick Custom Panel Kit	ZKTR36RH	ZKTR36LH		
Custom Handles for Overlay 3/4"-Thick Custom Panels	ZKHTR1	ZKHTR1		
Tubular Stainless Steel Handles for 3/4"-Thick Custom Panels	ZKHTRSS1	ZKHTRSS1		
Adjustable Grille Height Kit	ZGC2	ZGC2	ZGCSS36RH	ZGCSS36LH
White Toekick Kit	ZWT1	ZWT1	ZWT1	ZWT1
Unified Grille Panel Kit for Side-by-Side Installation	ZUG75	ZUG75	ZUGSS	ZUGSS

Glossary of Terms

Stainless steel, white or black panels.
Factory-installed trim will accept 1/4"-thick accessory panels which are cut to size and ready to install. These panels must be ordered separately.

Tubular stainless steel handles.
Monogram stainless steel tubular handles can be used with custom panels.

Unified grille panel kit.
An optional grille panel creates a unified look above two units placed side by side.



Stainless Steel-Wrapped Free-Standing Refrigerators

Elegantly framed and finished in premium stainless steel, Monogram's free-standing side-by-side refrigerators are positively striking from every angle.

At once dramatic and restrained, both models are smooth from edge to edge, with no exposed screws or rivets. For a built-in look, choose the counter-depth refrigerator, which aligns with surrounding cabinetry.



ZFSB26DNSS Free-Standing
26 cu. ft. Stainless Steel
Refrigerator with dispenser



ZFSB23DNSS Free-Standing
23 cu. ft. Counter-Depth Stainless
Steel Refrigerator with dispenser

General Features

Climate-control drawer. Functions like a refrigerator within a refrigerator. Precise controls allow you to express-chill beverages, express-thaw meats and select specific temperatures for perishable foods.

Extra-tall dispenser. Accommodates glassware of all sizes, from blenders to pitchers.

ENERGY STAR®-qualified. As an ENERGY STAR partner, GE has determined that the ZFSB26DNSS and ZFSB23DNSS meet the ENERGY STAR guidelines for energy efficiency.

Description	ZFSB23DNSS	ZFSB26DNSS
	Free-Standing Counter-Depth Side-by-Side Refrigerator	Free-Standing Side-by-Side Refrigerator
Capacity		
Total (cu. ft.)	22.6	25.5
Fresh Food (cu. ft.)	14.4	15.9
Freezer (cu. ft.)	8.2	9.4
Fresh Food Section		
Upfront Electronic Controls w/Digital Readouts	•	•
Tri-Level Light System	•	•
Multi-Shelf Air Management Tower	•	•
Clear Bins and Pans	•	•
Climate-Control Drawer w/Express Chill, Express Thaw, Select Temp	•	•
Sealed Adjustable-Humidity Produce Pan	•	•
Sealed Deli Pan	•	•
Adjustable Spillproof Glass Shelves	3	3
Adjustable Door Bins	5	5
Gallon Door Storage	•	•
Dairy Compartment	•	•
Covered Butter Dish	•	•
Wine Caddy	•	•
Freezer Section		
Interior Light	•	•
Utility Baskets	3 (2 Full-Extend)	3 (2 Full-Extend)
Adjustable Wire Shelves	2 (1 Slide-Out)	2 (1 Slide-Out)
Slide-Out Can Rack	•	•
Tilt-Out Wire Door Bins	3 (2 Adjustable)	3 (2 Adjustable)
Automatic Ice maker	•	•
General Features		
ENERGY STAR®-Qualified	•	•
Counter-Depth Design	24"-Deep Cabinet	
Stainless Steel Tubular Handle	•	
Color Appearance	Stainless Steel Wrap	Stainless Steel Wrap
Electronic Dispenser Controls	•	•
Extra-Tall Dispenser w/Cubes, Crushed Ice and Chilled Water	•	•
GE SmartWater™ Filtration System for Water and Ice	•	•
Concealed Door Hinge	•	•
115 Volts/20 Amps	•	•
Overall Dimensions (WxHxD in inches)	36 x 72 x 29 (including handles)	36 x 72 x 34 (including handles)
Approx. Shipping Weight (lbs.)	490	490
Full Warranty*	1-Year	1-Year
Limited Warranty on Sealed Refrigeration System*	5-Year	5-Year

*See written warranty for details.

Note: Before installing, reference pub. no. 49-60160, GE Monogram® Free-Standing Refrigerator Installation Instructions, for current dimensional data.

Wine Reserve and Beverage Center

Whether you love to entertain or relax, the new Monogram® wine reserve and beverage center will serve you well. Installed as built-in appliances or used as free-standing units, these reserves bring refreshing convenience and style to any location.

Both units are sleekly styled with a stainless-finish door with chamfered edges and tubular handle. The wine reserve features shelf fronts crafted of solid heart-of-cherry wood, which can be finished to complement surrounding cabinetry.

Top Right. Installed alongside one another, a Monogram wine reserve and beverage center provide a ready supply of refreshments. **Right.** The Monogram beverage center is beautifully finished on all sides for a wide range of installation possibilities throughout the house. **Below.** Controls are discreetly concealed behind the door, where they can be easily adjusted; full-extension sliding shelves provide easy access to contents.



General Features

Attractive display. The tinted glass door affords a full view of contents, while protecting wine from harmful light that accelerates the aging process. Soft interior lighting automatically illuminates when the door is open, but can also be activated by an internal control.



Wine Reserve Features

Temperature control. Adjustable thermostat can maintain the ideal temperature for aging or serving, with a temperature range from the mid-40s to mid-60s Fahrenheit.

Storage convenience. With the capacity to store up to 57 wine bottles, the wine reserve keeps your favorite vintages close at

hand. Full-extension sliding shelves provide fast, easy access. And while the Monogram wine reserve adheres to the rule that wine bottles should be stored on their sides, it lets you position bottles either horizontally or vertically to maximize space.

Description	ZDWC240NBS
Performance	Wine Reserve
Total Capacity	57 Wine Bottles
Wine Racks w/Full-Extension Slides	5 Full-Size/2 Half-Size
Convenience	
Red or White Wine Temperature Setting	•
Interior Light On/Off Switch	•
Appearance	
Door Color Appearance	Stainless
Case Color	Black
Toekick	Black installed, Stainless included
Stainless Steel Tubular Handle	•
See-Thru Glass Door	Tinted
Unfinished Cherry-Wood Shelf Fronts	7
General Features	
Installation Options	Built-In or Free-Standing
Reversible Door Swing	•
Overall Dimensions* (WxHxD in inches)	23-1/2 x 33-1/2 x 22-1/2
Amps @ 120 Volts	2.0
Approx. Shipping Weight (lbs.)	163
Full Warranty**	1-Year
Full Warranty** Sealed Refrigeration System	5-Year
	*Height excluding legs, including hinge; depth excluding handle. **See written warranty for details.

Flexible installation. The free-standing wine reserve and beverage center may be built into cabinetry for an integrated look. The door swing is easily reversed as needed.



Beverage Center Features

Temperature control. Precise temperature settings allow you to maintain the ideal climate for your beverages of choice.

Storage convenience. The beverage center holds up to 12 wine bottles, as well as 12-oz. cans, quart-size bottles and two-liter plastic containers. Removable spill-proof glass shelves and two full-extension wine racks offer easy access.

Description	ZDBC240NBS
Performance	Beverage Center
Total Capacity	12 Wine Bottles Plus 126 12-oz. Cans or Total of 150 12-oz. Cans
Spillproof Glass Shelves	3 Removable
Wine Racks w/Full-Extension Slides	2 Half-Size
Convenience	
Adjustable Temperature Control	•
Interior Light On/Off Switch	•
Appearance	
Door Color Appearance	Stainless Steel-Framed
Case Color	Black
Toekick	Black installed, Stainless included
Stainless Steel Tubular Handle	•
See-Thru Glass Door	Tinted
Unfinished Cherry Wood Shelf Fronts	2
General Features	
Installation Options	Built-In or Free-Standing
Reversible Door Swing	•
Overall Dimensions* (WxHxD in inches)	23-1/2 x 33-1/2 x 22-1/2
Amps @ 115 Volts	13
Approx. Shipping Weight (lbs.)	130
Full Warranty**	1-Year
Full Warranty** Sealed Refrigeration System	5-Year
	*Height excluding legs, including hinge; depth excluding handle. **See written warranty for details.

Monogram's wine reserve and beverage center are beautifully finished on all sides for a wide range of installation possibilities. For examples, visit us at monogram.com.


Icemakers

The Monogram® icemaker is a true perfectionist, producing crystal-clear crescent cubes with no rough edges.

The simple, attractive design blends seamlessly into any décor. Choose from white, black or the smooth stainless steel model with its tubular handle, or have a 3/4" door panel custom-made to match your cabinetry.



ZDIS15CSS Stainless Steel Automatic Icemaker



ZDI15CWW White Automatic Icemaker



ZDI15CBB Black Automatic Icemaker

General Icemaker Features

High production, large capacity. The icemaker produces up to 50 pounds of clear ice per day and automatically shuts off when the 25-pound-capacity bin is full.

Customization. The 15" icemaker door accepts a 3/4" custom panel to match surrounding cabinetry. You can also add your own custom handle.



	ZDIS15CSS	ZDI15CWW ZDI15CBB
Performance		
Daily Ice Production	50 lbs.	50 lbs.
Storage Bin	25 lbs.	25 lbs.
Convenience		
Automatic Shut-Off	•	•
Ice Scoop	•	•
Interior Light	•	•
Electronic Control w/Pushpads	•	•
Cycles	On/Off/Clean	On/Off/Clean
Clean Light	•	•
Appearance		
Colors	Stainless Steel	White Black
Full-Length Door	•	•
Handle	Stainless Steel Tubular	White Black
Accepts 3/4" Custom Panels		ZIP75WW ZIP75BB
Reversible Door	•	•
100° Door Stop	•	•
General Features		
Overall Dimensions (WxHxD in inches)	14-13/16 x 34-1/2 x 23-5/16	14-13/16 x 34-1/2 x 23-5/16
Amps @ 120 Volts	5.3	5.3
Drain Pump Accessory Kit	ZPK1	ZPK1
Approx. Shipping Weight (lbs.)	110	110
Full Warranty*	1-Year	1-Year
Full Warranty* Sealed Refrigeration System	5-Year	5-Year

*See written warranty for details.

Compactors

Paper, cardboard, cans, glass, plastic. Whether you throw trash away or recycle it, a Monogram compactor makes the task simple and manageable.

The compactor also maintains a clean kitchen appearance with its sleek, simple exterior, which beautifully illustrates how Monogram puts everything in an attractive light.



ZCG3500DSS
Stainless Steel Compactor



ZCG3300VWW
White Compactor



ZCG3100VBB
Black Compactor

General Compactor Features

- Customization.** The standard black/white drawer panel is reversible. The drawer accepts 1/4" or 3/4" overlay panels and also custom handles.
- Twelve-inch width.** The slim design conserves space and permits attractive integration into kitchen décor or cabinetry of other rooms in the home.
- Powerful pressure.** Up to 5000 pounds of compressive force reduces trash volume by 1/12 or 75 percent, allowing easy transport and disposal.
- Safe operation.** A removable key locks the compactor, starts operation, and assures the drawer remains locked during use.



	ZCG3500DSS	ZCG3300VWW ZCG3100VBB
Performance		
1/3-HP Motor	•	•
5000-lb. Maximum Compacting Force	•	•
Automatic Anti-Jamming Feature	•	•
Convenience		
Slide-Out Compactor Drawer	•	•
Lock/Start Control w/Removable Key	•	•
Appearance		
Colors Available	Stainless Steel	White Black
White/Black Reversible Drawer Panel		•
Adjustable Base (toekick depth)	•	•
Accepts Stainless Steel Panels		24-M117
Drawer Trim Accepts 1/4" Custom Panel		•
Accepts 3/4" Custom Panel		•
General Features		
Overall Dimensions (WxHxD in inches)	12 x 34-35 x 20-1/4	12 x 34-35 x 20-1/4
Amps @ 120 Volts	5.0	5.0
Approx. Shipping Weight (lbs.)	135	135
Full Warranty*	1-Year	1-Year

*See written warranty for details.

Dishwashers and Chef's Washers

If you have overlooked the dishwasher as a design element, Monogram® gives you cause to reconsider. The Monogram dishwasher collection elevates this hardworking appliance to the level of functional art. This collection offers four distinct styles, each with dramatic design and performance possibilities.

As a complement to Monogram dishwashers, Monogram Chef's Washers are designed especially for dishwasher-safe gourmet cookware. With its intense wash cycles and adjustable racks, the Chef's Washer easily handles your dirtiest pots, bowls and pans.

Right and Top Center. The Monogram Fully Integrated dishwasher with hidden controls makes a dramatic statement in stainless steel. It also accepts a full-length custom panel and handle, allowing it to integrate smoothly with surrounding cabinetry and counters. **Top right.** The Fully Wrapped model makes a sleek, modern impression, with its trimless elegance. **Bottom right.** The Professional Series dishwasher and Chef's Washer pair perfectly with one another, both in terms of style and function.



Fully Integrated Stainless Steel Dishwasher ZBD7100GSS



Fully Integrated Dishwasher with Custom Panel ZBD7000GII



Fully Wrapped Stainless Steel Dishwasher ZBD6900GSS

DISHWASHERS
CHEF'S WASHERS



Professional Series Dishwasher ZBD6600GSS, and Chef's Washer ZBD6605GSS

When a dishwasher alone just won't do...



Fully Wrapped Dishwasher ZBD6900GSS

**Meets ADA Requirements
for Universal Accessibility**

Dishwashers

Designed for everyday dishes and utensils. Every Monogram® dishwasher operates with intelligent technology and relevant features designed to make life easier. Turbidity sensors set water temperatures and cycle lengths to match soil levels, and brilliant interior lighting puts every plate and utensil into clear view. With all the added performance possibilities, Monogram dishwashers still manage to operate quietly and efficiently. When washing is complete, Monogram's forced-air drying system drives out moisture, leaving dishes gleaming and put-away dry.

consider the Monogram Chef's Washer.



Chef's Washers

Designed for oversized dishes, bowls and cookware. The Monogram's Chef's Washer provides the space and power needed to clean gourmet cookware. The perfect complement to Monogram dishwashers, the Chef's Washer has adjustable Rilsan™ nylon-coated racks uniquely configured for flexible loading of even the largest pots and pans. It also has intense wash/rinse cycles for removal of baked-on foods and brilliant interior lighting for easy viewing of items.

The advanced cleaning technology of this pair turns high art into high performance. For more details, visit us at monogram.com.

Dishwashers

The Monogram® dishwasher collection offers four distinctly different designs, each delivering the outstanding performance you expect from Monogram. The new Fully Integrated dishwasher with hidden controls blends beautifully with your custom cabinetry. Or you can complement a commercial-style kitchen with the new Professional Series dishwasher. The contemporary Fully Wrapped model makes a European impression, while the Built-In Monogram Dishwasher offers a more traditional look.

General Features

Unbelievably quiet. Wash action sounds are minimized through the use of advanced hydrodynamics. So when you're on the phone or talking to friends, these dishwashers will never be part of the conversation.

World-class washing. Smart, soil-seeking sensors know how hot, how strong and how long wash cycles should run. Powerful, five-level wash performance easily handles heavily soiled loads.

Powerful forced-air drying system. A fan-assisted, vented drying system extracts moist, warm air. Dishes come out dry, ready for the table or shelf.

Racks. Intelligent design, intuitive moves. Rilsan™ nylon-coated racks adjust and adapt to all types of loads. Ball-tipped tines cradle dinnerware safely and securely.

NSF-certified. NSF-certified to reduce 99.999% of bacteria.

ENERGY STAR®-qualified. Newly designed cycles ensure these dishwashers exceed energy standards by 25%. As an ENERGY STAR Partner, GE has determined that the ZBD7100GSS, ZBD7000GII, ZBD6900GSS, ZBD6600GSS, ZBD6500GSS, ZBD6400GWW and ZBD6400GBB meet the ENERGY STAR guidelines for energy efficiency.

Fully Integrated *Accepts Custom Panels and Handles*



ZBD7000GII
Dishwasher with panel



ZBD7100GSS
Stainless Steel Dishwasher

Fully Wrapped



ZBD6900GSS
Stainless Steel Dishwasher

Professional Series



ZBD6600GSS
Stainless Steel Dishwasher

Built-In *Accepts Custom Panels and Handles*



ZBD6400GWW
White Dishwasher



ZBD6400GBB
Black Dishwasher



ZBD6500GSS
Stainless Steel Dishwasher

Chef's Washers

Fully Integrated *Accepts Custom Panels*



ZBD7005GII
Chef's Washer
with panel

ZBD7105GSS
Stainless Steel Chef's Washer

Fully Wrapped



ZBD6905GSS
Stainless Steel Chef's Washer

Professional Series



ZBD6605GSS
Stainless Steel Chef's Washer

Monogram proudly presents a unique, innovative way to keep the joy in cooking—the new Chef's Washer. The perfect companion to your Monogram dishwasher, the Chef's Washer is developed especially for your dishwasher-safe gourmet cookware. It's the only appliance of its kind.

On the surface, the Monogram Chef's Washer looks remarkably like a Monogram dishwasher. But when you open the door, you'll see that its appearance deceives. A deep lower rack is uniquely sized to accommodate even your largest pots and pans, allowing you to clean up as you go. Specially designed cycles provide intense wash and rinse action to handle baked-on foods.

General Features

Shhh. Chef at work. From the steel-wrapped tub to the new motor suspension system, quiet has been designed into every phase of operation, virtually eliminating noise and vibration.

Racks for big bowls, sticky spoons, greasy pots. Adjustable, Rilsan nylon-coated racks are uniquely spaced for flexibility. The deep lower rack accommodates items up to 15" tall. Extra wheels on the racks balance large, heavy loads.

Finally, wash power for pots and pans. Specially designed cycles provide intense wash and rinse action to handle baked-on foods. Hotter water and longer cycles easily tackle your dirtiest cookware.

Advanced drying system. Moist, warm air is continually extracted from the tub. Fan-assisted venting leaves cookware thoroughly dry and ready to use.

NSF-Certified. The Chef's Washer is the only appliance certified to meet the new NSF Pots and Pans Protocol.

Note. The Monogram Chef's Washer is not intended for use with standard dinnerware, china or crystal. It's designed for kitchens with two dishwasher cut-outs.

Dishwashers

	ZBD7100GSS	ZBD7000GII	ZBD6900GSS	ZBD6600GSS	ZBD6500GSS ZBD6400GWW ZBD6400GBB
Description					
	Fully Integrated Dishwasher	Fully Integrated Dishwasher	Fully Wrapped Dishwasher	Professional Series Dishwasher	Built-In Dishwasher
Variable Cycles and Options					
Pots and Pans, Normal, China/Crystal, Rinse Only	•	•	•		
Heavy-Duty, Normal, China/Crystal, Speed, Rinse Only				•	
Pots and Pans, Normal, China/Crystal, Sani-Wash					•
Dry Option	Smart w/Fan	Smart w/Fan	Smart w/Fan	Heat w/Fan	Heat w/Fan
Water Temperature Options	Sanitize, High, Normal	Sanitize, High, Normal	Sanitize, High, Normal	Sanitize, High, Normal	High, Normal
2/4/6 Hour Delay Start	•	•	•		•
Cycle Status Indicators	•	•	•		•
Features					
NSF-Certified to Sanitize	•	•	•	•	•
ENERGY STAR®-Qualified	•	•	•	•	•
Electronic Controls	•	•	•	Rotary Dials	•
Cycle Auto Memory	•	•	•	•	•
Surgical-Grade Stainless Steel Interior	•	•	•	•	•
Rilsan™ Nylon Adjustable Upper Rack	Fold-Down Tines	Fold-Down Tines	Fold-Down Tines	Fold-Down Tines	•
Rilsan Nylon Lower Rack	Fold-Down Tines	Fold-Down Tines	Fold-Down Tines	Fold-Down Tines	Fold-Down Tines
Ball-Tipped, Fold-Down Tines	•	•	•	•	•
Silverware Basket w/Cell Covers	•	•	•	•	•
Upper Rack Utility Shelves	•	•	•	•	•
5 Wash Levels	•	•	•	•	•
Stainless Steel Wash Arms	•	•	•	•	•
4-Stage Filter System	•	•	•	•	•
Adjustable Rinse Aid Dispenser	With Sensor	With Sensor	With Sensor	With Sensor	•
Turbidity CleanSensor Technology	•	•	•	•	•
Automatic Temperature Sensing	•	•	•	•	•
Flood Control System	•	•	•	•	•
Circulation Pump w/Induction Motor	•	•	•	•	•
Anti-Jamming Synchronous Drain Pump	•	•	•	•	•
Interior Light	•	•	•	•	
Quiet Features					
Heavy-Duty Steel Outer Wrap	•	•	•	•	•
Steel Case Insulation Package	•	•	•	•	•
Bitumen Tub Wrap	•	•	•	•	•
Motor Isolation Suspension	•	•	•	•	•
Advanced Hydrodynamics	•	•	•	•	•
Appearance					
Door Panel Color	Stainless Steel w/ Tubular Handle	Requires 3/4" Panel and Handle	Stainless Steel	Stainless Steel w/ Professional Handle	Stainless Steel White Black
Control Panel Color			Black	Stainless Steel	Black White Black
Accepts 3/4" or 1/4" Custom Panels					ZPF675W/B ZPF625W/B
General Features					
Overall Dimensions (WxHxD in inches)	23-5/8 x 34-35 x 23-1/2	23-5/8 x 34-35 x 23-1/2	23-5/8 x 34-35 x 23-1/2	23-5/8 x 34-35 x 23-1/2	23-5/8 x 34-35 x 23-1/2
Amps @ 120 Volts	12.0	12.0	12.0	12.0	12.0
Approx. Shipping Weight (lbs.)	125	125	125	135	125
Full Warranty*	1-Year	1-Year	1-Year	1-Year	1-Year
Limited Warranty* on Parts	2-Year	2-Year	2-Year	2-Year	2-Year
Limited Warranty* on Upper and Lower Racks	5-Year	5-Year	5-Year	5-Year	5-Year
Limited Warranty* on Electronic Control Module	5-Year	5-Year	5-Year	5-Year	5-Year
Full Warranty* on Tub and Door Liner	Lifetime	Lifetime	Lifetime	Lifetime	Lifetime

*See written warranty for details.

Chef's Washers

	ZBD7105GSS	ZBD7005GII	ZBD6905GSS	ZBD6605GSS
Description				
The Perfect Companion to the Monogram® Dishwasher	Fully Integrated Chef's Washer	Fully Integrated Chef's Washer	Fully Wrapped Chef's Washer	Professional Series Chef's Washer
Variable Cycles and Options				
Heavy-Duty, Normal, Light, Rinse Only	•	•	•	
Heavy-Duty, Normal, Light, Speed, Rinse Only				•
Water Temperature Options	Sanitize, High, Normal	Sanitize, High, Normal	Sanitize, High, Normal	Sanitize, High, Normal
Dry Option	Smart w/Fan	Smart w/Fan	Smart w/Fan	Heat w/Fan
2/4/6 Hour Delay Start	•	•	•	
Cycle Status Indicators	•	•	•	
Features				
NSF-Certified to Sanitize Pots and Pans	•	•	•	•
Electronic Controls	•	•	•	Rotary Dials
Cycle Auto Memory	•	•	•	•
Surgical-Grade Stainless Steel Interior	•	•	•	•
Rilsan Nylon Adjustable Upper Cookware Rack	•	•	•	•
Rilsan Nylon Lower Cookware Rack	•	•	•	•
Graphite Gray Racks/Baskets	•	•	•	•
Fold-Down Casserole and Cookie Sheet Dividers	•	•	•	•
Utensil Basket	•	•	•	•
5 Wash Levels	•	•	•	•
Stainless Steel Wash Arms	•	•	•	•
4-Stage Filter System	•	•	•	•
Adjustable Rinse Aid Dispenser	With Sensor	With Sensor	With Sensor	With Sensor
Automatic Temperature Sensing	•	•	•	•
Flood Control System	•	•	•	•
Circulation Pump with Induction Motor	•	•	•	•
Anti-Jamming Synchronous Drain Pump	•	•	•	•
Interior Light	•	•	•	•
Quiet Features				
Heavy-Duty Steel Outer Wrap	•	•	•	•
Steel Case Insulation Package	•	•	•	•
Insulated Base and Pan	•	•	•	•
Bitumen Tub Wrap	•	•	•	•
Motor Isolation Suspension	•	•	•	•
Advanced Hydrodynamics	•	•	•	•
Appearance				
Door Panel Color	Stainless Steel w/Tubular Handle	Requires 3/4" Panel and Handle	Stainless Steel	Stainless Steel w/Professional Handle
Control Panel Color			Black	Stainless Steel
General Features				
Overall Dimensions WxHxD in inches)	23-5/8 x 34-35 x 23-1/2	23-5/8 x 34-35 x 23-1/2	23-5/8 x 34-35 x 23-1/2	23-5/8 x 34-35 x 23-1/2
Amps @120 Volts	12.0	12.0	12.0	12.0
Approx. Shipping Weight (lbs.)	125	125	125	135
Fully Warranty*	1-Year	1-Year	1-Year	1-Year
Limited Warranty* on Parts	2-Year	2-Year	2-Year	2-Year
Limited Warranty* on Upper and Lower Level Racks	5-Year	5-Year	5-Year	5-Year
Limited Warranty* on Electronic Control Module	5-Year	5-Year	5-Year	5-Year
Full Warranty* on Tub and Door Liner	Lifetime	Lifetime	Lifetime	Lifetime

*See written warranty for details.

Gas and Electric Cooktops

Maybe you're an occasional chef who tries out new recipes on weekends, or perhaps you're an avid cook who relishes every opportunity to prepare a good meal? Whether you're a dabbler or devotee of gourmet cooking, Monogram® offers a cooktop to satisfy your culinary inclination.

Monogram gas cooktops offer a full spectrum of heat settings, from a low simmer to an intense boil. Electric cooktops also provide an impressive range of cooking power, along with an array of convenient extras.

All models offer a simple, understated look that creates an immediate impression of culinary expertise and enjoyment.

Above. Monogram's gas cooktop impresses with a brushed stainless steel surface that's arced at the front for a striking effect.
Right. The Monogram digital electronic cooktop is smooth from edge to edge for an elegant look that's easy to clean.





36" Stainless Steel Island Hood ZV850SB
Gas on Glass Cooktop ZGU36GGBDBB

Left. Monogram cooktops pair beautifully with Monogram stainless steel hoods.
Below. The Monogram electric cooktop has a black, ceramic-glass surface with five burners and seven cooking combinations.



Electric Cooktop
ZEU769SCSS

Monogram cooktops are as outstanding in design as they are in performance. To view the entire cooktop line, log on to monogram.com.

Gas Cooktops

Stainless Steel Gas Cooktops

Monogram's 36" stainless steel gas cooktop delivers unmatched cooking flexibility and control. For the first time, there's a complete range of cooking capability on all five burners.

This innovative cooktop provides true simmer-to-boil capability with a unique dual-flame, stacked-burner design. The lower flame on each burner maintains a constant 140°F simmer to prevent sticking and scorching. The upper flame delivers the high heat necessary for sautéing and stir-frying. All burners are sealed beneath a stable surface of interlocking cast-iron grates.

Dual-flame stacked burners. Five burners offer complete low-simmer-to-rapid-boil flexibility. These automatic reignition burners are sealed to the cooktop for easy cleaning.



ZGU375NSDSS (natural gas)
ZGU375LSDSS (liquid propane)
36" Stainless Steel Gas Cooktop

Stainless Steel Gas Cooktop Features

Sophisticated design. The graceful front edge forms a subtle arc, and the burner grates are uniquely configured to convey a sophisticated look.


Silent, precise simmering. The simmer flame silently delivers a consistent 140°F, without cycling on and off.

60,000 BTUs of cooking power. The cooktop is equipped with one 15,000-BTU burner, two 12,000-BTU burners and two 10,500-BTU burners.

Continuous grates. The graceful composition of curves and tapered points is further enhanced with heavy-duty, porcelain-enamel coating. Interlocking design creates a stable surface for easy pot movement.

Wok ring. A stainless steel wok ring is included for the center burner. It locks into place on the grate and accommodates most standard woks.

Ergonomically designed controls. There is an "On" indicator light on the bezel of each knob, and the tactile surface makes them easy to grip and turn.



Gas on Glass Cooktops

These innovative cooktops combine the cooking performance of gas with the ultimate cleanability of glass. Beneath the continuous cooking surface, sealed burners with flame-stability chambers allow precise control over heat distribution. Because the burners are sealed and mounted directly onto the glass, the whole cooktop is easy to clean.



ZGU36GGSDSS 36" Black, Gas on Glass Cooktop with Stainless Steel Trim



ZGU36GGTDWW 36" White, Gas on Glass Cooktop



ZGU36GGBDBB 36" Black, Gas on Glass Cooktop

	ZGU375NSDSS ZGU375LSDSS	ZGU36GGSDSS ZGU36GGTDWW ZGU36GGBDBB
Description	36" Stainless Steel Gas Cooktop	36" Gas on Glass Cooktop
Performance		
Sealed Burners	5	5
Dual-Flame Stacked Burners	5	
140°F Simmer Burners	5	
Electronic Pilotless Ignition	•	•
Auto Reignition	•	
Convenience		
Cooktop Surface	304 Stainless Steel	Ceramic
Cast-Iron, Porcelainized Burner Grates	•	•
Continuous Interlocking Grates	•	•
Front-Mounted Center Controls	•	•
Tactile Grip Knobs	•	•
"Burner On" Indicator Lights	5	
Appearance		
Color Appearance	Stainless Steel	Black (Stainless Steel Trim) White Black
General Features		
High Altitude Kit*	WB49X10090	
Griddle Accessory	ZX375GRD	ZX375GRD
Overall Dimensions (WxHxD in inches)	36-1/2 x 5-1/2 x 20-5/8	36 x 3-1/16 x 21-7/16-SS 36 x 3-1/16 x 21-1/4-W, B
Burners (000's BTUs) Nat/LP Gas	(2) 10.5/8.5 (2) 12/8.5 (1) 15/15	(2) 6/6 (1) 9.1/8 (1) 11/9.1 (1) 15/13
Gas Cooktop Electrical Rating 120V, 60Hz	•	•
Amps @ 120VAC	5.0	5.0
Approx. Shipping Weight (lbs.)	78	59
Full Warranty†	1-Year	1-Year
	*Must be installed by a qualified service technician. †See written warranty for details.	

Gas on Glass Cooktop Features

Sophisticated styling. The front edge is slightly curved to form an attractive, soft arc that complements other Monogram® appliances.

Precise, versatile temperature control. The burners provide a range of heat intensities: one 15,000-BTU burner, one 11,000-BTU burner, one 9100-BTU and two 6000-BTU burners.

Continuous grate design. Heavy pots are easy to slide from burner to burner. The cast-iron grates are coated in porcelain enamel and are dishwasher safe.

Soft-touch control knobs. Tactile knobs are pleasing to the touch and eye.

Electric Cooktops

Digital Electronic Cooktops

When it comes to gourmet cooking, timing is everything. A few seconds can mean the difference between creamy risotto and rice soup. It can also mean the difference between pan-roasted duck and a pan-burned disaster. With its quick heat-up and cool-down capabilities, Monogram's digital electronic cooktop helps you make these distinctions beautifully. It uses exclusive rapid Hi/Lo burners to deliver power and responsiveness that rival high-performance gas cooktops.



ZEU36RSFSS 36" Black, Digital Cooktop with Stainless Steel Trim



ZEU36RWFWW 36" White, Digital Cooktop



ZEU36RBFBB 36" Black, Digital Cooktop



ZEU30RSFSS 30" Black, Digital Cooktop with Stainless Steel Trim



ZEU30RWFWW 30" White, Digital Cooktop



ZEU30RBFBB 30" Black, Digital Cooktop

Digital Electronic Cooktops General Features

Rapid Hi/Lo burner cools down up to three times faster than an electronic standard burner. Most high-end electronic cooktops deliver fast heating response, but Monogram's digital electric cooktop with rapid Hi/Lo burners also offers quick cool-down capability. Rapid reduction in heat helps prevent sauces from boiling over or burning.

Digital controls. The easy-to-use, touch-activated controls are identified by simple graphics printed on the glass cooking surface.

Dual elements. Designed to accommodate small to large pan sizes, these elements reduce energy loss and optimize cooking performance.

Pan size and presence sensors. Each dual element has an intuitive sensor that selects either a small or large element, depending on the size of the pan. If the pan is removed for more than a minute, the sensor will automatically shut off the element.

Full-function warmer. Positioned at center on 36" models and right rear on 30" models, the convenient warmer offers three warm settings, in addition to the 11 standard heat settings.

Electric Cooktops

If you're a hands-on cook who likes the feel of tangible controls, these sleek 36" electric cooktops will appeal to you. The flat plane of smooth ceramic glass provides a near-seamless cooking surface, with tapered control knobs clustered in the center for ease of use.



ZEU769SCSS 36" Solid Black, Ribbon Cooktop, Stainless Steel trim with 5 burners, 7 cooking combinations



ZEU769TCWW 36" Solid White, Ribbon Cooktop with 5 burners, 7 cooking combinations



ZEU769BCBB 36" Solid Black, Ribbon Cooktop with 5 burners, 7 cooking combinations

	ZEU36RSFSS ZEU36RWFWW ZEU36RBFBB	ZEU30RSFSS ZEU30RWFWW ZEU30RBFBB	ZEU769SCSS ZEU769TCWW ZEU769BCBB
Description	36" Digital Electronic Cooktop	30" Digital Electronic Cooktop	36" Ribbon Electric Cooktop
Performance			
Elements	5	4	5
Cooking Configurations	7	6	7
7" Heating Element	1 Ribbon (1500W)	1 Ribbon (1500W)	1 Ribbon (1500W)
7" Heating Elements with Bridge Element			2 Ribbon (1800W) 1 Ribbon (800W)
6" Heating Elements	2 Ribbon (1200W)	1 Ribbon (1200W)	1 Ribbon (1200W)
Dual 6" Heating Element	1 Ribbon (1000/2500W)	1 Ribbon (1000/2500W)	1 Ribbon (1000/2500W)
Dual 5" Heating Element	1 Ribbon (1000/2200W)	1 Ribbon (1000/2200W)	
Full-Function Warmer Burner	•	•	
Convenience			
Rapid Hi/Lo Burners	•	•	
800W Ribbon Bridge Burner			Links 7" Elements
Electronic Touch Controls	•	•	
Pan Presence Sensor	•	•	
Pan Size Sensor	•	•	
Kitchen Timer	•	•	
Control Lock Capability	•	•	
Hot Surface Indicator Lights	5	4	5
Appearance			
Patterned Ceramic Glass Surface	•	•	
Frameless Glass Design	•	•	•
Color Appearance	Black (Stainless Steel Trim) White Black	Black (Stainless Steel Trim) White Black	Black (Stainless Steel Trim) Solid White Solid Black
General Features			
Overall Dimensions (WxHxD in inches)	36 (36-1/8 SS) x 6-1/4 x 21-1/8 (21-1/4 SS)	29-3/4 (29-7/8 SS) x 6-1/4 x 21-5/8 (21-3/4 SS)	36 x 3-1/4 x 20-3/8
KW Rating @ 240VAC	8.6	7.4	9.6
@ 208VAC	6.5	5.6	7.1
Amps @ 240VAC	40	40	40
@ 208VAC	30	30	30
Approx. Shipping Wt. (lbs.)	56	43	45
Full Warranty*	1-Year	1-Year	1-Year
Limited Elements and Glass Surface Warranty*	5-Year	5-Year	5-Year

*See written warranty for details.

Electric Cooktops General Features

Cooking versatility. Elements vary from 6" to 9" in diameter and can be expanded to suit your cooking needs.

Bridge burner. Ideal for larger pans, this burner connects two 7" elements to form an elliptical cooking zone.

Cooking performance. Responsive ribbon elements allow you to simmer and sauté precisely according to recipe. An infinite range of heat settings leaves plenty of room for improvisation.

Solid surface finishes. The cooktop surfaces are completely solid for a dramatic "true black" or "true white" appearance.

For complete cooking capabilities in a small space, install a Monogram® cooktop over a wall oven. To learn more, visit monogram.com.

Cooking Products

At today's hectic pace of life, it seems every hour is rush hour. There's barely any time to savor a delicious meal, much less prepare one.

Monogram® built-in cooking products give you the time—and technology—you need to create glorious dishes. Innovative in design and function, each oven excels at mealtime multitasking. And each beautifully complements the other for a sleek, perfectly coordinated look.

Right. The Monogram cooking center combines three appliances to provide the ultimate in flexibility: Advantium® wall oven, European convection wall oven and warming drawer. **Top center.** Monogram's sensor-controlled microwave oven can be built in, mounted under a cabinet or placed on a countertop. **Bottom center.** The double-oven configuration allows simultaneous convection cooking in both the upper and lower cavities. **Far top right.** Monogram's new electronic convection wall oven coordinates perfectly with the Advantium oven and warming drawer. **Far bottom right.** For a complete range of cooking capabilities in a small space, a 30" built-in oven has been installed below a Monogram cooktop.



Advantium ZSC2001FSS
European Convection Single Wall Oven ZET1038SFSS
Warming Drawer ZTD910SFSS



Microwave Oven **ZE2160SF**



Advantium® **ZSC2001FSS**
Electronic Convection Single Wall Oven **ZET938SFSS**
Warming Drawer **ZTD910SFSS**



Electronic Convection Double Wall Oven **ZET958SFSS**



European Convection Single Wall Oven **ZET1038SFSS**

Wall Oven with Advantium® Speedcook Technology

Imagine the luxury of home-cooked Peking duck in less time than it takes to go out and buy gourmet carryout. Or, the convenience of succulent garlic shrimp cooked in three minutes. This is the extraordinary capability of award-winning Advantium Speedcook technology, which harnesses the power of light to do what no other oven has done before—deliver delicious results in minutes.

The Monogram® built-in oven with Advantium Speedcook technology bakes, broils, roasts and even grills traditional oven dishes—up to eight times faster than a conventional oven. It creates a whole new genre among premium cooking appliances.



ZSC2001FSS Stainless Steel, Built-In Oven with Advantium Speedcook technology



ZSC2000FWW White, Built-In Oven with Advantium Speedcook technology



ZSC2000FBB Black, Built-In Oven with Advantium Speedcook technology

General Features

Speedcook technology. 4500-watt halogen cooking system uses heat generated from light to rapidly cook the outside of foods, sealing in natural juices. At the same time, heat penetrates the surface, evenly cooking the inside.

Remarkable performance. Oven-quality foods cook in an average of one-fourth the time of a conventional oven, with no preheating required.

Easy-to-use controls. The control dial smoothly turns in both directions, making it easy to select from more than 100 preprogrammed recipes. For added convenience, Demo and Help programs guide you through the simple process of choosing a programmed recipe or customizing your own.

Full-function microwave oven. At the touch of a button, the oven converts to a high-performance, sensor-controlled microwave.

Integrated styling. The overall look is sleek. The oven's bold, horizontal lines are set off by simple graphics and a tubular handle on the pull-down door.



Crescent rolls, 4 minutes



Pork tenderloin, 20 minutes



Miniature quiche appetizers, 8 minutes

Oven-quality results up to 8 times faster!**Compare cooking times with a convectional oven.**

Food	Advantium	Conventional
Mushrooms stuffed with spinach	5 minutes	15 minutes
Chicken bites, tarragon-mustard sauce	5 minutes	20 minutes
Steak au poivre	7 minutes	15 minutes
Cornish hens Provençale	13 minutes	60 minutes
Leg of lamb, caper-wine sauce	40 minutes	105 minutes
Chicken breasts with feta-basil filling	14 minutes	35 minutes
Scalloped oysters	11 minutes	25 minutes
Classic lasagna	17 minutes	35 minutes
Vegetable frittata	13 minutes	25 minutes
Apricot-almond scones	5 minutes	10 minutes

	ZSC2001FSS ZSC2000FWW ZSC2000FBB
Description	Built-In Wall Oven
Performance	
Stainless Steel Oven Interior	•
Cooking System	4500 Watts of Halogen Power Output
Oven Controls	
Electronic Scrolling Display	•
More than 100 Preprogrammed Menu Items	•
Repeat Last	•
Help Mode	•
Demo Mode	•
Interior Oven Light	•
Beeper Sound Level Control	•
Variable Scroll Speed	•
Cooking Complete Reminder	•
Child Lock-Out	•
Oven Door with Window	•
Microwave Oven	
Sensor	•
Defrost—Auto/Time	•
Microwave Power Output Watts	950
Convenience	
Cookbook	•
Cooking Guide	•
Black Metal Grill Tray	•
Black Metal Tray	•
White Ceramic Tray	•
Appearance	
Color Appearance	Stainless Steel White Painted Steel Black Painted Steel
General Features	
Approx. Shipping Weight (lbs.)	101
Overall Oven Interior Dimensions (WxHxD in inches)	18-29/32 x 8-13/32 x 13-19/32
Overall Exterior Dimensions (WxHxD in inches) (not including handle)	29-25/32 x 21-7/8 x 15-27/32
Oven Cabinet Width Required	30"
Cut-Out Dimensions (WxHxD in inches)	28-1/2 x 21 x 19
Amps 208V/240V	30
Full Warranty*	1-Year
Full Halogen Lamp Warranty*	10-Year
Limited Magnetron Warranty*	10-Year

*See written warranty for details.

The Monogram Advantium® oven completes the ultimate cooking center.
For detailed installation information, visit us at monogram.com.

Electronic Convection Wall Ovens

If cooking is a fine art, then the new Monogram® electronic convection wall ovens are its highest expression. Styled with hand-finished doors and glass touch controls, these ovens lend sleek sophistication to any décor.

Culinary artistry extends to performance, as well. Both 30" and 27" models deliver convection cooking by means of a reverse-air convection system, which uses an innovative, bi-directional fan to promote even air and heat circulation for deliciously consistent cooking results.



ZET958SFSS 30" Stainless Steel, Double Convection Oven (shown left)
ZET938SFSS 30" Stainless Steel, Single Convection Oven (shown above)
ZEK958SFSS 27" Stainless Steel, Double Convection Oven (not shown)
ZEK938SFSS 27" Stainless Steel, Single Convection Oven (not shown)



ZET958WFWW 30" White, Double Convection Oven
ZEK958WFWW 27" White, Double Convection Oven (not shown)



ZET938WFWW 30" White, Single Convection Oven
ZEK938WFWW 27" White, Single Convection Oven (not shown)



ZET958BFBB 30" Black, Double Convection Oven
ZEK958BFBB 27" Black, Double Convection Oven (not shown)



ZET938BFBB 30" Black, Single Convection Oven
ZEK938BFBB 27" Black, Single Convection Oven (not shown)

The true artistry of the reverse-air convection system is demonstrated by Monogram double wall ovens, which allow single- or multilevel convection cooking in the upper and lower ovens.

General Features

Electronic glass touch controls. A gentle touch allows you to easily select the desired cooking function: convection bake or roast, variable or closed-door broiling, 24-hour delay bake, warm mode or proof mode.

Reverse-air convection.

A bi-directional fan delivers exceptionally consistent cooking performance, allowing heated air to circulate on all sides of food.

Dual convection. Unique double-oven configuration allows simultaneous convection cooking in both the upper and lower cavities. Prepare a main course in one oven and up to six racks of hors d'oeuvres in the other, with deliciously consistent results.

Spacious interior. The generous 4.1 cu. ft. oven cavity with multiple rack positions accommodates several trays and roasting pans.

Self-clean oven racks.

Designed to be left in the oven during the self-clean cycle for effortless cleaning.

Halogen lighting. Two halogen lights illuminate your culinary work in progress, putting it into bright, clear perspective.

Concealed bake element.

A smooth surface simplifies ash removal after the self-clean cycle.

	ZET938SFSS ZET938WFWW ZET938BFBB	ZET958SFSS ZET958WFWW ZET958BFBB	ZEK938SFSS ZEK938WFWW ZEK938BFBB	ZEK958SFSS ZEK958WFWW ZEK958BFBB
Description	30" Single Oven	30" Double Oven	27" Single Oven	27" Double Oven
Performance				
Self-Cleaning Oven(s)	•	Upper and Lower	•	Upper and Lower
Oven Capacity	4.1 cu. ft.	4.1 cu. ft. (each oven)	3.9 cu. ft.	3.9 cu. ft. (each oven)
Convection Oven(s)	•	Upper and Lower	•	Upper and Lower
Hidden Bake Element	•	•	•	•
Reverse Air Convection	•	•	•	•
Multi-Rack Convection Bake	•	•	•	•
Single-Rack Convection Bake	•	•	•	•
Optional Closed-Door Broiling	•	•	•	•
Convection Element	2500W	2500W	2500W	2500W
Variable Broil/Broil Element	3600W; 6-Pass	3600W; 6-Pass	3400W; 4-Pass	3400W; 4-Pass
Bake Element	2700W; 8-Pass	2700W; 8-Pass	2650W; 6-Pass	2650W; 6-Pass
Roasting Rack	•	•	•	•
Convenience				
Electronic Glass Touch Controls	•	•	•	•
Self-Clean Porcelain Oven Racks	3	6	3	6
Concealed Bake Element	•	•	•	•
Halogen Oven Lights	2	2 (each oven)	2	2 (each oven)
Self-Clean Delay Option	•	•	•	•
Convection Mode Conversion	•	•	•	•
Automatic Meat Thermometer	•	1 (each oven)	•	1 (each oven)
Digital Temperature Display	•	•	•	•
Electronic Clock and Kitchen Timer	•	•	•	•
Delay Bake Option with Warm Mode	•	•	•	•
Proof Mode	•	•	•	•
Warm Mode	•	•	•	•
C° or F° Programmable	•	•	•	•
Audible Preheat Signal	•	•	•	•
Auto Oven Shut-Off w/Override	•	•	•	•
Control Lock Capability	•	•	•	•
Certified Sabbath Mode	•	•	•	•
Appearance				
Oven Door(s)	Stainless Steel White Painted Steel Black Painted Steel	Stainless Steel White Painted Steel Black Painted Steel	Stainless Steel White Painted Steel Black Painted Steel	Stainless Steel White Painted Steel Black Painted Steel
Monogram Tubular Handle	•	•	•	•
Hand-Polished, Welded Door Seams	•	•	•	•
Flush Appearance Installation	•	•	•	•
Undercounter Installation	•	•	•	•
General Features				
Oven Cabinet Width Required (in.)	30	30	27	27
Rack Positions	7	7 (each oven)	4	4 (each oven)
Interior Dimensions (WxHxD in inches)				
Upper		24 x 16-1/4 x 18-1/4		21-1/2 x 17 x 18-1/4
Lower	24 x 16-1/4 x 18-1/4	24 x 16-1/4 x 18-1/4	21-1/2 x 17 x 18-1/4	21-1/2 x 17 x 18-1/4
Overall Dimensions (WxHxD in inches)	29-3/4 x 28-1/4 x 23-1/4	29-3/4 x 52-7/8 x 23-1/4	26-5/8 x 29 x 23-1/4	26-5/8 x 51 x 23-1/4
KW Rating @ 240VAC	3.6	7.2	3.4	6.8
208VAC	2.7	5.4	2.6	5.1
Amps @ 240VAC	15	30	15	29
208VAC	13	26	13	25
Approx. Shipping Weight (lbs.)	135	260	100	164
Full Warranty*	1-Year	1-Year	1-Year	1-Year

*See written warranty for details.

Monogram's electronic wall ovens use reverse-air convection technology to deliver exquisite baking and roasting results. For more details, visit us at monogram.com.

European Convection Wall Oven

New Monogram® European convection wall ovens have an inimitable, transcendent style that transforms your kitchen space. From the hand-milled control knobs to the seamlessly finished edges, these distinctive built-in wall ovens achieve true design perfection.

Each oven provides outstanding performance with true European convection heating, a cooking process that produces extraordinarily precise results. Roasts cook evenly, at lower temperatures and in less time. Baked breads maintain their delicate texture, while browning beautifully at the surface.



ZET1058SFSS 30" Stainless Steel,
Double Convection Oven



ZET1038SFSS 30" Stainless Steel,
Single Convection Oven



ZET1058BFBB 30" Black,
Double Convection Oven



ZET1038BFBB 30" Black,
Single Convection Oven



If your kitchen includes the Advantium® oven, a Monogram European wall oven will provide the perfect complement—in terms of both style and function.

General Features

Sophisticated styling. With its large viewing window and seamless appearance, this oven displays elegance on a grand scale. Handmade control knobs punctuate the overall design.

True European convection. A dedicated third heating element in the back wall combines with the convection fan to provide even heat and a consistent temperature throughout the oven.

Self-clean oven racks. Designed to be left in the oven during the self-clean cycle for effortless cleaning.

Halogen lighting. Two halogen lights illuminate your culinary work in progress, putting it into bright, clear perspective.

Concealed bake element. A smooth surface simplifies ash removal after the self-clean cycle.

	ZET1038SFSS ZET1038BFBB	ZET1058SFSS ZET1058BFBB
Description	30" Single Oven	30" Double Oven
Performance		
Self-Cleaning Oven(s)	•	Upper and Lower
True European Convection Oven(s)	•	Upper and Lower
True Hidden Bake Element	•	•
Convection Bake	•	•
Convection Broil	•	•
Convection Roast	•	•
Optional Closed-Door Broiling	•	•
Convection Element	2500W	2500W
Variable Broil/Broil Element	3000W; 12-Pass	3000W; 12-Pass
Bake Element	2500W	2500W
Broil Pan	•	•
Roasting Rack	•	•
Convenience		
Rotary Controls	•	•
Self-Clean Porcelain Oven Racks (including floor rack)	4	4 (each oven)
Halogen Oven Lights	2	2 (each oven)
Self-Clean Delay Option	•	•
Electronic Clock	•	•
Kitchen Timer	•	•
Timed/Delayed Baking Option	•	•
Proof Mode	•	•
Status Indicator Lights	Lock, Heating, Oven On	Lock, Heating, Oven On
Appearance		
Oven Door(s)	Stainless Steel Black Painted Steel	Stainless Steel Black Painted Steel
Monogram Tubular Handle	•	•
Control Knobs	Stainless Steel Black Painted Steel	Stainless Steel Black Painted Steel
Hand-Polished, Welded Door Seams	•	•
Flush Appearance Installation	•	•
Undercounter Installation	•	
General Features		
Oven Cabinet Width Required (in.)	30	30
Rack Positions (including floor rack)	5	5 (each oven)
Interior Dimensions (WxHxD in inches)		
Upper	22-5/8 x 13-3/4 x 14-3/4	22-5/8 x 13-3/4 x 14-3/4
Lower		22-5/8 x 13-3/4 x 14-3/4
Overall Dimensions (WxHxD in inches)	29-1/4 x 23-1/4 x 22	29-1/4 x 48 x 22
KW Rating @ 240VAC	3.3	6.5
208VAC	2.8	5.6
Amps @ 240VAC	13.8	27.1
208VAC	13.5	26.9
Approx. Shipping Weight (lbs.)	140	300
Full Warranty*	1-Year	1-Year

*See written warranty for details.

Microwave Ovens

One of the greatest luxuries in life is convenience, especially when it comes to cooking. When you include a Monogram® microwave oven in your home, you can enjoy the combined luxury of convenience and style.

Monogram microwave ovens deliver exceptional convenience with a choice of power levels and cooking capabilities. Outside, electronic touch controls and a large glass viewing window make a decidedly modern statement.

Built-In Microwave/Convection Ovens



ZMC1095SF Stainless Steel, Built-In Microwave/Convection Oven
1.0 cu. ft. cavity, 800 watts of cooking power



ZMC1095WF White, Built-In Microwave/Convection Oven
1.0 cu. ft. cavity, 800 watts of cooking power



ZMC1095BF Black, Built-In Microwave/Convection Oven
1.0 cu. ft. cavity, 800 watts of cooking power

General Features

Three modes. The microwave/convection oven offers three ways to cook: microwave, convection, or a combination of both.

Microwave/Convection cooking. The convection mode uses a separate heating element and fan built into the rear wall to circulate air. This process allows gorgeous browning and roasting. You can also convection-cook with the microwave function for faster results, or use the oven for microwaving only.

Sensor cooking. An electronic sensor monitors the level of steam released by food and automatically adjusts cooking time to deliver optimal results.

Microwave Ovens with Sensor Cooking



ZE2160SF Stainless Steel, Microwave Oven
2.1 cu. ft. cavity, 1200 watts of cooking power



ZEM200SF Stainless Steel, Compact Microwave Oven
1.0 cu. ft. cavity, 800 watts of cooking power



ZEM200WF White, Compact Microwave Oven 1.0 cu. ft. cavity, 800 watts of cooking power



ZEM200BF Black, Compact Microwave Oven 1.0 cu. ft. cavity, 800 watts of cooking power

General Features

Sensor cooking. An electronic sensor monitors the level of steam released by food and automatically adjusts cooking time to deliver optimal results.

	ZMC1095SF ZMC1095WF ZMC1095BF	ZE2160SF	ZEM200SF ZEM200WF ZEM200BF
Description			
	Built-In Microwave/Convection Oven	Full-Size Countertop Microwave Oven	Compact Microwave Oven
Performance			
Oven Cavity (cu. ft.)	1.0	2.1	1.0
Power Rating*	800	1200	800
Electronic Touch Controls	•	•	•
Instant-On Controls	•	•	•
Power Levels	10	10	10
Micro Cook I & II	•	•	•
Sensor Cooking Controls	Popcorn, Beverage, Reheat and Cook (Vegetable 1,2,3/ Potato/Fish/Chicken/Meat)	Popcorn, Beverage, Reheat, Vegetables, Potato, Chicken and Fish	Popcorn, Beverage, Reheat, Vegetables, Potato, Chicken and Fish
Convection Cook	•		
Combination Cook	•		
Combination Roast (Probe)	•		
Convenience			
Temp Cook/Hold (Probe)	•		
Turntable		•	•
Add 30 Seconds	•	•	•
Express Cook	•	•	•
Kitchen Timer	•	•	•
Delay/Start Reminder	•	•	•
Turntable On/Off			•
Auto/Time Defrost	•	•	•
Child Lock-Out		•	•
Beeper Volume	4 Levels	4 Levels	
Appearance			
Stainless Steel Interior	•		
Monogram Tubular Handle	•		
Color Appearance	Stainless Steel White Black	Stainless Steel with Stainless Steel Case	Stainless Door (Black Case) White Door (White Case) Black Door (Black Case)
General Features			
Optional Built-In Kit	27", 30" standard	JX2127SH (27") JX2130SH (30")	JX827SS (27") JX827WN (27") JX827BN (27")
Hanging Kit			•
Amps @ 120VAC	13.0	13.9	11.5
Interior Dimensions (WxHxD in inches)	18 x 8-3/16 x 11-1/2	17 x 11-1/2 x 19	16-1/2 x 7-7/16 x 11-1/4
Overall Dimensions (WxHxD in inches)	26-3/4 x 18-5/8 x 16-3/8**	24 x 14 x 19-1/2**	23-25/32 x 11-3/16 x 12-9/32
Approx. Shipping Weight (lbs.)	84	51	43
Full Warranty†	1-Year	1-Year	1-Year
Limited Magnetron Warranty†	10-Year	10-Year	10-Year
	*IEC-705 Test Procedure **Exterior dimensions: depth excludes handle. †See written warranty for details.		

Warming Drawers

As a complement to other Monogram® built-in cooking products, Monogram warming drawers provide a versatile addition to the cooking center. Available in widths of 30" or 27", warming drawers help keep prepared dishes at appropriate serving temperatures, with just the right amount of moistness.

In fact, the warming drawer is such a sensible idea, you may wish to consider two. That way, there's enough room to keep everything warm, from hors d'oeuvres and sauces to dinner plates waiting and ready when you are.



ZTD910SFSS 30" Stainless Steel, Warming Drawer
ZKD910SFSS 27" Stainless Steel, Warming Drawer



ZTD910WFWW 30" White, Warming Drawer
ZKD910WFWW 27" White, Warming Drawer



ZTD910BFBB 30" Black, Warming Drawer
ZKD910BFBB 27" Black, Warming Drawer



ZTD910BFBB 30" warming drawer with custom panels and handles

General Features

Temperature settings. Monogram warming drawers offer a range of temperature options, from a proof setting (approximately 75°F) to a high setting (approximately 230°F).

Humidity control. By opening or closing the warming drawer vent, you can keep foods crisp or maintain moisture.

Practical details. The design of the half rack not only distributes heat evenly, but it also provides fifty percent more surface area for stacking plates and food.

Accessibility. A full-extension drawer allows complete access, and it is removable for easy cleanup.

Installation versatility. All 30" and 27" warming drawers are UL listed for use with Monogram wall ovens and cooktops.

Three-pan set. A set of three covered pans allows a choice of sizes for any dish: one 6-quart pan and two 3-quart pans.

	ZTD910SFSS ZTD910WFWW ZTD910BFBB	ZKD910SFSS ZKD910WFWW ZKD910BFBB
Description	30" Warming Drawer	27" Warming Drawer
Features		
Infinite Setting Temperature Control	75°-230°	75°-230°
Humidity Control	Crisp/Moist	Crisp/Moist
Hidden Control	•	•
Full-Extension Slides	•	•
On/Off Switch	•	•
"ON" Indicator Light	•	•
Half Rack	•	•
3-Pan Set	•	•
Appearance		
Color Appearance	Stainless Steel White Painted Steel Black Painted Steel	Stainless Steel White Painted Steel Black Painted Steel
Frameless Drawer Front	•	•
Monogram Tubular Handle	•	•
Accessories		
Custom Panel Kit	ZXD30B	ZXD27B
Additional 2-Pan Set	JXPN2	JXPN2
General Features		
Interior Dimensions (WxHxD in inches)	23-7/8 x 6-1/4 x 22-1/16	20-7/8 x 6-1/4 x 22-1/16
Overall Dimensions (WxHxD in inches)	30 x 10-1/2 x 23-1/4	26-3/4 x 10-1/2 x 23-1/4
KW Rating @ 120VAC	.45	.45
Amps @ 120VAC	15	15
Warming Element	450W	450W
Approx. Shipping Weight (lbs.)	65	59
Full Warranty*	1-Year	1-Year

*See written warranty for details.



Three-Pan Set with Covers, included

For more information on Monogram warming drawers and complete installation instructions, we invite you to visit us online at monogram.com.

Professional Cooking

Monogram® professional cooking products have a striking architectural quality that commands center stage. Boldly designed and brilliantly executed, these impressive stainless steel products become the dramatic focus of your kitchen—and cooking experience.

Along with magnificent presence comes remarkable performance. Responsive gas burners with wide-ranging heating capacities allow you to cook with perfect precision, while electric ovens deliver exceptional baking and roasting results.

Right. Monogram's 48" professional range makes a compelling statement of quality and refinement. **Far top right.** The Monogram professional cooktop provides the ideal area for grilling, sautéing, simmering and searing. **Far bottom right.** Monogram's 36" professional range bespeaks an active, aroma-filled kitchen, with many delicious meals yet to come.



48" Restaurant-Style Professional Hood ZV48RSFSS
48" Dual-Fuel Professional Range ZDP48N4GDSS



48" Dual-Fuel Professional Ranges

Monogram's 48" professional ranges exude power and grandeur. Impressive in size and design, these lustrous stainless steel ranges make a bold culinary statement—in terms of both appearance and performance.

All models give you the advantage of dual-fuel cooking. Cooktop burners use a responsive, high-output gas flame, while an electric oven offers precise control for superb baking and roasting.



Gas burners. Dual-ring burners with porcelainized burner grates ensure even heat delivery, and infinite controls maintain precise settings between 500 and 15,000 BTUs.

18,000-BTU grill. The stainless steel grill grate is reversible, with a smooth surface for delicate foods and a ridged side for hearty meats, and it slopes forward to allow liquids to flow away from food, into the slide-out drip trays.

18,000-BTU griddle. The 3/8"-thick, stainless steel griddle is sloped to offer a clean cooking surface. Thermostatic control ensures even heating and consistent results.

Main oven (4.3 cu. ft., 27" wide)/ Companion oven (2.0 cu. ft., 12" wide):

Each model comes with a large electric-convection oven and a small thermal oven. The large oven offers an 8-pass, 4000-watt broil element and a 10-pass, 5000-watt bake element. The small thermal oven is equipped with a 6-pass, 3600-watt broil element and a 4-pass, 2800-watt bake element.

Self-cleaning. The large electric oven cleans itself, at the touch of a button. The door locks automatically and remains locked throughout the five-hour cleaning process.

The Monogram® 48" professional range offers a choice of cooktop configurations:



ZDP48N4GDSS (natural gas)
ZDP48L4GDSS (liquid propane)
48" Dual-Fuel Professional Range with 4 gas burners, a grill and a griddle



ZDP48N6RDSS (natural gas)
ZDP48L6RDSS (liquid propane)
48" Dual-Fuel Professional Range with 6 gas burners and a grill



ZDP48N6DDSS (natural gas)
ZDP48L6DDSS (liquid propane)
48" Dual-Fuel Professional Range with 6 gas burners and a griddle

Description		ZDP48N4GDSS ZDP48L4GDSS	ZDP48N6RDSS ZDP48L6RDSS	ZDP48N6DDSS ZDP48L6DDSS
Capacity				
Total (cu. ft.)	Main Oven	4.3	4.3	4.3
	Companion Oven	2.0	2.0	2.0
Oven Performance				
Interior	Main Oven	Convection	Convection	Convection
	Companion Oven	Thermal	Thermal	Thermal
Bake Element	Main Oven	10-Pass	10-Pass	10-Pass
	Companion Oven	4-Pass	4-Pass	4-Pass
Broil Element	Main Oven	8-Pass	8-Pass	8-Pass
	Companion Oven	6-Pass	6-Pass	6-Pass
Cooktop Performance				
500/15,000-BTU Dual-Ring Burners		4	6	6
Electronic Ignition w/Auto. Reignition		•	•	•
Cast-Iron, Porcelainized Burner Grates		•	•	•
Thermostatically-Controlled 18,000-BTU Griddle		•		•
18,000-BTU Grill		•	•	
Oven Convenience				
Interior	Main Oven	Self-Clean	Self-Clean	Self-Clean
	Companion Oven	Standard Clean	Standard Clean	Standard Clean
Rack Positions	Main Oven	3	3	3
	Companion Oven	3	3	3
Oven Racks	Main Oven	3	3	3
	Companion Oven	2	2	2
Ball-Bearing Oven Rack Glides		• (Main Oven Only)	• (Main Oven Only)	• (Main Oven Only)
	Broil Pans	2	2	2
Interior Oven Lights	Main Oven	2	2	2
	Companion Oven	1	1	1
Cooktop Convenience				
Two-Piece Reversible Grill Grate		•	•	
Stainless Steel, Slide-Out Drip Trays		2	2	2
Removable Drip Tray Liners		2 (Beneath Grill and Griddle)	1 (Beneath Grill)	1 (Beneath Griddle)
Optional Wok Accessory		ZXWK22Y	ZXWK22Y	ZXWK22Y
Optional Griddle Pan Accessory		ZX375GRD	ZX375GRD	ZX375GRD
Appearance				
Color Appearance		Stainless Steel	Stainless Steel	Stainless Steel
Stainless Steel Grill/Griddle Covers		2	1	1
General Features				
Fuel Type	Oven	Electric	Electric	Electric
	Cooktop*	Natural Gas LP Gas	Natural Gas LP Gas	Natural Gas LP Gas
Interior Dimensions (WxHxD in inches)				
	Main Oven	27-3/4 x 14-1/4 x 18-1/2	27-3/4 x 14-1/4 x 18-1/2	27-3/4 x 14-1/4 x 18-1/2
	Companion Oven	12 x 14-1/4 x 20-1/2	12 x 14-1/4 x 20-1/2	12 x 14-1/4 x 20-1/2
Overall Dimensions (WxHxD in inches)		47-7/8 x 35-1/4 – 36-3/4 x 28-1/4	47-7/8 x 35-1/4 – 36-3/4 x 28-1/4	47-7/8 x 35-1/4 – 36-3/4 x 28-1/4
Bake/Broil Wattage	Main Oven	5000/4000	5000/4000	5000/4000
	Companion Oven	2800/3600	2800/3600	2800/3600
120/240 Volt, 4-Wire		•	•	•
Amps @ 240VAC		48.3	48.3	48.3
Approx. Shipping Weight (lbs.)		602	595	600
Full Warranty**		1-Year	1-Year	1-Year
Burner Warranty**		5-Year	5-Year	5-Year

*Must specify Natural or LP Gas by model numbers.
**See written warranty for details.

Required backguard options. Any of three backguards is required to properly finish your range: 1-1/2" backguard for island or noncombustible-wall installations; 12" or 22" backguard for combustible-wall installations. The 22" backguard is designed with a slotted shelf/warming rack.



ZX1B48WSS
1-1/2" Backguard



ZX12B48WSS
12" Backguard



ZX22B48ASS
22" Backguard with warming shelf

36" and 30" Dual-Fuel Professional Ranges

Monogram's 36" and 30" professional ranges turn kitchens into gourmet showplaces. Combining style and quality in perfect measure, these stainless steel ranges offer the impressive look and high-performance cooking capabilities of commercial appliances.

All models feature a dual-fuel configuration that combines a responsive gas cooktop with an electric self-cleaning oven. The gas burners deliver maximum power for searing and stir-frying, while the electric oven maintains even temperatures for accurate baking and roasting results.



General Features

Gas burners. Dual-ring burners ensure even heat delivery, and infinite controls maintain precise settings between 500 and 15,000 BTUs.

18,000-BTU grill (36" range). The stainless steel grill grate is reversible, with a smooth surface for delicate foods and a ridged side for hearty meats, and it slopes forward to allow drippings to flow away from food into the slide-out drip trays.

18,000-BTU griddle (36" range). The 3/8"-thick, stainless steel griddle is also sloped to offer a clean cooking surface. Thermostatic control ensures even heating and consistent results.

36" main oven (4.3 cu. ft., 27" wide):

Offers an 8-pass, 4000-watt broil element and a 10-pass, 5000-watt bake element.

30" main oven (4.0 cu. ft., 24" wide):

Offers an 8-pass, 4000-watt broil element and a 6-pass, 3700-watt bake element.

Self-cleaning. Press a button and turn the dial to set the self-clean cycle. The door locks automatically and remains locked throughout the five-hour cleaning process.

ZDP30N4DSS (natural gas)
ZDP30L4DSS (liquid propane)
30" Dual-Fuel Professional Range



ZDP36N4RDSS (natural gas)
ZDP36L4RDSS (liquid propane)
36" Dual-Fuel Professional Range with 4 gas burners and a grill



ZDP36N4DDSS (natural gas)
ZDP36L4DDSS (liquid propane)
36" Dual-Fuel Professional Range with 4 gas burners and griddle



ZDP36N6DSS (natural gas)
ZDP36L6DSS (liquid propane)
36" Dual-Fuel Professional Range with 6 gas burners



	ZDP36N4RDSS ZDP36L4RDSS	ZDP36N4DDSS ZDP36L4DDSS	ZDP36N6DSS ZDP36L6DSS	ZDP30N4DSS ZDP30L4DSS
Description				
	36" Range with 4 Burners and Grill	36" Range with 4 Burners and Griddle	36" Range with 6 Burners	30" Range with 4 Burners
Capacity				
Total (cu. ft.)	4.3	4.3	4.3	4.0
Oven Performance				
Interior	Convection	Convection	Convection	Convection
Bake Element	10-Pass	10-Pass	10-Pass	6-Pass
Broil Element	8-Pass	8-Pass	8-Pass	8-Pass
Cooktop Performance				
500/15,000-BTU Dual-Ring Gas Burners	4	4	6	4
Electronic Ignition w/Auto. Reignition	•	•	•	•
Cast-Iron, Porcelainized Burner Grates	•	•	•	•
Thermostatically-Controlled 18,000-BTU Griddle		•		
18,000-BTU Grill	•			
Oven Convenience				
Self-Clean	•	•	•	•
Rack Positions	3	3	3	3
Oven Racks	3	3	3	3
Ball-Bearing Oven Rack Glides	•	•	•	•
Broil Pans	1	1	1	2
Interior Oven Lights	2	2	2	1
Cooktop Convenience				
Two-Piece Reversible Grill Grate	•			
Stainless Steel, Slide-Out Drip Trays	1	1	1	1
Removable Drip Tray Liners	1 (Beneath Grill)	1 (Beneath Griddle)		
Optional Wok Accessory	ZXWK22Y	ZXWK22Y	ZXWK22Y	ZXWK22Y
Optional Griddle Pan Accessory	ZX375GRD	ZX375GRD	ZX375GRD	ZX375GRD
Appearance				
Color Appearance	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
Stainless Steel Grill/Griddle Covers	1	1		
General Feature				
Fuel Type	Oven Electric	Electric	Electric	Electric
	Cooktop* LP Gas	Natural Gas LP Gas	Natural Gas LP Gas	Natural Gas LP Gas
Interior Dimensions (WxHxD in inches)	27-3/4 x 14-1/4 x 18-1/2	27-3/4 x 14-1/4 x 18-1/2	27-3/4 x 14-1/4 x 18-1/2	24 x 14 x 20-3/8
Overall Dimensions (WxHxD in inches)	35-7/8 x 35-1/4 – 36-3/4 x 28-1/4	35-7/8 x 35-1/4 – 36-3/4 x 28-1/4	35-7/8 x 35-1/4 – 36-3/4 x 28-1/4	29-7/8 x 35-1/4 – 36-3/4 x 26-3/4
Bake/Broil Wattage	5000/4000	5000/4000	5000/4000	3700/4000
120/240 Volt, 4-Wire	•	•	•	•
Amps @ 240VAC	29.2	29.2	29.2	19.9
Approx. Shipping Weight (lbs.)	415	415	415	396
Full Warranty**	1-Year	1-Year	1-Year	1-Year
Limited Burner Warranty**	5-Year	5-Year	5-Year	5-Year

*Must specify Natural or LP Gas by model numbers.

**See written warranty for details.

36" and 30" range backguard options



ZX1B36WSS
ZX1B30YSS
1-1/2" Backguard



ZX12B36WSS
12" Backguard
ZX12B30YSS
9" Backguard



ZX22B36ASS
ZX22B30ASS
22" Backguard with
Warming Shelf

Required backguard options. To properly finish your 36" range, choose 1-1/2", 12" or 22" backguards. For your 30" range, choose 1-1/2", 9" or 22" backguards.

48" and 36" Professional Cooktops

Whether you're grilling, sautéing, simmering or searing, Monogram® professional cooktops have the precise heat to serve your culinary purpose. Simply select the burner/element configuration that best suits your style of cooking and cookware.




ZGU48N6DDSS (natural gas)
ZGU48L6DDSS (liquid propane)
 48" Professional Cooktop with 6 gas burners and a griddle



ZGU48N4GDSS (natural gas)
ZGU48L4GDSS (liquid propane)
 48" Professional Cooktop with 4 gas burners, a grill and a griddle



ZGU48N6RDSS (natural gas)
ZGU48L6RDSS (liquid propane)
 48" Professional Cooktop with 6 gas burners and a grill



ZGU36N4RDSS (natural gas)
ZGU36L4RDSS (liquid propane)
 36" Professional Cooktop with 4 gas burners and a grill



ZGU36N4DDSS (natural gas)
ZGU36L4DDSS (liquid propane)
 36" Professional Cooktop with 4 gas burners and a griddle



ZGU36N6DSS (natural gas)
ZGU36L6DSS (liquid propane)
 36" Professional Cooktop with 6 gas burners

General Features

Gas burners. Dual-ring burners with porcelainized burner grates ensure even heat delivery, and infinite controls maintain precise settings between 500 and 15,000 BTUs.

18,000-BTU grill. The stainless steel grill grate is reversible, with a smooth surface for delicate foods and a ridged side for hearty meats, and it slopes forward to allow liquids to flow away from food.

18,000-BTU griddle. The 3/8"-thick, stainless steel griddle is also sloped to offer a clean cooking surface. Thermostatic control ensures even heating and consistent results.

	ZGU48N4GDSS ZGU48L4GDSS	ZGU48N6RDSS ZGU48L6RDSS	ZGU48N6DDSS ZGU48L6DDSS	ZGU36N4RDSS ZGU36L4RDSS	ZGU36N4DDSS ZGU36L4DDSS	ZGU36N6DSS ZGU36L6DSS
Description	48" Cooktop with 4 Burners, Grill and Griddle	48" Cooktop with 6 Burners and Grill	48" Cooktop with 6 Burners and Griddle	36" Cooktop with 4 Burners and Grill	36" Cooktop with 4 Burners and Griddle	36" Cooktop with 6 Burners
Performance						
500/15,000-BTU Dual-Ring Gas Burners	4	6	6	4	4	6
Electronic Ignition w/Auto. Reignition	•	•	•	•	•	•
Cast-Iron, Porcelainized Burner Grates	•	•	•	•	•	•
Thermostatically-Controlled 18,000-BTU Griddle	•		•		•	
18,000-BTU Grill	•	•		•		
Convenience						
Two-Piece Reversible Grill Grate	•	•		•		
Stainless Steel, Slide-Out Drip Trays	2	2	2	1	1	1
Removable Drip Tray Liners	2 (Beneath Grill and Griddle)	1 (Beneath Grill)	1 (Beneath Griddle)	1 (Beneath Grill)	1 (Beneath Griddle)	
Optional Wok Accessory	ZXWK22Y	ZXWK22Y	ZXWK22Y	ZXWK22Y	ZXWK22Y	ZXWK22Y
Optional Griddle Pan Accessory	ZX375GRD	ZX375GRD	ZX375GRD	ZX375GRD	ZX375GRD	ZX375GRD
Appearance						
Color Appearance	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
Stainless Steel Grill/Griddle Covers	2	1	1	1	1	
General Features						
Fuel Type*	Natural Gas LP Gas	Natural Gas LP Gas	Natural Gas LP Gas	Natural Gas LP Gas	Natural Gas LP Gas	Natural Gas LP Gas
Overall Dimensions (WxHxD in inches)	47-7/8 x 8-7/16 x 26-5/8	47-7/8 x 8-7/16 x 26-5/8	47-7/8 x 8-7/16 x 26-5/8	35-7/8 x 8-7/16 x 26-5/8	35-7/8 x 8-7/16 x 26-5/8	35-7/8 x 8-7/16 x 26-5/8
120 Volt	•	•	•	•	•	•
Amps @ 120VAC	6.6	3.3	3.3	3.3	3.3	1.0
Approx. Shipping Wt. (lbs.)	324	324	324	228	228	228
Full Warranty**	1-Year	1-Year	1-Year	1-Year	1-Year	1-Year
Limited Burner Warranty**	5-Year	5-Year	5-Year	5-Year	5-Year	5-Year

*Must specify Natural or LP Gas by model numbers.

**See written warranty for details.

Required backguard options.

Any of three backguards is required to properly finish your cooktop: 1/2" trim for island installation or against a non-combustible surface such as tile or brick; 12" or 22" backguard for combustible-wall installations. The 22" backguard is designed with a slotted shelf/warming rack.

48" and 36" cooktop backguard options



ZXC1B48BSS
ZXC1B36BSS
1/2" Island Trim



ZXC12B48WSS
ZXC12B36YSS
12" Backguard



ZXC22B48ASS
ZXC22B36ASS
22" Backguard with warming shelf



ZXWK22Y Wok. Designed for fast and effortless stir-frying, the Monogram wok is made of high-carbon steel and is supported by a stainless steel ring that locks into place on the burner grate. An aluminum lid with wooden handle completes the wok. (Approved for use on professional ranges and cooktops only.)

Ventilation Systems

Monogram® hoods offer an ideal combination of modern sophistication and innovation.

The distinctive lines make a unique statement in any décor, and different levels of ventilation provide effective power for any cooking occasion.

Each stainless steel hood is meticulously crafted and hand-polished to perfection. No matter which model you choose, you'll have a dramatic hood that lends added dimension and distinction to your kitchen.

Top right. Monogram's hoods are a study in sculptural elegance. **Bottom right.** Monogram's professional tapered-style hood offers a sleekly modern design of pure, clean lines and bold angles.





Top. The crowning achievement of the new Monogram professional hood collection, the restaurant-style hood achieves a focal-point status usually reserved for professional ranges. **Bottom.** The refinement of the Monogram island hood can be seen in every fine, finished detail.

Monogram's ventilation hoods provide the ideal complement to Monogram cooking products. For dimensions and specifications, log on to monogram.com.

Chimney Hoods

Monogram® chimney hoods are modern works of sculptural art. Each sinuous, exquisitely crafted canopy of stainless steel has a clean, contoured aesthetic that beautifully enhances any kitchen.

Monogram's hoods combine high style and performance in a singular design and make a thoroughly refined statement with simple, graceful lines.



ZV1050SFSS 42" Island Dual-Blower Hood
(Finished on all sides.)



ZV950SDSS 36" Wall-Mounted Dual-Blower Hood
(Finished on three sides only.)



ZV850SB 36" Island Hood (Finished on all sides.)
ZV750SY 36" Wall-Mounted Hood (Finished on three sides only.)

Description	ZV1050SFSS	ZV950SDSS	ZV850SB	ZV750SY
Performance				
Electronic Touch Controls	•	•	•	•
Vertical Exhaust Blower Rating	1080 CFM	700 CFM	360 CFM	360 CFM
Dual Blowers	•	•	•	•
Boost Mode	•	•	•	•
Convenience				
Halogen Lamps	4	4	4	4
Variable Lighting Control	6-Level	6-Level	6-Level	6-Level
Stainless Steel Removable Filters	4	3	3	3
Filter Cleaning Reminder	•	•	•	•
Variable-Speed Fan	4-Level	4-Level	4-Level	4-Level
Time-Delay Shut-Off	•	•	•	•
Stainless Steel Utensil Racks	•	•	•	•
Exhaust Options				
8" Round Exhaust Duct	•	•		
6" Round Exhaust Duct			•	•
Exhaust Damper	•	•	•	•
8' Ceiling Duct Cover*	• (included)	• (included)	ZX858SB (optional)	• (included)
9' Ceiling Duct Cover*	ZX1059SFSS (optional)	• (included)	ZX859SB (optional)	• (included)
10' Ceiling Duct Cover*	ZX10510SFSS (optional)	• (included)	ZX8510SB (optional)	ZX10SY (optional)
10' to 14' Ceiling Extension Duct Cover		ZX14SDSS (optional)		
Optional 8' to less than 9' Ceiling Recirculating Kit**			ZXR858C	ZXR758C
Optional 9' to less than 10' Ceiling Recirculating Kit**			ZXR859C	ZXR759C
Optional 10' Ceiling Recirculating Kit**			ZXR8510C	
Appearance				
Color Appearance	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
General Features				
Overall Dimensions (WxHxD in inches)	42 x 10 x 31-1/2	35-5/8 x 10 x 25	35-3/8 x 8-1/4 x 27-1/2	34-5/8 x 8-1/4 x 21-5/8
Amps @ 120VAC	8	4.3	2.5	2.5
Approx. Shipping Weight (lbs.)	150	110	81	81
Full Warranty†	1-Year	1-Year	1-Year	1-Year

*ZV850SB hood requires one of the ceiling extension duct covers.
 **Recirculating kit for ZV750 and ZV850 only. The ZV850 hood requires extension duct cover OR recirculating kit, not both.
 †See written warranty for details.

General Features

Attractive design. Expertly crafted with uncompromising attention to detail, a Monogram hood adds a striking architectural highlight to your kitchen.

Powerful ventilation. The variable-speed fan blower provides the power necessary to capture the smoke and oily fumes produced by high-performance cooking equipment.

Timer. The fan can be set for automatic shut off after 5, 10 or 20 minutes of operation.

Halogen lighting. Six levels of intensity are offered for different needs, from accent to ambient settings.

Removable filters. Filters can be easily detached from the hood for safe cleaning in your dishwasher. An indicator light signals when the filters need cleaning.



Recirculating kit (for ZV850 and ZV750 models). An optional Vent Hood Kit for recirculating air can be installed for internal ventilation.

Monogram provides a variety of ventilation options. To find the right hood for your kitchen, visit us at monogram.com.

Professional Hoods

Monogram® has elevated the professional hood to a new height of sophistication. Set next to cabinetry or set apart on a wall, a Monogram hood provides an attractive and functional finishing touch.

The new Monogram collection of professional hoods offers three distinct styles, allowing tremendous design flexibility. Crafted of premium-grade stainless steel, with every edge buffed by hand, these hoods offer a distinct appearance that's both resplendent and refined.



ZV48RSFSS (shown) 48" Professional Restaurant-Style Hood
ZV36RSFSS 36" Professional Restaurant-Style Hood
ZV30RSFSS 30" Professional Restaurant-Style Hood



ZV48TSFSS (shown) 48" Professional Tapered-Sided Hood
ZV36TSFSS 36" Professional Tapered-Sided Hood
ZV30TSFSS 30" Professional Tapered-Sided Hood



ZV48SSFSS (shown) 48" Professional Straight-Sided Hood
ZV36SSFSS 36" Professional Straight-Sided Hood
ZV30SSFSS 30" Professional Straight-Sided Hood

All shown with optional duct cover.



Expertly handcrafted and finished, Monogram professional hoods are eye-catching from every angle.

Description	ZV48RSFSS	ZV36RSFSS ZV30RSFSS	ZV48TSFSS	ZV36TSFSS ZV30TSFSS	ZV48SSFSS	ZV36SSFSS ZV30SSFSS
	48" Professional Restaurant-Style	36" and 30" Professional Restaurant-Style	48" Professional Tapered-Sided	36" and 30" Professional Tapered-Sided	48" Professional Straight-Sided	36" and 30" Professional Straight-Sided
Features						
Variable Speed Fan Control	4-Speed	4-Speed	4-Speed	4-Speed	4-Speed	4-Speed
Internal Blower Rating	1200 CFM	640 CFM	1200 CFM	640 CFM	1200 CFM	640 CFM
Halogen Lamps	3	2	3	2	3	2
Variable Light Control	4-Level	4-Level	4-Level	4-Level	4-Level	4-Level
Infrared Warming Lights	2	1	2	1	2	1
Removable Stainless Steel Filters	3 Mesh	2 Mesh	3 Baffle	2 Baffle	3 Baffle	2 Baffle
Stainless Steel Backguard	•	•				
Stainless Steel Warming Shelf	•	•				
Grease Trays	1	1	3	2	3	2
Blower Indicator Light	•	•	•	•	•	•
Stainless Steel Utensil Racks	•	•	•	•	•	•
10" Round Exhaust Duct	•	•	•	•	•	•
Exhaust Damper	•	•	•	•	•	•
Snap-In Blower Assembly	•	•	•	•	•	•
Appearance						
Color Appearance	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
Accessories						
6" Stackable Duct Cover	ZX48DC6	ZX36DC6	ZX48DC6	ZX36DC6	ZX48DC6	ZX36DC6
12" Stackable Duct Cover	ZX48DC12	ZX36DC12	ZX48DC12	ZX36DC12	ZX48DC12	ZX36DC12
General Features						
Overall Dimensions (WxHxD in inches)	48 x 22-1/2 x 25	36 x 22-1/2 x 25 30 x 22-1/2 x 25	48 x 18 x 25	36 x 18 x 25 30 x 18 x 25	48 x 18 x 25	36 x 18 x 25 30 x 18 x 25
Amps @ 110 Volts	12.5	6.5	12.5	6.5	12.5	6.5
Approx. Shipping Wt. (lbs.)	130	110 100	130	110 100	130	110 100
Full Warranty*	1-Year	1-Year	1-Year	1-Year	1-Year	1-Year

*See written warranty for details.

General Features

Seamless appearance. The welded, double-wall construction offers an unmistakably refined appearance.

Powerful ventilation. A powerful centrifugal blower, up to 1200 CFM, and variable-speed control keep your kitchen free of fumes and excess heat.

Infrared warming lamps. Powerful infrared lamps cast a warm glow over the cooking surface, while generating the heat necessary to keep baked goods at ready-to-serve temperatures.

Brilliant task lighting. Halogen-illuminated lights allow easy reading of recipes and can be adjusted to complement the dining occasion.

Removable filters. During ventilation, stainless steel filters trap airborne grease particles, and can be easily removed for safe cleaning in your dishwasher.

Thanks to Monogram, what was once an incidental is now an integral element of kitchen design. View the entire line of ventilation hoods at monogram.com.

Telescopic Downdraft Vents

Monogram's telescopic downdraft ventilation system provides an efficient, yet unobtrusive venting option for gas and electric cooktops. Discreetly positioned behind the cooktop, this system "telescopes" 8-1/2" above the cooktop when you cook, then retracts nearly flush to the surface.



When not in operation, Monogram® telescopic downdraft ventilation systems retract nearly flush to the cooktop.

General Features

Powerful ventilation. A 3-1/4" x 10" rectangular duct and a durable, stainless steel vent capture smoke and odors at the cooking surface. A variable-speed fan blower exhausts the air at a rate of 500 CFM.

Removable filters. Filters can be easily removed for safe cleaning in your dishwasher.

Remote blower placement installation kit. To reduce noise in the kitchen, an outdoor or indoor installation kit is offered for remote blower placement.



ZVB36SHSS 36" Stainless Steel, Telescopic Downdraft Vent
ZVB30SHSS 30" Stainless Steel, Telescopic Downdraft Vent



ZVB36WHWW 36" White, Telescopic Downdraft Vent
ZVB30WHWW 30" White, Telescopic Downdraft Vent



ZVB36BHBB 36" Black, Telescopic Downdraft Vent
ZVB30BHBB 30" Black, Telescopic Downdraft Vent

	ZVB36SHSS ZVB36WHWW ZVB36BHBB	ZVB30SHSS ZVB30WHWW ZVB30BHBB
Description		
	36" Telescopic Downdraft System	30" Telescopic Downdraft System
Performance		
Variable-Speed Fan Control	•	•
Downdraft Exhaust	500 CFM	500 CFM
Removable Grease Filters	•	•
3-1/4" x 10" Rectangular Duct	•	•
Convenience		
Remote-Mounted Controls	•	•
Indoor Remote Blower Kit	JXRB67	JXRB67
Outdoor Remote Blower Kit with Cover	JXBC67	JXBC67
Appearance		
Top Trim Color	Stainless Steel White Black	Stainless Steel White Black
Stainless Steel Vent Body	•	•
General Features		
Width (in inches)	36	30
KW Rating @ 120VAC	4.0	4.0
Amp Rating @ 120VAC	.5	.5
Approx. Shipping Weight (lbs.)	62	60
Full Warranty*	1-Year	1-Year

*See written warranty for details.

Monogram Hood Configurations

Choose the hood that best suits your space and ventilation requirements.

	Wall-Mounted		Island		Professional			Downdraft
	ZV750SY	ZV950SDSS	ZV850SB	ZV1050SFSS	ZV48TSFSS ZV36TSFSS ZV30TSFSS	ZV48SSFSS ZV36SSFSS ZV30SSFSS	ZV48RSFSS ZV36RSFSS ZV30RSFSS	ZVB30SH/WH/BH ZVB36SH/WH/BH
Style	Chimney	Chimney	Chimney	Chimney	Tapered	Straight	Restaurant	Integrated
Width								
Blower Rating (CFM)	36"	36"	36"	42"	30" 36" 48"	30" 36" 48"	30" 36" 48"	30" 36"
Recirculating Option	360	700	360	1080	640 640 1200	640 640 1200	640 640 1200	500 500
Vented Duct Cover Options	8'-10' Options	No	8'-10' Options	No	No	No	No	No
Monogram Installation Combinations	8', 9' Duct Cover Included; 10' Ceiling Duct Cover Optional	8', 9' or 10' Duct Cover Included; 10' to 14' Duct Cover Optional	8', 9' or 10' Duct Cover Required; Must Order Separately	8' Duct Cover Included; 9' or 10' Duct Cover Optional	Optional 6" and 12" Duct Covers, -Stackable	Optional 6" and 12" Duct Covers, -Stackable	Optional 6" and 12" Duct Covers -Stackable	Indoor, Outdoor Remote Blower Options
	All Non-Pro Cooktops	All 30" & 36" Cooktops and Ranges	All Non-Pro Cooktops	All 30" & 36" Cooktops and Ranges	All Monogram Cooktops and Ranges	All Monogram Cooktops and Ranges	All Monogram Cooktops and Ranges	All Non-Pro Cooktops

Installation of Monogram telescopic downdraft vents requires an extra-deep countertop. For exact cutout and countertop area requirements, log on to monogram.com.

Outdoor Cooking Products

Monogram® makes every cooking experience memorable—both inside your home and out. The same exceptional quality and design that distinguish Monogram appliances for the kitchen and home also characterize our selection of outdoor cooking products.

From high-performance outdoor cooking centers to portable grills, Monogram outdoor cooking products offer a delicious taste of the great outdoors. With Monogram, grilling alfresco and gracious entertaining become all the more delightful.



Dual Burner Cooktop ZX2NYSS
48" Gas Grill ZGG48N42CSS
and Stainless Steel Storage Doors ZXADYSS



48" Gas Grill ZGG48L31CSS
with 48" Cart ZX48CTACSS



24" Gas Grill ZGG24L20BSS
with 24" Cart ZX24CTBSS



48" Built-In Gas Grill ZGG48N31CSS
and Stainless Steel Storage Doors ZXADYSS

Far left. For ultimate cooking versatility, this cooking center pairs a full-size 48" grill with a dual-burner cooktop. **Top left.** The cooktop grill's portable cart includes an array of conveniences, from condiment bins on doors to large stainless steel shelves. **Bottom left.** The 24" portable grill is compactly designed, yet offers the grilling versatility and exceptional performance of larger models. **Above.** Monogram's 36" cooking center includes high-performance gas burners, motorized rotisserie with dedicated ceramic burner and a separate smoker burner.

48" Outdoor Cooking Centers

A gorgeous sunset on the horizon, a cool breeze in the air, a view of your flowering backyard. Enjoying the outdoors is half the pleasure when you grill or barbecue. And completing the picture is the 48" Monogram® gas grill.

Powerful and versatile, Monogram's outdoor grill offers a full-course menu of cooking possibilities. Use the rotisserie to grill flavorful, golden kebabs. Sear salmon fillets to succulent perfection on the cooktop surface. And, for added grilling convenience, you can use the side burner to sauté onions.

The Monogram 48" outdoor grill also offers several installation options, from a full-width, island-mounted configuration to free-standing portable cart.



ZGG48N42CSS (natural gas)

ZGG48L42CSS (liquid propane)

48" Gas Grill with four grill burners, two rotisserie burners, one smoker, one warming rack



ZGG48N31CSS (natural gas)

ZGG48L31CSS (liquid propane)

48" Gas Grill with three grill burners, one rotisserie burner, one smoker, two cooktop burners, one warming rack

	ZGG48N42CSS ZGG48L42CSS	ZGG48N31CSS ZGG48L31CSS	ZX2NYSS ZX2LYSS
Description			
	48" Outdoor Cooking Center with 4 Grill Burners, 2 Rotisserie Burners	48" Outdoor Cooking Center with 3 Grill Burners, 2 Cooktop Burners, 1 Rotisserie Burner	Dual-Burner Outdoor Cooktop
Performance			
20,000 BTU Cast-Iron Gas Grill Burners	4	3	
14,000 BTU Infrared Gas Rotisserie Burner(s)	2	1	
5,000 BTU Stainless Steel Gas Smoker Burner	1	1	
15,000 BTU Cast-Iron Gas Cooktop Burners		2	2
Gourmet Radiant Trays	•	•	
Brass Control Valves	•	•	•
Rotary Multi-Spark Piezo Ignition	•	•	•
Convenience			
Steel, Porcelain-Enameled Grill Grates	•	•	
Cast-Iron Porcelainized Cooktop Burner Grates		•	•
Warming Rack	•	•	
Stainless Steel Slide-Out Drip Tray	•	•	•
Appearance			
Color Appearance	Stainless Steel	Stainless Steel	Stainless Steel
Stainless Steel Cooktop Burner Cover		•	•
Accessories			
Trim Kit for Built-In Installation	N/A	N/A	ZX2TKYSS
Double Stainless Steel Doors for Built-In Installation	ZXADYSS	ZXADYSS	
Insulated Jacket	ZX48JYSS	ZX48JYSS	ZX2JYSS
Stainless Steel Cart	ZX48CTACSS	ZX48CTACSS	
LP Gas Tank	•	•	
Felt-Lined Vinyl Cover for Built-In Installations	ZX48CV4Y	ZX48CV3Y	
Felt-Lined Vinyl Cover for Portable Installations	ZX48CVCC	ZX48CVCC	
General Features			
Fuel Configuration	Natural Gas LP Gas	Natural Gas LP Gas	Natural Gas LP Gas
Overall Dimensions (WxHxD in inches)	47-7/8 x 22 x 25-3/8	47-7/8 x 22 x 25-3/8	13 x 10-1/2 x 25-3/4
Total Grill Area (sq. in.)	924	693	
120-Volt Rotisserie Motor	•	•	
Approx. Shipping Weight (lbs.)	330	300	56
Full Warranty*	1-Year	1-Year	1-Year
Limited Warranty*	5-Year	5-Year	5-Year
Limited Grill Burner Warranty*	Lifetime	Lifetime	Lifetime

*See written warranty for details.

General Features

Gourmet Radiant trays. Beneath the grill racks, uniquely designed trays ensure even heat distribution, reduce grease flare-ups.

Porcelain-coated, cast-iron grill burners. Two 20,000-BTU "H" burners evenly heat the entire grilling area.

Heavy-duty grill racks. The heavy, heat-retaining grill racks are porcelain enameled for easy cleaning and long life.

Brass valves. Burner controls are mounted on durable brass valves, ensuring long life in an outdoor environment.

Infrared rotisserie system. A ceramic infrared burner, mounted behind the motorized rotisserie, reaches cooking temperature in just 30 seconds.

Built-in smoker system. Includes an independent 5000-BTU burner with variable temperature control and a full-extension, slide-out drawer for wood chips.

Slide-out drip tray. The stainless steel drip tray below the grill and cooktop burners collects grease and spills and slides out for easy cleaning.

36" Outdoor Cooking Centers

Monogram's 36" cooking centers bring fresh, zesty possibilities to your gourmet cooking experience. With plenty of high-performance features and grilling space, there's no limit to what's on the menu.

Like all cooking centers, 36" models may be mounted on convenient rolling carts or built into custom installations.



ZGG36N31CSS (natural gas)

ZGG36L31CSS (liquid propane)

36" Gas Grill with three grill burners, one rotisserie burner, one smoker, one warming rack



ZGG36N21CSS (natural gas)

ZGG36L21CSS (liquid propane)

36" Gas Grill with two grill burners, one rotisserie burner, one smoker, two cooktop burners, one warming rack

	ZGG36N31CSS ZGG36L31CSS	ZGG36N21CSS ZGG36L21CSS	ZX2NYSS ZX2LYSS
Description			
	36" Outdoor Cooking Center with 3 Grill Burners, 1 Rotisserie Burner	36" Outdoor Cooking Center with 2 Grill Burners, 2 Cooktop Burners, 1 Rotisserie Burner	Dual-Burner Outdoor Cooktop
Performance			
20,000-BTU Cast-Iron Gas Grill Burners	3	2	
14,000-BTU Infrared Gas Rotisserie Burner	1	1	
5,000-BTU Stainless Steel Gas Smoker Burner	•	•	
15,000-BTU Cast-Iron Gas Cooktop Burners		2	2
Gourmet Radiant™ Trays	•	•	
Brass Control Valves	•	•	•
Rotary Multi-Spark Piezo Ignition	•	•	•
Convenience			
Steel, Porcelain-Enameled Grill Grates	•	•	
Cast-Iron Porcelainized Cooktop Burner Grates		•	•
Warming Rack	•	•	
Stainless Steel Slide-Out Drip Tray	•	•	•
Appearance			
Color Appearance	Stainless Steel	Stainless Steel	Stainless Steel
Stainless Steel Cooktop Burner Cover		•	•
Accessories			
Trim Kit for Built-In Installation	N/A	N/A	ZX2TKYSS
Double Stainless Steel Doors for Built-In Installation	ZXADYSS	ZXADYSS	
Insulated Jacket	ZX36JYSS	ZX36JYSS	ZX2JYSS
Stainless Steel Cart	ZX36CTACSS	ZX36CTACSS	
LP Gas Tank	•	•	
Felt-Lined Vinyl Cover for Built-In Installations	ZX36CV3X	ZX36CV2X	
Felt-Lined Vinyl Cover for Portable Installations	ZX36CVCC	ZX36CVCC	
General Features			
Fuel Configuration	Natural Gas LP Gas	Natural Gas LP Gas	Natural Gas LP Gas
Overall Dimensions (WxHxD in inches)	35-7/8 x 22 x 25-3/8	35-7/8 x 22 x 25-3/8	13 x 10-1/2 x 25-3/4
Total Grill Area (sq. in.)	693	462	
120-Volt Rotisserie Motor	•	•	
Approx. Shipping Weight (lbs.)	250	250	56
Full Warranty*	1-Year	1-Year	1-Year
Limited Warranty*	5-Year	5-Year	5-Year
Limited Grill Burner Warranty*	Lifetime	Lifetime	

*See written warranty for details.

General Features

Gourmet Radiant trays. Beneath the grill racks, these uniquely designed trays ensure even heat distribution. They also reduce grease flare-ups, eliminate the need for lava rocks or briquettes and remove easily for cleanup.

Porcelain-coated, cast-iron grill burners. Two 20,000-BTU “H” burners provide the power necessary to evenly heat the entire grilling area.

Heavy-duty grill racks. The heavy, heat-retaining grill racks are porcelain enameled for easy cleaning and long life.

Brass valves. Burner controls are mounted on durable brass valves, ensuring long life in an outdoor environment.

Infrared rotisserie system. A ceramic infrared burner, mounted behind the motorized rotisserie, reaches cooking temperature in just 30 seconds.

Built-in smoker system. Includes an independent 5000-BTU burner with variable temperature control and a full-extension, slide-out drawer for wood chips.

Slide-out drip tray. The stainless steel drip tray below the grill and cooktop burners collects grease and spills and slides out for easy cleaning.

27"/24" Outdoor Cooking Centers

Monogram's 27" and 24" cooking centers are compactly designed, yet offer the grilling versatility and exceptional performance of our larger models. Each may be built into a cooking island or mounted on a convenient portable cart.

The dual-burner outdoor cooktop provides a separate cooking surface for side dishes and other pan-prepared foods. It can be built into your customized outdoor island or attached to 27" Monogram® cooking center carts.



ZGG27N21CSS (natural gas)
ZGG27L21CSS (liquid propane)
27" Gas Grill; two grill burners, one rotisserie burner, one warming rack
ZGG27N20CSS (natural gas)
ZGG27L20CSS (liquid propane)
27" Gas Grill; two grill burners, one warming rack

Gourmet Radiant™ trays. Beneath the grill racks, these uniquely designed trays ensure even heat distribution. They reduce grease flare-ups, eliminate the need for lava rocks or briquettes and remove easily for cleanup.

Porcelain-coated, cast-iron grill burners. Two 20,000-BTU "H" burners provide an even, intense heat to the entire grilling area.

Infrared rotisserie system. A ceramic 14,000-BTU infrared burner, mounted behind the motorized rotisserie, reaches cooking temperature in just 30 seconds, providing the intense heat needed for searing meats and poultry.

Slide-out drip tray. The stainless steel drip tray below the grill burners collects grease and spills and slides out for easy cleaning.



ZGG24L20BSS (liquid propane)
24" Gas Grill with two grill burners, one rotisserie
Natural Gas conversion kit available

Stainless steel burners. Two 15,000-BTU burners provide durability and intense heat to the grilling area.

Built-in rotisserie burner. The rear ceramic briquettes radiate heat from the rear burner, for rotisserie cooking.

Precision brass valves. Controls are mounted on durable, brass valves that resist rust and corrosion, ensuring long life in an outdoor environment.

Dual-Burner Cooktops



ZX2NYSS (natural gas)
ZX2LYSS (liquid propane)
 Dual Burner Outdoor Cooktop

Porcelain-coated cast-iron burners. The spark-ignition burners are 15,000-BTU-rated, and come with a removable stainless steel cover that doubles as a work surface. Burners are baffled to reflect heat into the cooking area.

Precision brass valves. Controls are mounted on durable brass valves that resist rust and corrosion, ensuring long life in an outdoor environment.

Drip pan. The full-width stainless steel pan slides out easily for removal and cleaning.

Versatile installation. The dual-burner cooktops are designed to be built-in or added to the 27" cart.

	ZGG27N21CSS ZGG27L21CSS	ZGG27N20CSS ZGG27L20CSS	ZGG24L20BSS	ZX2NYSS ZX2LYSS
Description	27" Outdoor Cooking Center with 2 Grill Burners 1 Rotisserie Burner	27" Outdoor Cooking Center with 2 Grill Burners	24" Outdoor Cooking Center with 2 Grill Burners, Rotisserie	Dual-Burner Outdoor Cooktop
Performance				
20,000-BTU Cast-Iron Gas Grill Burners	2	2		
15,000-BTU Stainless Steel Gas Grill Burners			2	
14,000-BTU Infrared Gas Rotisserie Burner	1			
15,000-BTU Cast-Iron Gas Cooktop Burners				2
Gourmet Radiant Trays	•	•		
Brass Control Valves	•	•	•	•
Rotary Multi-Spark Piezo Ignition	•	•	•	•
Convenience				
Steel Porcelain-Enameled Grill Grates	•	•	•	
Cast-Iron Porcelainized Cooktop Burner Grates				•
Stainless Steel Slide-Out Drip Tray	•	•		•
Appearance				
Color Appearance	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
Stainless Steel Cooktop Burner Cover				•
Accessories				
Trim Kit for Built-In Installation	ZX27TKYSS	ZX27TKYSS	ZX24TKBSS	ZX2TKYSS
Double Stainless Steel Doors for Built-In Installation	ZXADYSS	ZXADYSS	ZXADYSS	
Insulated Jacket	ZX27JYSS	ZX27JYSS	ZX24JBSS	ZX2JYSS
Stainless-Steel Cart	ZX27CTACSS	ZX27CTACSS	ZX24CTBSS	
LP Gas Tank	•	•		
Natural Gas Conversion Kit			ZX24NGB	
Quick Disconnect for Side Burner	ZX27QDC	ZX27QDC		
Felt-Lined Vinyl Cover for Built-In Installations	ZX27CV2Y	ZX27CV2Y	ZX24CV2B	
Felt-Lined Vinyl Cover for Portable Installations	ZX27CVCC	ZX27CVCC	ZX24CVCB	
Felt-Lined Vinyl Cover for Portable Installations with Side Burners	ZX27CVDY	ZX27CVDY		
General Features				
Fuel Configuration	Natural Gas LP Gas	Natural Gas LP Gas	LP Gas	Natural Gas LP Gas
Overall Dimensions (WxHxD in inches)	27 x 24-3/8 x 24-3/4	27 x 24-3/8 x 24-3/4	24 x 18 x 23-3/4	13 x 10-1/2 x 25-3/4
Total Grill Area (sq. in.)	515	515	405	
120-Volt Rotisserie Motor	•		•	
Approx. Shipping Weight (lbs.)	135	130	130	56
Full Warranty*	1-Year	1-Year	1-Year	1-Year
Limited Warranty*	5-Year	5-Year	5-Year	5-Year
Limited Grill Burner Warranty*	Lifetime	Lifetime		

*See written warranty for details.

Monogram's 27" and 24" cooking centers pack lots of grilling power into a compact, space-friendly design. For more details, visit monogram.com.

Outdoor Cooking Accessories

Carts

Monogram® stainless steel carts offer the flexibility of a portable outdoor cooking center when a built-in installation is not desired. Carts come preassembled.

Accessible liquid propane tank.

A smooth-sliding drawer allows full access to the liquid propane tank on 48" and 36" carts.

Fold-down shelf. Convenient fold-down side shelves on 48", 36" and 27" carts extend workspace and provide extra room for cooking utensils. (The 27" cart has one shelf.)

Inside storage. Ample storage is provided from two convenient condiment bins that hold grilling necessities (shown below on the 36" model). In addition, each cart has a large shelf for storing utensils, serving trays, or a bag of your favorite wood chips.

Mobility. Smooth-rolling, sleekly styled wheels make it easy to position the grill. Casters lock in place to ensure a stable cooking area.



ZX48CTACSS 48" Cart



ZX36CTACSS 36" Cart



Condiment bins and storage shelf.



Easy access liquid propane tank drawer.



ZX27CTACSS 27" Cart



ZX24CTBSS 24" Cart

Gourmet Radiant™ Trays



Gourmet Radiant trays. Beneath the grill racks these uniquely designed trays sustain even heat distribution. They reduce grease flare-ups, eliminate the need for lava rocks or briquettes and remove easily for cleanup. (Available on 48", 36" and 27" models.)

Storage Area Doors

ZXADYSS Double Doors for 48", 36", 27" and 24" built-in island or enclosure.

Stainless steel. The access doors are made of 304 stainless steel, to coordinate with any Monogram outdoor cooking center.

Secure closing. A positive latch ensures flush and secure closure.

Large opening. Doors in the open position provide a full view and easy access to the storage area.

Vinyl Covers

Rugged and soft. The durable vinyl exterior withstands the elements, and the soft, felt lining helps protect the surface of the outdoor cooking center.

Custom-tailored. Covers are customized to the design of each Monogram outdoor cooking center and specifically to a built-in or portable installation. Please review the specification charts on pages 18-23 for cover options.

Insulated Jackets

ZX48JYSS Insulated Jacket for 48" cooking centers

ZX36JYSS Insulated Jacket for 36" cooking centers

ZX27JYSS Insulated Jacket for 27" cooking centers

ZX24JBSS Insulated Jacket for 24" cooking centers

ZX2JYSS Insulated Jacket for dual-burner outdoor cooktop

Safety shield. The insulated jacket shields combustible cabinetry from the heat generated by the grill or dual-burner cooktop.

Stainless steel construction. 304 stainless steel provides strength, stability, and durability.

High-quality insulation. The protective jacket is filled with rigid insulation that serves as a safety shield for combustible cabinetry.

Trim Kits

ZX27TKYSS 27" Built-In Grill installation

ZX2TKYSS Side Burner built-in installation

ZX24TKBSS 24" Built-In Grill installation


Acknowledgements

Special thanks to those who have helped make the Monogram Home possible.



Metropolitan Kitchen, front cover, pgs. 2, 3, 5, 9, 44

Cabinetry	Wood-Mode Fine Custom Cabinetry 800.635.7500 • wood-mode.com Style: Vanguard Plus Finish: Bistro on Cherry, Champagne on Maple
Hardware	Peter Meier, Inc. 800.222.6941 • petermeier.com Style: No. 1559-SS pull
Flooring	Finish/Size: Stainless Steel, 224 mm c/c Ann Sacks Tile & Stone, Inc. 800.278.8453 • annsacks.com Style: Natural Stone Finish/Size: Israeli Blue limestone, 16 x 16, w/aluminum grid
Backsplash	Ann Sacks Tile & Stone, Inc. 800.278.8453 • annsacks.com Style: Loom by Bisazza Glass, AS7467-6 Finish/Size: Gravel, 1 x 1, on 12-3/8 x 12-3/8 netted sheet
Plumbing	KOHLER Co. 800.4.KOHLER • kohler.com Undertone Undercounter Kitchen Sink, K-3335 Finish: Stainless Steel, Avatar Single-Control Faucet, K-6350 Finish: Polished Chrome, ProMaster Kitchen Faucet (custom sink), K-6330 Finish: Polished Chrome
Furniture	Design Within Reach 800.944.2233 • dwr.com Antica Leather Armchair, AR2105 Finish: Chestnut
Stainless Steel Cookware	All-Clad Metalcrafters LLC® 800.255.2523 • allclad.com
Wine and Spirits	Brown-Forman 502.585.1100 • brown-forman.com



Villa-Style Kitchen, front cover, pgs. 4, 5, 8, 10, 15, 19, 38, 45

Cabinetry	Wood-Mode Fine Custom Cabinetry 800.635.7500 • wood-mode.com Style: Hancock Raised Panel Finish: Vintage White on Maple
Hardware	Prestige A92
Flooring	Ann Sacks Tile & Stone, Inc. 800.278.8453 • annsacks.com Style: Antique Limestone (field); White Bronze (accent dot) Finish/Size: Light Smoke, 12 x 12 (field); White Bronze Flat Dot with Antique Finish, 3 x 3 (accent dot)
Backsplash	Ann Sacks Tile & Stone, Inc. 800.278.8453 • annsacks.com Style: Tumbled Marble (field); Handmade Stoneware (accent) Finish/Size: Giallo, 4 x 4 (field); Meadow Vine, 4 x 4 (accent); Rustic half-round trim, 1 x 6 (accent)
Door Pulls	Handle Accents, Inc. 408.859.3626 • handleaccents.com Style: Door Handle, QT-20, 14 Finish: Brushed Nickel
Plumbing	Kallista, Inc. 888.4.KALLISTA • kallistainc.com Large/Medium Two-Bowl Kitchen Sink, L20297-00 Finish: Stainless Steel Bacchus Kitchen Set w/Sidespray, P21563-00 Finish: Brushed Nickel
Pot Filler/Faucet	The Chicago Faucet Co. 847.803.5000 • chicagofaucets.com Style: 515-241CPR Finish: Polished Chrome
Stainless Steel Cookware	All-Clad Metalcrafters LLC® 800.255.2523 • allclad.com




Gameroom, front cover, pgs. 6, 7, 26, 28

- Cabinetry** Wood-Mode Fine Custom Cabinetry
800.635.7500 • wood-mode.com
Style: Cambridge Raised Panel
Finish: Antique Pine
- Flooring** Ann Sacks Tile & Stone, Inc.
800.278.8453 • annsacks.com
Style: Guaged Slate
Finish/Size: Tetra, 12 x 12
- Backsplash** Ann Sacks Tile & Stone, Inc.
800.278.8453 • annsacks.com
Style: Conventry Rustic Stoneware
Finish/Size: Ocean Blue Pale, SW16, 3 x 6
- Plumbing** KOHLER Co.
800.4.KOHLER • kohler.com
Undertone/Lyric Undercounter Sink, K-3341
Finish/Size: Stainless Steel, 15 round
Essex Entertainment Sink Faucet, K-8761
Finish: Brushed Nickel
- Lighting over Pool Table**
The Basic Source, Inc.
707.586.5483 • basicsourcelighting.com
Style: Mars Drop, 57773-LEO-B
Finish: Leopard
- Wine and Spirits**
Brown-Forman
502.585.1100 • brown-forman.com

Visit us at *monogram.com*.

With just a few quick clicks, you can find detailed product and installation information for the entire GE Monogram Collection™. You can also get a glimpse into the homes of people across the country who have made Monogram® appliances an integral part of their kitchens and lifestyles.



**Enjoy a virtual tour of the Monogram Home
and get a vicarious glimpse into Monogram kitchens.**



Florida



Sarasota



Newport Mansion



Napa Valley

THE MONOGRAM COLLECTION™



Monogram®

GE Consumer Products
General Electric Company
Louisville, Kentucky 40225

Energy Star®. Before purchasing an Energy Star® qualified appliance, read important information about its estimated annual energy consumption or energy efficiency rating that is available from your retailer or at GEAppliances.com. All Monogram products are appropriately UL or AGA approved.

Product improvement is a continuing endeavor at General Electric. Therefore, materials, appearance and specifications are subject to change without notice.

© 2003 General Electric Company Publication Number 24-M373 PC35194